


SESSIONMIX 1622

## 16 CHANNEL PROFESSIONAL MIXING CONSOLE WITH MEDIA & BLUETOOTH

Using the foundation of our popular CLUBXS16+, enhancing the design style and adding a stereo sub-group. The SessionMix 1622 gives you 14 Mic Channels and 1 Stereo Channel in a compact space saving design.

With the features available, such as USB recording, or the Bluetooth playback ability, there are many applications whether a small to medium size band or an installation where the channel count is important.

60mm faders on all channels, balanced XLR outputs, PFL/Listen on every channel and professional mic/line inputs make the new SessionMix series worth having a closer look at.



SESSIONMIX 1622

# 16 CHANNEL PROFESSIONAL MIXING CONSOLE WITH MEDIA & BLUETOOTH

## PRODUCT DETAILS

### KEY FEATURES

16 channels with 14 Mic Inputs and 1 Stereo Channel

USB/SD Card/Bluetooth media module for Playback / Recording

Stereo Sub Group with 60mm Faders and Jack Outputs

16 Selected and High-quality DSP effects with Reverb, Delay and Stereo Effects

DSP On/Off Footswitch Socket to easily turn On or Off your effects

Compressor and 80Hz High-Pass Filter on all Mic Channels

PFL and Mute on all Channels

3-band EQ on Mic channels for superior tone adjustments

2-band EQ on Stereo channel to add warmth to your instruments

2 x Aux & 1 x DSP Outputs for External Monitors and FXs

Stereo Return Extra Inputs with Level Control

RCA/Phono Playback and Record ability

Headphones and Control Room Output for full Monitoring

+48v Phantom Power on Mic Channel for condenser microphones

External PSU for reliable noise free operation

### SPECIFICATIONS

<b>Inputs</b>	16
<b>Mic Input channels</b>	14

SESSIONMIX 1622

# 16 CHANNEL PROFESSIONAL MIXING CONSOLE WITH MEDIA & BLUETOOTH

<b>Stereo Input channels</b>	1
<b>Sub Group / output</b>	2
<b>Mic Gain</b>	from +6dB to -50dB
<b>Line Gain</b>	from +10dB to -34dB
<b>EIN</b>	-100dB
<b>Frequency response</b>	10Hz – 20kHz
<b>THD Mic Channel</b>	±0.03%
<b>Signal to Noise Ratio</b>	80dB
<b>Output Levels</b>	Max +26dB (Balanced) / Max +20dB (Unbalanced)
<b>Channel EQ</b>	Hi 12kHz, Mid 2.5kHz, Low 45Hz
<b>Low-Cut Filter</b>	80Hz
<b>Compression</b>	Yes, on all Mic Inputs
<b>Media Player</b>	MP3/USB/SD/BT Audio Playback
<b>Recording</b>	USB/SD Audio Recording
<b>DSP Effects</b>	16 Effects with Selection knob and 1 Adjustable Parameter
<b>Power requirements</b>	External 12V DC Adapter
<b>Dimensions (WxHxD)</b>	602,6 x 152 x 467,5 mm