

0990322920

SATIN ROASTED MAPLE TELECASTER® LH NECK, 22 JUMBO FRETS, 12", MAPLE, FLAT OVAL SHAPE

There's no denying the allure of a roasted maple neck. Resistant to humidity shifts and featuring a gorgeous, dark look, they have more sustain and add a unique note to the instrument's voice.

This genuine left-handed Fender Telecaster neck is crafted at our Ensenada, Mexico manufacturing facility. Featuring a comfortable "Flat Oval"-shaped profile and 12"-radius maple fingerboard with 22 jumbo frets, this neck was designed for pure speed and comfort. Upgraded features include a satin urethane finish and rolled fingerboard edges for supreme comfort and a broken in feel.

This replacement neck is for a Fender® or Squier® by Fender guitar.

Because Fender genuine replacement necks have not been mounted to guitar bodies, nut slots must be cut by qualified personnel. Other installation processes may be required, such as fret work, fitting the neck to the neck pocket, and other instrument setup procedures. Your local FMIC Authorized Service Center can install genuine replacement necks; find Authorized Service Center locations near you in the "Support" section of fender.com.



0990322920

SATIN ROASTED MAPLE TELECASTER® LH NECK, 22 JUMBO FRETS, 12", MAPLE, FLAT OVAL SHAPE

PRODUCT DETAILS

KEY FEATURES

Roasted maple left-handed Telecaster neck

"Flat Oval"-shaped profile; 12"-radius maple fingerboard and rolled edges

22 jumbo frets; synthetic bone nut

Satin urethane finish with gloss headstock face

Modern-style truss rod adjustment

Color: natural

Instrument type: Telecaster®

SPECIFICATIONS

Neck material	Roasted Maple
Neck finish	Satin Urethane with Gloss Urethane Headstock Face
Neck shape	Flat Oval
Neck thickness	1st Fret - .820" (20.82 mm), 12th Fret - .870" (22.09 mm)
Neck mounting	4-Bolt
Fingerboard radius	12" (305 mm)
Fingerboard material	Roasted Maple
Position inlays	Black Dot
Side dots	Black
Number of frets	22

0990322920

SATIN ROASTED MAPLE TELECASTER® LH NECK, 22 JUMBO FRETS, 12", MAPLE, FLAT OVAL SHAPE

Truss rod	Standard
Truss rod nuts	3/16" Hex Adjustment
String nut	Synthetic Bone
Nut width	1.6875" (42.86 mm)
Tuner mounting config.	Dual Guide Pin
Headstock thickness	.540" (13.71 mm)
Peg hole diameter	9.2 mm
Fret size	Jumbo
Scale length	25.5" (648 mm)