


0992248506

PRE-WIRED STRAT® PICKGUARD, ERIC JOHNSON SIGNATURE, PARCHMENT 8 HOLE PG

Customize your tone with the Pre-Wired Stratocaster pickguards. Made with premium components in the same factory as our iconic guitars, this drop-in pickguard is easy to install. Simply remove your old guard, solder the output jack and ground wires, screw in the new guard and you're ready to rock with pure Fender sound.

With slightly hotter output than typical vintage pickups and a powerful combination of magnets, these sonically potent and highly dynamic pickups produce the perfect balance of clean, dirty rhythm and lead tones to satisfy all level of players, through any amplifier. The neck pickup is based on a '54 Strat pickup with oversized alnico 3 magnets. The middle pickup, based on a '63 Strat pickup, uses specially treated alnico magnets and is reverse wound to cancel hum when used with the neck or bridge pickup. The bridge pickup uses alnico 5 magnets and is specially voiced to be hotter without sacrificing that sweet top end sparkle.



0992248506

PRE-WIRED STRAT® PICKGUARD, ERIC JOHNSON SIGNATURE, PARCHMENT 8 HOLE PG

PRODUCT DETAILS

KEY FEATURES

Hotter output bridge pickup

Highly dynamic, balanced output

Oversize alnico 3 magnets in neck pickup

Alnico 5 magnets in bridge and middle pickups

Reverse-wound middle pickup to eliminate hum

Color: Parchment

Instrument type: Stratocaster®

SPECIFICATIONS

Pickguard 3-Ply Parchment

Pickguard ply 3-Ply

Pickup cover Aged White

Control knobs Aged White

Switch tip Aged White

Hardware finish Chrome

Mounting type 8-Hole

Bridge Pickup Custom Eric Johnson Signature Stratocaster® Bridge Pickup

Middle Pickup Custom Eric Johnson Signature Stratocaster® RWRP Middle Pickup

Neck Pickup Custom Eric Johnson Signature Stratocaster® Neck Pickup

0992248506

PRE-WIRED STRAT® PICKGUARD, ERIC JOHNSON SIGNATURE, PARCHMENT 8 HOLE PG

Pickup configuration	SSS
Lead wire	Cloth-covered
Magnet type	Neck and Middle
Magnet wire	Formvar-coated
Pole pieces	Staggered
Bobbin material	Fiber
Controls	Master Volume, Tone 1. (Neck Pickup), Tone 2. (Bridge/Middle Pickup)
Output	Vintage
DC Resistance	Neck
Inductance	Neck/Middle
Potentiometers	CTS 250K