

T101D

**TOP LOADING TOWER 3.2-3.8M HEIGHT.100 KG BLACK
DIN**

The telescopic lifting tower T 101 model is a tower designed to lift vertical loads while keeping its compact size, which allows an easy transportation. It is composed of three extensible steel profiles, lifted by a high-strength steel cable with grooved pulleys with SELOIL bearings. Automatic locking system comprised of self locking steel pins that fixes the tower to the desired height. Legs with non-slip rubber feet. The entire system is operated with a manual winch.



T101D TOP LOADING TOWER 3.2-3.8M HEIGHT.100 KG BLACK DIN

PRODUCT DETAILS

KEY FEATURES

Maximum Load 100kg/220.46lb

Folded Height 1.4m/4.59ft

Maximum Height 3.8m/12.47ft

SPECIFICATIONS

Material	Steel
Folded Height	1,4 m
Extended base dimensions	1,6 x 1,6 m
Folded base dimensions	0.23 x 0.28 m
Maximum height	3,8 m
Minimum height	1,4 m
No. of sections	3
Minimum Load	25 Kg
Max load (mechanism mode)	100 Kg
Winch	350 Kg
Cable diameter	4 mm
Noise Emission	70 dB
Compatible accessories	ATCMOS / ATCMOB / ATCLTS / ATC6FS / ATC29S / ATCBAS
Security systems	Self locking safety pins

T101D TOP LOADING TOWER 3.2-3.8M HEIGHT.100 KG BLACK DIN

Standards and Certifications	CE, DGUV, BGV C1, BGG 912
-------------------------------------	---------------------------

Weight	24 kg
---------------	-------

Unfolded base diameter	1,61 m
-------------------------------	--------