

# WF-U2302HP

## TRUE DIVERSITY DUAL WIRELESS MICROPHONE SYSTEM WITH 1 HANDHELD MICROPHONE AND 1 BODYPACK WITH HEADSET 630-660MHZ

WF-U2302 is a dual UHF **True Diversity** professional wireless microphone with 300 channels for each microphone, and a simple and intuitive user interface.

"**True Diversity**" means that the receiving system is equipped with two antennas, two receiving circuits and a device capable of continuously choose the stronger and interference-free signal. This technology is used for both single systems (WF-U1300 Series) or dual systems (WF-U2302).

The WF-U2302 is built with leading technology that allows the integration of many of the major functions - such as amplification section, digital signal processing, PLL (Phase-Locked Loop) frequency synthesis, and more - into a single CHIP. This allows us to offer highly professional performance yet cost-effective products.

The WF-U2302 is also equipped with the automatic frequency search system and IR sync system for channel synchronization between receiver and transmitter in a quick way. Furthermore, the Digital Pilot Technology not only allows to monitor reception level and battery charge, but even to operate with multiple systems without problems.

Finally, there are two optional kit for rack mounting of 1 or 2 receivers,



respectively, on 1 or 2 standard 19" rack units. Ask your dealer or visit SOUNDSATION website <u>www.soundsationmusic.com</u> for further details.









#### FRENEXPORT

Via Enzo Ferrari 10 62017 Porto Recanati (MC), Italy info@frenexport.it



## WF-U2302HP

## TRUE DIVERSITY DUAL WIRELESS MICROPHONE SYSTEM WITH 1 HANDHELD MICROPHONE AND 1 BODYPACK WITH HEADSET 630-660MHZ

### **PRODUCT DETAILS**

### **KEY FEATURES**

UHF True Diversity Technology to an-vert Interferences		
300 Preset Frequencies and IR Matching System for Quick Setup		
630-660MHz UHF Band		
Simple and Outright User Interface with LCD display on Transmitter and Receiver		
Digital Pilot Technology to allow Multisystem Operation		
Transmitter AF-level and Battery-Low Monitoring directly on the Receiver		
80m Ideal Distance (without obstacles)		
Professional Handheld Microphone with Dynamic Cardioid Capsule		
Bodypack with Connector Locking System		
Professional and Lightweight Headset with High-Sensibility Dynamic Cardioid Capsule		
Half 19" Rack Unit with metal housing and removable antennas		
Optional Rack-Mount Kits for 1 o 2 units		
SPECIFICATIONS		
Carrier Frequency	UHF 630-660 MHz	
Dynamic Range	>90dB	

, .	
Frequency Response	40Hz-15KHz ±3dB
Audio Output Level	Balanced 400mV; Unbalanced 400mV
Packing Dimensions (WxHxD)	435 x 104 x 321 mm

### FRENEXPORT

Via Enzo Ferrari 10 62017 Porto Recanati (MC), Italy info@frenexport.it



## WF-U2302HP TRUE DIVERSITY DUAL WIRELESS MICROPHONE SYSTEM WITH 1 HANDHELD MICROPHONE AND 1

**BODYPACK WITH HEADSET 630-660MHZ** 

Packing Gross Weight	2.5 kg
Receiver Power Supply	DC 12V / 500mA
Consume Power	7W
Signal/Noise Ratio	>90dB
Receiving Sensitivity	5dBuV
Receiver Dimensions (WxHxD)	210 x 43 x 187 mm (antennas not incl.)
Antenna	max. 255 mm
Net Weight	0.53 kg
Transmitter Power	30mW (Max)
Modulation Type	FM
Battery Voltage	3V (2x1.5V AA Battery)
Continuous Using	5 hours
Hand-held Mic. Dimensions (W/DxH)	Ø35 (min) - Ø53 (max) x 260 mm
Hand-held Mic. Net Weight	0.335 kg (batteries included)
Pocket Transmitter Dimensions (WxHxD)	62 x 103 x 30 mm
Pocket Transmitter Antenna (W/DxH)	Ø3 x 9 mm
Pocket Transmitter Net Weight	0.132 kg (batteries included)

### FRENEXPORT

Via Enzo Ferrari 10 62017 Porto Recanati (MC), Italy info@frenexport.it