


## PRECISION TO JAZZ BASS CONVERSION NECK, 20 MED JUMBO FRETS, 12" RADIUS, PAU FERRO

Increase the speed of your favorite Precision Bass with the P to J Conversion neck. Designed to fit on a Precision Bass body but featuring the profile and nut width of a Jazz Bass neck, this conversion neck will create a bass that has the classic P Bass thump along with the ease of Jazz Bass playability.

Fender replacement necks are made at Fender manufacturing facilities to the same specifications as those used on our instruments. This Ensenada, Mexico-made P/J Bass conversion neck features a maple or pau ferro fingerboard, a 12" radius and 20 medium jumbo frets. The maple neck has a comfortable modern "C" profile with a smooth satin urethane finish on the front and back of the neck. The headstock has a gloss finish with an authentic Precision Bass decal to complete the classic look.



This replacement neck is for a Fender or Squier® by Fender guitar.

Because Fender genuine replacement necks have not been mounted to guitar bodies, nut slots must be cut by qualified personnel. Other installation processes may be required, such as fret work, fitting the neck to the neck pocket, and other instrument setup procedures. Your local FMIC Authorized Service Center can install genuine replacement necks; find Authorized Service Center locations near you in the "Support" section of fender.com.





# PRECISION TO JAZZ BASS CONVERSION NECK, 20 MED JUMBO FRETS, 12" RADIUS, PAU FERRO







## PRECISION TO JAZZ BASS CONVERSION NECK, 20 MED JUMBO FRETS, 12" RADIUS, PAU FERRO

### PRODUCT DETAILS

#### **KEY FEATURES**

Designed to fit on a Precision Bass body but featuring the profile and nut width of a Jazz Bass neck

Comfortable modern "C" profile

The headstock has a gloss finish with an authentic "Precision Bass" decal

The synthetic bone nut is pre-slotted with "pilot" string location grooves

Serialized and stamped, with genuine headstock logo decal

Replacement neck is for a Fender or Squier® by Fender guitar

#### **SPECIFICATIONS**

Neck finish	Satin Urethane Finish on Back of Neck with Gloss Urethane Headstock Face
Neck thickness	1st Fret800" (20.32 mm), 12th Fret900" (22.86 mm)
Neck mounting	4-Bolt

Fingerboard radius 12" (305 mm)		
Fingerboard material	Pau Ferro	
Position inlays	White Dot	
Side dots	White	
Number of frets	20	
Truss rod		Standard
Truss rod nuts		3/16" Hex Adjustment
String nut		Synthetic Bone





# PRECISION TO JAZZ BASS CONVERSION NECK, 20 MED JUMBO FRETS, 12" RADIUS, PAU FERRO

Nut width	1.5" (38.1 mm)
Nut material	Synthetic Bone
Tuner mounting config	4-Screw Mount
Headstock thickness	.540" (13.71 mm)
Peg hole diameter	.734" (18.64 mm)
Scale lenght	34" (864 mm)

