

HCA-40 PLAY 2X20W MINI DIGITAL AMPLIFIER WITH BT

This power amplifier is designed for recessed wall mounting in all those small installations where music or other audio content is required, and a 70V or 100V line is not requested.

HCA-40 PLAY delivers 2x20W @ 4-16ohm in Class-D. This ensures high efficiency, low thermal dissipation and maximum stability.

BT connection makes this small amplifier the right product for hotels, shops, home and much more.



HCA-40 PLAY

2X20W MINI DIGITAL AMPLIFIER WITH BT

PRODUCT DETAILS

KEY FEATURES

2x20W Mini Class-D Amplifier

4-16ohm Speaker Output

BT & AUX Audio Inputs

Compact, Sturdy, and Stylish Design

Aluminum Housing for Efficient Heat Dissipation

SPECIFICATIONS

Rated Power	2x25W
Maximum power	2x40W
Frequency Response	20Hz~20kHz
Harmonic Distortion	<0.1%
S/N Ratio	82dB
Static Power Consumption	0.24W
Impedance	4-16ohm
Input Level	0dbV (0.775V)
Input Impedance	>10kohm
BT Receiving Distance	10m
BT Standard	BT2.1+EDR
Operation Voltage	100-240Vac / 50Hz
Unit Size (WxDxH)	125x100x35 mm
Packing Size (WxDxH)	135x110x45 mm

HCA-40 PLAY
2X20W MINI DIGITAL AMPLIFIER WITH BT

Net Weight	0.35kg
Gross Weight	0.33kg