

## AIRTEN V3 WH

# COMPACT HIGH OUTPUT DUAL 10" LOUDSPEAKER

Three key enhancements have been made in this latest V3 model to improve performance. The new crossover provides better frequency linearity, coherence and summation between the drivers. By introducing the Finite Element Analysis (FEA) optimised rear port, with refined aesthetics, noise and distortion are reduced while airflow is increased to reduce power compression. In addition, the diaphragm size within the compression driver has increased from 1" to 1.4", allowing each driver to operate at its optimal frequency band with more efficiency and more accurate high frequency detail.



# AIRTEN V3 WH

## COMPACT HIGH OUTPUT DUAL 10" LOUDSPEAKER

### PRODUCT DETAILS

#### KEY FEATURES

Small footprint ideal for DJ monitoring

Very low enclosure resonance

Focused 80°H x 80°V dispersion pattern

Space saving coaxial MF/HF driver

Fibreglass composite construction

Smooth cellulose finish

Integrated mounting plate

#### SPECIFICATIONS

<b>Frequency Response</b>	60 Hz - 20 kHz $\pm$ 3 dB
<b>Efficiency</b>	99 dB 1w/1m (Measured in half space)
<b>Crossover Points</b>	Passive 1.2 kHz
<b>Impedance</b>	4 Ohm
<b>Power Handling</b>	500 W AES (AES2 - 1984 compliant)
<b>Maximum Output</b>	125 dB cont, 128 dB peak (Calculated)
<b>Driver Configuration</b>	2 x 10" LF, 1 x 1.4" HF compression driver
<b>Dispersion</b>	80°H x 80°V
<b>Connectors</b>	2 x 4-pole speakON™ NL4
<b>Weight</b>	20 kg (44.1 lbs)
<b>Enclosure</b>	Fibreglass composite
<b>Rigging</b>	Integral mounting system

# AIRTEN V3 WH

## COMPACT HIGH OUTPUT DUAL 10" LOUDSPEAKER

---

<b>Finish</b>	Smooth cellulose
<b>Colour</b>	Custom colours available upon request