




## VM-50 5" ACTIVE MONITOR SPEAKER

The active VM-50 produces clear audio with fast-attacking, punchy bass. The speaker can be tuned to suit the characteristics of any room, making it perfect for recreating a club sound when you're DJing or providing a flat frequency response when you're producing music in a home or professional studio setting.




VM-50  
**5" ACTIVE MONITOR SPEAKER**

---

**HIGHLIGHTS**

---



**ARAMID FIBER WOOFER CONES AND  
VORTEX BASS ACCELERATOR**

# VM-50

## 5" ACTIVE MONITOR SPEAKER

### PRODUCT DETAILS

#### KEY FEATURES

Clear, low-distortion audio with fast-attacking bass: Recreate club-style sound

High-quality components

Class D amplifier with 96 kHz sampling DSP to enable wide-bandwidth audio reproduction.

Aramid fiber woofer cones and Vortex Bass Accelerator

Constant directivity horn

DSP control. All VM series speakers are voiced flat to ensure you hear the natural sound of the music.

Fresh, professional design

Color: Black

#### SPECIFICATIONS

<b>Type</b>	Bi-amp 2-way active speaker
<b>Tweeter</b>	1-inch (25 mm) SILK soft dome
<b>Woofer</b>	5.25-inch (133 mm) ARAMID cone
Auto Standby	
<b>Maximum Sound Pressure</b>	107 dB
<b>Amplifier Output</b>	Class D with 96kHz DSP; LF
<b>Frequency Range</b>	40 Hz - 36 kHz Hz
<b>Impedance</b>	10 k?
<b>High EQ</b>	4 selective EQs
Low EQ	4 selective EQs
<b>Cross Over Frequency</b>	3 kHz

# VM-50

## 5" ACTIVE MONITOR SPEAKER

<b>Power Supply</b>	AC 100-240 V, 50 Hz / 60Hz
<b>Enclosure</b>	Bass reflex
<b>Enclosure material</b>	MDF vinyl laminate
<b>Baffle material</b>	HIPS with 4mm Aluminum Plate
<b>Inputs</b>	XLR/TRS combo x 1 (balanced input); RCA x 1 (unbalanced input)
<b>Dimensions (LxHxD)</b>	198x300x265 mm
<b>Weight</b>	5.5 kg
<b>What's in the Box</b>	VM-50 x 1 (not sold as a pair); Power cable x 1; Cushioned feet pads x 1 (4pcs/1 sheet); Precautions for Use; Instruction Manual; Warranty (for some regions)