

**HCMS-30 WPW****30W WATERPROOF COLUMN SPEAKER PAIR – WHITE**

HCMS WP column speakers combine slim and elegant look with sturdiness and quality of materials for both indoor and outdoor applications.

Housing, grille and transducers are all made of waterproof and anti-rust materials, to increase overall durability, even in hostile environments where humidity and saltiness attack strongly.

The 2-way design (with 3" woofer + 1" tweeter) and the quality of the transducers guarantee good sound quality; the power selector facilitates installation with any type of constant voltage or low impedance line.

The wall-mounting bracket allows Pan/Tilt adjustment. They are available in two size/power, and Black or White finish.


**IP66**

HCMS-30 WPW

## 30W WATERPROOF COLUMN SPEAKER PAIR – WHITE

### HIGHLIGHTS

#### PAN/TILT ADJUSTABLE BRACKET



A - Adjustable bracket between 14cm from column top and 16cm from column bottom

B - Adjustable Horizontal Position (pan) between +/- 80°

C - Adjustable Vertical Position (tilt) up to +/- 20°

### OUTDOOR COLUMN SPEAKERS MADE FOR A LONG LIFE

Speaker housing and grid are in aluminum with **Anti-Rust**, **Dustproof** and **Anti-Pollution** treatment. Woofers and Tweeter are made of water-resist materials and in any case are designed to offer an excellent sound quality.



HCMS-30 WPW

# 30W WATERPROOF COLUMN SPEAKER PAIR – WHITE

## PRODUCT DETAILS

### KEY FEATURES

Waterproof Design (IP66), suitable for outdoor and indoor applications

Slim and elegant appearance

2-Way Design with 3" woofer and 1" Tweeter for High-Resolution Sound

Suitable for 70V/100V and Low-Impedance Lines

Multifunctional Mounting bracket with Pan/Tilt Adjustment

Power Tap Selector for Quick Choice of Input Mode

Aluminum Housing and Grille with Anti-Rust, Dustproof and Anti-Pollution Treatment

Waterproof Speakers in PP for Maximum Durability

Pure Copper Wire Line Transformer for High-Quality Audio

### SPECIFICATIONS

<b>Speaker Unit</b>	2x3" woofer, 1x1" tweeter
<b>Rated Power (RMS)</b>	30W – 8ohm
<b>70V Power Tap</b>	1-2-4-8-15W
<b>100V Power Tap</b>	2-4-8-15-30W
<b>Freq. Response</b>	140Hz-20kHz
<b>Coverge (HxV)</b>	120°x90°
<b>Sensitivity (1W @ 1m)</b>	87±3dB
<b>Max SPL (@ 1m)</b>	102±3dB

HCMS-30 WPW

## 30W WATERPROOF COLUMN SPEAKER PAIR – WHITE

<b>IP Rate</b>	IP66
<b>Color</b>	White (RAL 9003)
<b>Unit Size (LxWxH)</b>	376x109x102mm
<b>Packing Size – 2 Units (LxWxH)</b>	490x270x150mm
<b>Unit Weight</b>	3kg
<b>Packing Weight – 2 Units</b>	7,5kg