


MHL-60 MKII ZOOM LED BEAM MOBILE HEAD WITH ONE 60W RGBW 4IN1 LED AND ZOOM

MHL-60-MKII is a compact beam moving head equipped with a single high brightness 60W RGBW 4in1 LED, extremely bright and reliable. Pan/Tilt movements are accurate and silent with 16-bit resolution. Zoom ranges from 2.5° and 60°. It can be used in either Master / Slave DMX, Manual, Auto (7 different modes) and Sound (2 modes). DMX512 control is 14CH.



MHL-60 MKII ZOOM LED BEAM MOBILE HEAD WITH ONE 60W RGBW 4IN1 LED AND ZOOM

PRODUCT DETAILS

KEY FEATURES

RGBW 4in1 60W ultra-bright LED

BZoom: 2.5° - 60°

Electronic dimmer: 0 - 100% linear

Strobo: 1 - 10t/s

Control mode : DMX512 15CH, Manual, Master/slave, Auto, Sound

Pan: 540°

Tilt: 220°

LCD Display user interface

Accessories: 1m Powercon mains cable; 1.5m DMX cable

SPECIFICATIONS

Max consumption rate	85 watt
Power requirements	AC 110-240V / 50-60Hz
Socket DMX IN	3 pin XLR F
Socket DMX OUT	3 pin XLR M
Mains socket	Powercon
IP Protection	IP20
Controllo DMX	15CH
Dimensions	20.1 x 19.6 x 31.7 cm

MHL-60 MKII ZOOM
**LED BEAM MOBILE HEAD WITH ONE 60W RGBW 4IN1
LED AND ZOOM**

Net weight

Kg 3.8