


XY-215S

# DUAL 15-INCH QUASI-BANDPASS SUBWOOFER

A versatile PA/monitor speaker series that is compact in size and perfect for near-field monitoring – yet can deliver high-quality sound to the corners of the room. Boasts multiple installment options for easy set up.



XY-215S

# DUAL 15-INCH QUASI-BANDPASS SUBWOOFER

## PRODUCT DETAILS

### KEY FEATURES

A quasi-bandpass subwoofer with two 15-inch LF drivers.

High-response deep bass as low as 42 Hz is delivered to reproduce a tight and punchy kick.

Two drivers efficiently generate air vibration to boost radiation efficiency.

Requires an active crossover to set the necessary frequency range (presets can be provided from Pioneer for combinations using the Pioneer XY-152, XY-122, XY-101 and XY-81).

NL4 INPUT and LINK OUT connections as standard.

Robust enclosure made from premium multi-laminate birch plywood

### SPECIFICATIONS

**Enclosure Type** Dual driver, quasi-bandpass subwoofer

**Frequency Response** 42 Hz to 160 Hz

**Sensitivity (1 W/1 m)** 102 dB (half space)

**Impedance** 4 ohm

**Nominal Power Handling** 800 W RMS, 1600 W Program

**Driver Configuration** 2 x 15 inch (380 mm) LF cone drivers

**Connectors** 2 x Neutrik SpeakON™ NL4

**Dimensions (WxHxD)** 831 x 526 x 700 mm (32.7 x 20.7 x 27.6-inch)

**Weight** 71 kg (156.6 lbs)

**Rigging and Hardware** 4 x flush handles, 2 x M20 polemount sockets for mid/high enclosures, 8 x rubber feet (bottom and left) and 4 x mating recesses (top), 16 x M8 holes with pre-inserted bolts for 4 x castors on rear

**Grille** Hex punched steel

XY-215S

# DUAL 15-INCH QUASI-BANDPASS SUBWOOFER

**Enclosure** 18 mm (0.7-inch) birch plywood

Finish Impact-resistant, Black semi-matt textured

**Suggested/Reccomended Power Amplifier** K3DSP / K2DSP

**Accessories** 2 x polemount socket cover(-W model only)