

**ZEUS II A-300****2X100W @ 8OHM / 2X150W @ 4OHM PROFESSIONAL  
CLASS-AB POWER AMPLIFIER**

ZEUS II Series represents a new era in affordable, quality power amplification. All five models (3 in AB-Class, and 2 in H-Class) in this series are powerful, rugged and reliable. They are suited for musicians, DJs, and entertainers as well as houses of worship, discos, clubs and pubs. Models are A-300, A-600, A-900 in AB-Class, and H-1800, H-2700 in H-Class. Features include RCA and XLR inputs, user selectable input sensitivity of 0.775V or 1.4V for the H-1800, H-2700 models, Speakon® and binding post outputs, stereo/parallel/bridge-mono modes, power/fault/signal presence/clip indicators, forced-air cooling.



ZEUS II A-300

# 2X100W @ 8OHM / 2X150W @ 4OHM PROFESSIONAL CLASS-AB POWER AMPLIFIER

## PRODUCT DETAILS

### KEY FEATURES

Intelligent Cooling System Makes Power Amplifier Work More Quiet

Stereo/parallel/bridged-mono Modes

High Quality Transformer with High Performance

Upgraded Cooling Fans With Magnetic Suspension Technology And Low Noise

2U Chassis Design

AB-Class traditional and reliable circuitry with high-quality components

Soft Start Function

### SPECIFICATIONS

<b>Stereo Nominal Output Power</b>	2 x 100W @ 8ohm , 2 x 150W @4ohm
<b>Bridged Nominal Output Power</b>	1 x 300W @ 8ohm
<b>Input Sensitivity</b>	1,4V / 0,775V
<b>Input Impedance</b>	20Kohm / 10Kohm
<b>Frequency Response</b>	20Hz / 20kHz
<b>Damping Factor</b>	> 350
<b>S/N Ratio</b>	> 95dB
<b>Amplifier</b>	Class A/B
<b>Power Requirements</b>	220V – 50/60Hz
<b>Dimension(WxHxD)</b>	482 x 320 x 88 mm

ZEUS II A-300

# 2X100W @ 8OHM / 2X150W @ 4OHM PROFESSIONAL CLASS-AB POWER AMPLIFIER

---

**Packing Size (WxHxD)**

520 x 410 x 135 mm

Height 2 x 19" Rack Unit

**Net Weight**

10 kg

**Carton Weight**

11,5 kg