

The **Spire X28 Pro** is a stillsh moving head beam in a very compact and lightweight housing. It delivers high light output and even coverage field. It features an High quality 280W Lamp. The lamp equips with the reflector built-in, providing perfect lamp alignment. The moving head features ultra sharp beam effect with low consumption. The fixture is integrated with a full complement of professional characteristics including a static gobo wheel, color wheel, 8 and 16-Facet prism, Prism morphing effect, frost filter, motorized linear focus, variable speed shutter/strobe, linear dimmer, color time and gobo time controllable. and special rotating 8 colour filter The fixture supports DMX, RDM (Remote Device Management).

The fixture's exterior housing is beautifully balanced basing on a modern design philosophy with supremely harmonious interior structure for remarkable control. The sculpted body of the Spire X28 Pro achieves more than just a striking look. The 2*1/4 turn fastening omega clamps, available for vertical and horizontal plug-in, make installations fast and easy.It's applicable for large scale live concerts, TV productions, road shows, clubs, etc.





FRENEXPORT



HIGHLIGHTS



PRISMA WITH MORPHIN AND MULTIRAY EFFECT

While maintaining a compact size, the Xpire 28 Pro manages to incorporate in a single product a double prism with independent and bidirectional rotation and a 7-color filter to be able to make unique Multiray projections.

ANTI-REFLECTION 136MM FRONT LENSES WITH 2° BEAM ANGLE



FRENEXPORT





PAN AND TILT WITH 8/16 BIT SCANNING, PHOTOELECTRIC RESET AND AUTOMATIC ERROR CORRECTION

FRENEXPORT



PRODUCT DETAILS

KEY FEATURES

280 w Lamp 7800°K Life span2000H Philips MSD Platinum 14R Lamp	
2° Beam Angle	
Smooth linear mechanical dimming	
0-20Hz high speed strobe effect with variable speed	
Color wheel with 14 dichroic colors plus open with half colour	
Static gobo wheel with 17 gobos plus open	
Frost filter system (Hybrid effect for wash)	
8 and 16 Facet prism with variable speed and directions	
Prism morphing effect	
7 colour multiray effect filter	
PAN and TILT with 8/16 bit scanning, photoelectric reset and automatic error correction	
DMX512 with RDM / Master-Slave / Auto / Sound modes	
High Efficient low noise self adjusting fan cooling system	
2.4" High resolution TFT LCD display with easy user-interface	

SPECIFICATIONS

Lamp	280 w Lamp 7800°K Life span2000H Philips MSD Platinum 14R Lamp
Lamp life	2000 hours
Input voltage	AC100-240V 50/60Hz
Power consumption	430 W
Control Mode	DMX512, Master/slave, Sound, Auto Mode, RDM

FRENEXPORT



DMX Channel Modes	16/20 Channel	
Beam angle	2°	
Dimmer	Dual flag mechanical dimming system	
Focus	High resolution motorized	
X/Y Scan	Smooth and precise 16 Bit 540°PAN and 270°TILT	
Strobe	0-20T/sec high speed	
Display	2.4" TFT LCD display with 4 control buttons	
Colors	Rotating wheel with 11 colors plus open	
Gobos	Static wheel with 17 Gobos plus open	
Prism	8-facet with variable speed and direction	
Prism	16-facet with variable speed and direction	
Effect	Prism morphing effect between them	
Special Effect	7 colour multiray effect filter	
Frost	Wash filter with hybrid effect	
Front lense	Anti-reflection 136mm	
Housing	Flame-retardant plastic	
Internal Running Temp	perature 0 ÷ 40°C	
Dimensions (WxDxH)	316,8(W)*235(D)*519(H)mm	
Weight	12 kg	
Package Dimensions ((WxDxH) 365(W)*360(D)*520(H)mm	
Package Weight	14,3 kg	

FRENEXPORT