

GALA-606XW

# 6.5" 10W 2-WAY COAXIAL CEILING SPEAKER

GALA-606XW offers powerful and accurate coaxial loudspeaker with 6.5" woofer diameter, and 6W, 3W, 1.5W powers at 100V, and 10W RMS at 8 ohms. It can be used with standard 100V professional amplifiers, and provide transparent and brilliant sound. It is therefore suitable for any application of music distribution at higher volume levels.

The housing of GALA-606XW speaker is made of high-quality ABS. It also features 0.5" Mylar-dome tweeters, paper woofer, and aluminum grille. Installation is very easy, thanks to the quick mounting system with 4 screws. These screws are hidden behind the grill, and offer an elegant and minimalist design. The built-in line transformers allow the use with 100V lines, and offer three power taps to better adapt to different speaker arrangement and amplifier powers. They come in white color, but can be painted in any color.

GALA-606XW or type unknown

[018r43m1RM41Q1C1679925109\\_GALA-606XW Front No Grille.jpg](#)[dPZ1A3Nz5CAnu0t1679925146\\_GALA-606X](#)

GALA-606XW

# 6.5" 10W 2-WAY COAXIAL CEILING SPEAKER

## PRODUCT DETAILS

### KEY FEATURES

Coaxial Loudspeaker

6.5" Paper Woofer, 0.5" Mylar-dome Precision Tweeter

10W RMS Power @ 8 ohms

100V Power taps: 6W/3W/1.5W

Built-in 100V Line Transformer

Quick Mounting System

Paintable Grille and Frame

### SPECIFICATIONS

<b>Speaker Type</b>	2-Way Passive, Coaxial
<b>Line Voltage</b>	100V
<b>Line Transformer</b>	Built-in, 3 power taps
<b>Power @ 100V</b>	6W / 3W / 1.5W
<b>RMS power @ 8 ohms</b>	10W
<b>Frequency Response</b>	90 Hz - 15 kHz
<b>Sensitivity (1w/1m)</b>	91dB
<b>Woofer</b>	6.5" (165mm) Paper cone
<b>Tweeter</b>	0.5" (13mm), Mylar dome
<b>Housing</b>	PP, paintable
<b>Mounting</b>	Quick mounting system with 4 screws
<b>Grille</b>	Perforated steel with acoustic transparent foam inside, paintable

GALA-606XW

# 6.5" 10W 2-WAY COAXIAL CEILING SPEAKER

<b>Color</b>	White
<b>Cutout Size</b>	Ø 202 mm – 7.95"
<b>Product Size (ØxH)</b>	Ø 233 x 95 mm – 9.2 x 3.7 in
<b>Speaker Weight</b>	1.26 kg – 2.8 lbs.
<b>Packing Size (WxDxH)</b>	238 x 100 x 238 mm – 9.4 x 3.9 x 9.4 in
<b>Packing Weight</b>	1.4 kg – 3.1 lbs.