

AMC2 NEO MAONOCASTER MIXER AND AUDIO INTERFACE

The Maonocaster AMC2 Neo audio console is the latest addition to the Maonocaster series.





It features a simplified and compact design that reduces the learning curve and improves portability without compromising on the audio quality.

Maono has also redesigned the I/O to make it work better with both PC and mobile devices.

The AMC2 Neo has an XLR microphone input with built-in premium preamps and phantom power that supports high-end dynamic and condenser microphones.

You can use either Bluetooth or 3,5mm AUX input for accompaniment.

Additionally, you can use utilize pitch presets, reverb presets, and three custom sound pads to elevate your contents.



AMC2 NEO MAONOCASTER MIXER AND AUDIO INTERFACE

HIGHLIGHTS



EXCEPTIONAL SOUND QUALITY

AMC2 NEO is equipped with a very high quality preamplifier with adjustable gain up to 60 dB in order to offer unparalleled sound quality. Thanks to its powerful preamp, the AMC2 NEO is compatible with high-end dynamic microphones with ultra-low gain. 48V phantom power allows connection of XLR condenser microphones to enhance audio production.

HIGH QUALITY RECORDING

The AMC2 NEO console for PC offers independent controls for microphone volume, microphone gain, AUX IN, headphones and streaming output and thanks to an intuitive interface allows you to record everything you listen to.



AMC2 NEO

MAONOCASTER MIXER AND AUDIO INTERFACE



HIGH QUALITY LIVE STREAMING ATMOSPHERE

Bluetooth wireless connection offers more flexibility to users. The 3 fully customizable audio pads contribute to the uniqueness of your podcast by also involving the audience in a fun and interactive way with 6 pre-set reverb scenes and 4 voice change possibilities.

BUILT-IN BATTERY FOR 7H OF WORKING TIME

The built-in 1500mAh battery ensures uninterrupted live streaming without ever worrying about running out of battery. With a full charge, the battery will guarantee you 7 hours of battery life, allowing you to create content anywhere. While charging your PC's audio interface via the USB-C charging port you can also charge a smartphone via the other USB-C port. This feature ensures long-lasting podcast production or streaming.



PLUG & PLAY AND GREAT COMPATIBILITY

Widely compatible with smartphones, computers, tablets, or cameras, record with ease using most software.

AMC2 NEO

MAONOCASTER MIXER AND AUDIO INTERFACE

PRODUCT DETAILS

KEY FEATURES

+48V Phantom Power for condenser microphones

Bluetooth and AUX input to enrich your contents

Independent microphone and accompaniment volume controls

Direct monitoring and loopback switch

Two-level noise canceling to reduce ambient noise

USB-C for easy connection with computer and mobile devices

USB-C "Pass-Thru" charging for select mobile devices

Compatible with Windows and MacOS

Built-in Battery, up to 6 hours operation

Compatible with mainstream recording and streaming softwares

SPECIFICATIONS

Data Connectivity	USB-C
Frequency Response	20Hz – 20kHz
THD	THD <0,05% 1KHz
Headphone Output	20mW, 32 Ohm (1KHz, THD+N=1%)
Wireless Connectivity	Bluetooth 4.2
Battery Type	Lithium
Battery Capacity	1500mAh
Power Input	5V/1A Max
Charging time	Approx. 2,5hrs

AMC2 NEO

MAONOCASTER MIXER AND AUDIO INTERFACE

Dimensions (WxDxH)	185 x 130 x 50 mm
Weight	0,38 Kg
Packing Dimensions (WxDxH)	280 x 173 x 78 mm
Packing Weight	0,63 Kg