

XY-118S

# HIGH-POWER SUBWOOFER WITH AN 18-INCH, LOW-FREQUENCY DRIVER.

---

A versatile PA/monitor speaker series that is compact in size and perfect for near-field monitoring – yet can deliver high-quality sound to the corners of the room. Boasts multiple installment options for easy set up.

XY-118S found or type unknown

E286E\_ALT001.jpg type unknown

E286E\_ALT002.jpg type unknown

E286E\_ALT003.jpg type unknown

XY-118S

# HIGH-POWER SUBWOOFER WITH AN 18-INCH, LOW-FREQUENCY DRIVER.

## PRODUCT DETAILS

### KEY FEATURES

High-power subwoofer with an 18-inch, low-frequency driver.

Capable of reproducing deep bass as low as 35 Hz without distortion.

Strong pillars installed in the cabinet ensure rigidity against the most powerful bass.

Requires an active crossover to set the necessary frequency range

NL4 INPUT and LINK OUT connections as standard.

Pole mount for quick set-up with other Pioneer products.

Robust enclosure made from premium multi-laminate birch plywood.

### SPECIFICATIONS

<b>Enclosure Type</b>	Single driver, reflex-loaded subwoofer
<b>Frequency Response</b>	35 Hz to 150 Hz
<b>Sensitivity (1 W/1 m)</b>	97 dB (half space)
<b>Nominal Impedance</b>	8 Ohm
<b>Power Handling</b>	1000 W RMS, 2000 W Program
<b>Maximum SPL</b>	127 dB cont., 133 dB peak (half space)
<b>Driver Configuration</b>	18 inch (460 mm) neodymium LF cone driver
<b>Connectors</b>	2 x Neutrik SpeakON™ NL4
<b>Dimensions (WxHxD)</b>	590 x 643 x 650 mm (23.2 x 25.3 x 25.6 inch)

XY-118S

# HIGH-POWER SUBWOOFER WITH AN 18-INCH, LOW-FREQUENCY DRIVER.

<b>Weight</b>	52 kg (114.7 lbs)
<b>Rigging and Hardware</b>	4 x flush handles (2 left/2 right), 1 x M20 polemount socket for mid/high enclosures, 4 x rubber feet (bottom) and 4 x mating recesses (top), 16 x threaded points M8 for 4 castors
<b>Grille</b>	Hex punched steel
<b>Enclosure</b>	18 mm (0.7 inch) birch plywood
<b>Finish</b>	Impact-resistant, Black semi-matt textured
<b>Suggested Power Amplifier</b>	K10DSP
<b>Accessories</b>	polemount socket cover (-W model only)