

B-6

2.4GHZ WIRELESS SYSTEM FOR SAXOPHONE

The NUX B-6 wireless system allows the Saxophone players to move freely without worrying about stepping away too far from their microphone stand.

With high-resolution 24-bit/44.1kHz and operation range of 20 meters, the NUX B-6 wireless system for Saxophone can significantly improve your performance convenience.

Image not found or type unknown

Image not found or type unknown

Image not found or type unknown

Image not found or type unknown

Image not found or type unknown


Image not found or type unknown

Image not found or type unknown

B-6

2.4GHZ WIRELESS SYSTEM FOR SAXOPHONE

HIGHLIGHTS




HIGH-RESOLUTION AUDIO

No compromises when it comes to audio quality: NUX B-6 delivers professional, high-resolution 24-bit/44.1kHz audio.


20 METERS + 7 HOURS OF FREEDOM

Up to 20 meters of freedom and 7 working hours: just plug your recharging box to get all the power you need in a fast, simple and comfy way.



B-6

2.4GHZ WIRELESS SYSTEM FOR SAXOPHONE




UNIQUE PATENT-PENDING GOOSENECK MICROPHONE

Conceived to avoid unwanted resonance and key clack sound.

FLEXIBLE CLAMP

The transmitter of NUX B-6 comes with a flexible yet sturdy rubber-wrapped clamp mechanism. It can be attached to the bell of different types of Saxophones firmly.



B-6

2.4GHZ WIRELESS SYSTEM FOR SAXOPHONE

PRODUCT DETAILS

KEY FEATURES

Crystal clear guitar tone audio @ 24-bit/44.1kHz and ultra low latency (<4 ms)

Patent-pending Gooseneck Microphone conceived to avoid unwanted resonance and key clack sound

Flexible Clamp can be attached to the bell of different types of Saxophones firmly

Battery life: up to 7 hours of playing time

3 Modes with optimal EQ for Alto, Tenor, Baritone Sax

Auto-sleep function

Inbox charging/carrying case

SPECIFICATIONS

Range	>20 mt
Operating Band	2.4GHz ISM Worldwide
Frequency Response	20Hz – 20kHz
Latency	<4 ms
Dimensions	59.2x31.2x32.6 mm (LxWxH)