

GP1812A

POWERED 18" SUB + 12" ARRAY ELEMENT BLACK COLOR

Heavy duty active 18" powered subwoofer combined with 12" coaxial SAT® K-array™ technologies high efficiency array passive element. It can drive a GP1812 passive system in a stereo configuration. It features Powersoft™ DSP and power module with ethernet remote control and Armonia™ control software. Designed for high performance outdoor/indoor applications both for rental and permanent installations for touring, live bands, auditorium, and clubs. High performance to size/weight ratio featuring easy and fast setup possibility.

GP1812A found or type unknown

GP1812A

POWERED 18" SUB + 12" ARRAY ELEMENT BLACK COLOR

PRODUCT DETAILS

KEY FEATURES

Complete and compact powered system

Powersoft™ power module and DSP

Designed for high performance applications

SPECIFICATIONS

Power Handling	750W subwoofer + 200W satellite
Peak Power	1500W subwoofer + 400W satellite
Impedance	8? subwoofer + 32? satellite
Frequency Range	45Hz – 20KHz (-6dB average)
Maximum SPL	129dB (peak) crest factor 4 (12dB) measured at 1 m
Continuos SPL	117dB
Coverage	V.30° - H.90°
Subwoofer	18" ferrite magnet
Mid High Frequency	12" coaxial with 1" compression driver ferrite magnet
Analog balanced INPUT	2 x Combo jack-XLR female line
Analog power O	1 x Speakon to drive a GPX Passive System in a stereo configuration
Volume Potentiometer	
RJ45 connector	
Amplifier	4-channel Class D

GP1812A

POWERED 18" SUB + 12" ARRAY ELEMENT BLACK COLOR

Power	4 x 1500W @4ohm
--------------	-----------------

AC input	100-240V AC @50-60Hz
-----------------	----------------------

Max power consumption	500W Rated Load (1/8 Max Output Power)
------------------------------	--