

VM-80

8" ACTIVE MONITOR SPEAKER

The active VM-80 produces clear audio with fast-attacking, punchy bass. The speaker can be tuned to suit the characteristics of any room, making it perfect for recreating a club sound when you're DJing or providing a flat frequency response when you're producing music in a home or professional studio setting.

VM-80 not found or type unknown


cp2DjvckEh5DBTm1617093372_vm-80_prm_hero1_pc.jpg

len8VskONyCo69f1617093372_vm-80_prm_hero3_pc.jpg

VM-80

8" ACTIVE MONITOR SPEAKER

HIGHLIGHTS



**ARAMID FIBER WOOFER CONES AND
VORTEX BASS ACCELERATOR**

VM-80

8" ACTIVE MONITOR SPEAKER

PRODUCT DETAILS

KEY FEATURES

Clear, low-distortion audio with fast-attacking bass: Recreate club-style sound

High-quality components

Class D amplifier with 96 kHz sampling DSP to enable wide-bandwidth audio reproduction.

Aramid fiber woofer cones and Vortex Bass Accelerator

Constant directivity horn

DSP control. All VM series speakers are voiced flat to ensure you hear the natural sound of the music.

Fresh, professional design

Color: Black

SPECIFICATIONS

Type	Bi-amp 2-way active speaker
Tweeter	1-inch (25 mm) SILK soft dome
Woofer	8-inch (203 mm) ARAMID cone
Auto Standby	
Maximum Sound Pressure	115 dB
Amplifier Output	Class D with 96kHz DSP; LF
Frequency Range	34 Hz - 36 kHz Hz
Impedance	10 k?
High EQ	4 selective EQs
Low EQ	4 selective EQs
Cross Over Frequency	3 kHz

VM-80

8" ACTIVE MONITOR SPEAKER

Power Supply	AC 100-240 V, 50 Hz / 60Hz
Enclosure	Bass reflex
Enclosure material	MDF vinyl laminate
Baffle material	HIPS with 4mm Aluminum Plate
Inputs	XLR/TRS combo x 1 (balanced input); RCA x 1 (unbalanced input)
Dimensions (LxHxD)	267x400x325 mm
Weight	9,7 kg
What's in the Box	VM-70 x 1 (not sold as a pair); Power cable x 1; Cushioned feet pads x 1 (4pcs/1 sheet); Precautions for Use; Instruction Manual; Warranty (for some regions)