



soundSation

CATALOG 2018

MUSICAL INSTRUMENTS

PRO AUDIO

SHOW LIGHTING





Head Offices & Warehouse

FRENEXPOR SpA

Via Enzo Ferrari, 10 - 62017 Porto Recanati (MC) - ITALY
Tel: +39.071.75.95.011 | Fax: +39.071.75.95.099

Email contact

info@frenexport.it (general information)
amministr@frenexport.it (accounting)
ordini@frenexport.it (sales)
support@frenexport.it (tech support)

Website

www.frenexport.com

Opening hours

Offices: Mon-Fri 8.30-12.30 / 14.30 - 18.30
Warehouse & Logistics : Mon-Fri 8.30-12.00 / 14.00-17.00

España

Director de ventas

Country Manager, Sur, Madrid y Canarias

Guillermo Olivera Soto

C/Las Terrazas de Altorreal, 17BJ-A - 30506 Molina de Segura
Móvil 686167702 | guillermo@quinteto.es

Norte, Baleares

Pol Bonet (Arpegi)

Mobile 40609799 | info@arpegi.cat

United Kingdom

Sales Director

MJB Distribution Ltd

Matthew Bell

Mobile 07976579764 | sales@mjbdistribution.co.uk

France

Agents de vente

Est et Paris

Yves Darmoise

42 Rue du 1 Septembre - 68640 Muespach
Mobile 0607572695 | yvesdarmoise@free.fr

Nord/Ouest

Francois Voisin

2 Clos des Vieux Chenes, Rue du Roz - 29440 Plouzevedé
Tel: 0967259650 | Mobile 0671963072
fr.voisin@wanadoo.fr

Grand Sud

Eric Daunis

15 Rue Thesee - 34970 Lattes
Mobile 0603183939 | eric.daunis@orange.fr



Catalog 2018

Index

Musical Instruments

String Instruments

CLASSICAL GUITARS	6
ACOUSTIC GUITARS	14
ELECTRIC GUITARS	30
HOLLOW BODY GUITARS	41
ACOUSTIC BASSES.....	42
ELECTRIC BASSES.....	43
UKULELES.....	48
MANDOLINS.....	52
BANJOS.....	54

String Instruments Accessories

STRINGS.....	56
PICKS.....	61
STRAPS.....	62
CAPOS.....	63
CARE PRODUCTS.....	64

Amplifications

GUITAR AMPLIFIERS	66
BASS AMPLIFIERS.....	72
EFFECT PEDALS.....	76
CONTROL PEDALS.....	77

Drums & Percussions

ELECTRONIC DRUMKITS.....	80
DRUMKIT PER BAMBINI.....	83
CONGAS.....	84
DJEMBE'.....	87
BONGOS.....	88
CAJONS.....	90
OTHER PERCUSSIONS.....	92
ACCESSORIES.....	93

Wind Instruments

FLUTES.....	96
CLARINETS.....	97
SAXOPHONES.....	98
TRUMPETS.....	100
CORNETS & TROMBONES.....	101
FLUGELHORNS.....	102
EUPHONIUM.....	103
HORNS.....	104
TUBAS.....	105
SOUSAPHONES.....	106
MELODYHORNS.....	107
HARMONICAS.....	108
LYRES.....	109

Bow Instruments

VIOLINS.....	112
ELECTRIC VIOLIN.....	115
VIOLAS.....	115
CELLOS.....	116
DOUBLEBASSES.....	120
BOWS.....	122
ACCESSORIES & PARTS.....	125

Bellow Instruments

ACCORDIONS.....	130
DIATONIC ACCORDIONS.....	132
CHILDREN ACCORDIONS.....	133
ACCESSORIES & PARTS.....	134

Musical Instruments Stands

STRING INSTRUMENTS STANDS.....	136
KEYBOARD STANDS.....	138
PIANO BENCHES.....	141
WIND INSTRUMENTS STANDS.....	143
BOWED INSTRUMENTS STANDS.....	144
MUSIC STANDS.....	144
MUSIC STANDS ACCESSORIES.....	146

Musical Instruments Cases

STRING INSTRUMENTS CASES.....	148
DRUMS & PERCUSSIONS CASES.....	154
KEYBOARD INSTRUMENTS STANDS.....	156
BOWED INSTRUMENTS CASES.....	157
WIND INSTRUMENTS CASES.....	157

Tuners & Metronomes

DIGITAL TUNERS.....	160
DIGITAL METRONOMES.....	161
MECHANIC METRONOMES.....	162
ACCESSORIES.....	162

Pro Audio

Speakers

ACTIVE SPEAKERS.....	164
PASSIVE SPEAKERS.....	170
ACTIVE SUBWOOFERS	172
INSTALLATION SPEAKERS	174

PA Systems

PORTABLE PA SYSTEMS	178
COMPLETE SETS.....	185

Mixers

PASSIVE MIXERS	194
POWERED MIXERS	198
AUDIO TOOLS.....	200

Power Amplifiers

2 CHANNELS POWER AMPLIFIERS.....	202
4 CHANNEL POWER AMPS	205
COSTANT VOLTAGE AMPLIFIER.....	206

Audio Processors

MULTIEFFECTS & FEEDBACK DESTROYERS	208
VOCAL EFFECTS.....	209

Microphones

DYNAMIC MICROPHONES	212
WIRELESS MICROPHONES	216
CONDENSER MICROPHONES.....	227
MICROPHONE PACKS.....	232
INSTALLATION MICROPHONES	234
MICROPHONE ACCESSORIES	236

Headphones

HI-FI HEADPHONES & EARPHONES.....	242
HEADSETS.....	243
HEADPHONE AMPLIFIERS.....	244

Stage Equipments

CARRIAGE CARTSS	246
SPEAKER STANDS.....	247
MICROPHONE STANDS.....	252
LAPTOP STANDS.....	254
RACKS.....	255

Cables

STAGE BOXES.....	260
MICROPHONE CABLES.....	263
INSTRUMENT CABLES	266
SPEAKER CABLES	268
PHONO FEED CABLES.....	271
PATCH CABLES.....	272
ADAPTER CABLES.....	274
USB CABLES/MIDI CABLES	277
CABLE REELS	278
POWER CABLES.....	280
CONNECTORS & ADAPTERS	281
ACCESSORIES.....	289

Cases

FLIGHT CASES & DJ CASES.....	292
------------------------------	-----

Show Lighting

BEAM MOVING HEADS.....	294
SPOT MOVING HEADS	306
WASH MOVING HEADS	308
LED MOVING BARS	310
BATTERY POWERED PARS	312
BATTERY POWERED PARS ACCESSORIES.....	315
LED PAR PROJECTORS	316
OUTDOOR LED PAR	318
LED STROBE LIGHTS.....	321
LAMP STROBE LIGHTS.....	323
MATRICES & BLINDERS	324
PORTABLE LED KITS	326
INDOOR & OUTDOOR LED BARS & WASHERS.....	330
LASERS	332
SCANNERS.....	335
LIGHTING EFFECTS	337
DMX CONTROLLERS	338
HAZE MACHINES.....	342
FOG MACHINES	343
LOW FOG MACHINES	345
BUBBLE & SNOW MACHINES.....	346
AMBIENCE EFFECTS ACCESSORIES.....	347
LIGHTING STANDS	348
LIGHTING ACCESSORIES.....	352

String Instruments



CLASSICAL GUITARS

Toledo



With the EUROPA series Toledo launches its classic guitars built entirely in Europe. Characterized by a full and full-bodied sound, it counts on a meticulous set that serves perfect playability even to the beginner. Embellished with a glossy finish and golden mechanics, it is an instrument of great value in its market range.

ANITA 44SG - Chitarra flamenco con top abete solido in finitura lucida (Made in Europe)

Toledo EUROPA is a new series of classical guitar entirely made in Europe. Anita 44CG is a regular size flamenco guitar featuring solid spruce top, beech back/sides and cedar neck. Boasts a deep, full tone and a meticulous set-up providing great playability also for beginners. Enriched by a polyurethane glossy finish and by its gold plated tuners, spots an unmatched value in its market segment.



- ✓ Top: Solid spruce
- ✓ Back & Sides: beech
- ✓ Neck: Cedar
- ✓ Fretboard and bridge: Rosewood
- ✓ Binding: Beech
- ✓ Gold-plated machine heads with perloid button
- ✓ Nut width: 52 mm
- ✓ Scale: 650 mm
- ✓ Nut/saddle: ABS
- ✓ Transparent protector
- ✓ Finish: glossy
- ✓ Equipped with Flamenco Royal Classics Spanish strings

CODE	MSRP EUR	MSRP GBP
E305E	€ 322,65	£ 290,39

ISABELA 44COP - Solid cedar top classic guitar in open pore satin finish (Made in Europe)

Toledo EUROPA is a new series of classical guitar entirely made in Europe. Isabela 44COP is a regular size classic guitar featuring solid cedar top and beech back/sides. Boasts open, well balanced tone and a meticulous set-up providing great playability also for beginners. Enriched by an elegant open pore satin finish, Isabela 44SOP spots an unmatched value in its market segment.



- ✓ Top: Solid cedar
- ✓ Back & Sides: Beech
- ✓ Neck: Maple
- ✓ Fretboard: Maple
- ✓ Bridge: Maple
- ✓ Nickel-plated machine heads with perloid button
- ✓ Nut width: 52 mm
- ✓ Scale: 650 mm
- ✓ Nut/saddle: ABS
- ✓ Finish: open pore satin
- ✓ Equipped with Sonata by Royal Classics Spanish strings

CODE	MSRP EUR	MSRP GBP
E299E	€ 223,38	£ 201,04

Toledo



JULIA series

- √ Top: Solid cedar
- √ Back & Sides: Mahogany
- √ Neck: African mahogany
- √ Fretboard and bridge: Rosewood
- √ Binding: Beech
- √ Gold-plated machine heads with perloid button
- √ Nut width: 52 mm
- √ Scale: 650 mm
- √ Nut/saddle: ABS
- √ Equipped with Sonata by Royal Classics Spanish strings



JULIA 44SOP

JULIA 44COP

JULIA 44CG

JULIA 44SG

JULIA 44CG CTE

CODE	MODEL	DESCRIPTION	MSRP EUR	MSRP GBP
E301E	JULIA 44SOP	Solid spruce top classic guitar in open pore satin finish (Made in Europe)	€ 245,09	£ 220,58
E300E	JULIA 44COP	Solid cedar top classic guitar in open pore satin finish (Made in Europe)	€ 245,09	£ 220,58
E302E	JULIA44CG	Solid cedar top classic guitar in glossy finish (Made in Europe)	€ 273,01	£ 245,71
E303E	JULIA 44SG	Solid spruce top classic guitar in glossy finish (Made in Europe)	€ 273,01	£ 245,71
E304E	JULIA 44CG CTE	Solid cedar top classic guitar in glossy finish - Cutaway vers. w/preamp (Made in Europe)	€ 456,06	£ 410,45

CLASSICAL GUITARS

Toledo

Ramon Garcia



Conceived and built according to the traditional Spanish concept, the Ramon Garcia series combines the beauty and timbre of selected woods with fine craftsmanship. All models have a solid cedar top that gives a warm and full tone. Bands and bottom are, instead, in Mahogany or in rosewood. The flat handle offers the best playability comfort in complex executions. Maple BINDNG enriches the line. All models are equipped with D'Addario EXP strings for a natural and long lasting sound.

J-NATALIA

- √ Top: solid cedar
- √ Back and sides: rosewood
- √ Neck: mahogany
- √ Fretboard: rosewood
- √ Bridge: rosewood
- √ Binding: maple
- √ D'Addario XP strings
- √ Finish: gloss natural

CODE	MSRP EUR	MSRP GBP
F864F	€ 286,35	£ 257,72

JCE-NATALIA CUTAWAY

- √ Body shape: cutaway
- √ Top: solid cedar
- √ Back and sides: rosewood
- √ Neck: mahogany
- √ Fretboard: rosewood
- √ Bridge: rosewood
- √ Binding: maple
- √ Preamp: Belcat BS-4000 with tuner
- √ D'Addario XP strings
- √ Finish: gloss natural



CODE	MSRP EUR	MSRP GBP
F665F	€ 352,91	£ 317,62

J-ALEJANDRO



- √ Top: satin solid cedar
- √ Back and sides: satin mahogany
- √ Neck: satin mahogany
- √ Fretboard: rosewood
- √ Bridge: rosewood
- √ Binding: satin maple
- √ D'Addario XP strings
- √ Finish: satin natural

CODE	MSRP EUR	MSRP GBP
F666F	€ 216,90	£ 195,21

J-IGNACIO



- √ Top: solid cedar
- √ Back and sides: mahogany
- √ Neck: mahogany
- √ Fretboard: rosewood
- √ Bridge: rosewood
- √ Binding: maple
- √ D'Addario XP strings
- √ Finish: gloss natural

CODE	MSRP EUR	MSRP GBP
F664F	€ 234,93	£ 211,44

Toledo

PRIMERA *series*

PRIMERA Spruce

PRIMERA SPRUCE Series

First steps are the most important when learning to play an instrument. Toledo PRIMERA has been conceived to ease the apprentice. The soft keyboard ease the fingering and results in comfortable playing, helping the student to perform melodies and chords since the first steps. The SPRUCE version features a spruce top and Blackwood bridge/fretboard, recreating the feeling and look of real Rosewood fully respecting the environment and complying with the latest CITES regulation. Accurate set-up provides great playability throughout the fretboard.

- √ Spruce top for improved tone and visual appeal
- √ Back and sides: plywood
- √ Fretboard and bridge in Blackwood provides the feeling and the visual appeal of real rosewood respecting environment and complying CITES regulation
- √ Machine heads: standard
- √ Accurate set-up ensures great playability throughout the fretboard
- √ Finish: natural



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
E060E	PRIMERA SPRUCE 44-NT	4/4	€ 67,36	£ 60,62
E061E	PRIMERA SPRUCE 34-NT	3/4	€ 64,49	£ 58,04
E062E	PRIMERA SPRUCE CE 44-NT	4/4 CE	€ 96,02	£ 86,42

* √ Cutaway version
 √ E-2T preamp with tuner and jack/XLR out

CLASSICAL GUITARS

Toledo

PRIMERA *series*

PRIMERA *Plus*

PRIMERA PLUS classical guitar 3/4

First steps are the most important when learning to play an instrument. Toledo PRIMERA has been conceived to ease the apprentice. The soft keyboard ease the fingering and results in comfortable playing, helping the student to perform melodies and chords since the first steps. The Plus version features a spruce top and rosewood bridge/fretboard for richer tone and better visual appeal.

- ✓ Top: spruce
- ✓ Back and sides: plywood
- ✓ Fretboard and bridge: rosewood
- ✓ Machine heads: standard



CODE	MODEL	MSRP EUR	MSRP GBP
L492L	PRIMERA PLUS 44-NT v2	€ 64,06	£ 57,65
L490L	PRIMERA PLUS 34-NT v2	€ 62,43	£ 56,19
L491L	PRIMERA PLUS CE 44-NT v2	€ 93,18	£ 83,86

*E-2T preamp with tuner and jack/XLR out

Toledo

PRIMERA series

PRIMERA

PRIMERA COLOR (4/4 e 3/4)

- ✓ Tavola armonica: plywood
- ✓ Fondo e fasce: plywood
- ✓ Tastiera: hardwood
- ✓ Meccaniche: standard a farfalla
- ✓ Finitura lucida



PRIMERA 4/4 COLOR

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
L493L	PRIMERA 44-SB	Sunburst	€ 55,52	£ 49,97
L494L	PRIMERA 44-RDS	Red Sunburst	€ 55,52	£ 49,97
L495L	PRIMERA 44-BLS	Blue Sunburst	€ 55,52	£ 49,97
L496L	PRIMERA 44-PK	Pink	€ 54,09	£ 48,68
L497L	PRIMERA 44-WH	White	€ 54,09	£ 48,68

PRIMERA 3/4 COLOR

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
L498L	PRIMERA 34-SB	Sunburst	€ 54,58	£ 49,12
L499L	PRIMERA 34-RDS	Red sunburst	€ 54,58	£ 49,12
L500L	PRIMERA 34-BLS	Blue sunburst	€ 54,58	£ 49,12
L501L	PRIMERA 34-PK	Pink	€ 53,11	£ 47,80
L502L	PRIMERA 34-WH	White	€ 53,11	£ 47,80
L809L	PRIMERA 34-BK	Black	€ 53,11	£ 47,80

CLASSICAL GUITARS

Toledo

PRIMERA *series*

First steps are the most important when learning to play an instrument. Toledo PRIMERA has been conceived to ease the apprentice. The soft keyboard ease the fingering and results in comfortable playing, helping the student to perform melodies and chords since the first steps.

- √ Top: plywood
- √ Back and sides: plywood
- √ Fretboard: hardwood
- √ Machine heads: standard
- √ Finish: natural spruce(4/4, 3/4, 1/2), Black (4/4)
- √ Note: 1/2 size suggest for children up to 6 years old - 3/4 size suggest for children from 6 to 10 years old

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
I590I	PRIMERA 44-NT	Natural	€ 54,09	£ 48,68
I593I	PRIMERA 44-BK	Black	€ 54,09	£ 48,68
I591I	PRIMERA 34-NT	Natural	€ 53,11	£ 47,80
I592I	PRIMERA 12-NT	Natural	€ 52,66	£ 47,39



PRIMERA *classic pack*

PRIMERA-GP - Guitar pack classico 4/4 o 3/4

PRIMERA guitar pack is the best way to enter the magic world of guitar! A complete pack including a PRIMERA classic guitar, CCT-20 clip tuner, picks and gig bag. Available both in 3/4 and 4/4 size in natural glossy finish.

- √ PRIMERA 44NT classic guitar (4/4 size) or PRIMERA 34NT classic guitar (3/4 size)
- √ CCT-20 clip tuner for easy and effective tuning in every situation
- √ Picks
- √ Bag with frontal pocket, handle and straps
- √ Color box

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
L508L	PRIMERA-GP-44NT	4/4	€ 65,93	£ 59,34
L509L	PRIMERA-GP-34NT	3/4	€ 63,06	£ 56,75



Toledo *Classic Guitars*

TC series

TC980MT

- √ Top: Solid satin Sitka spruce
- √ Back and sides: satin mahogany
- √ Fretboard: rosewood
- √ Machine heads: chromed
- √ Size: 4/4
- √ Finish: satin natural

CODE	MSRP EUR	MSRP GBP
I508I	€ 157,65	£ 141,89



TC90I

- √ Top: spruce
- √ Back and sides: agathis
- √ Fretboard: rosewood
- √ Machine heads: chromed
- √ Size: 4/4
- √ Finish: glossy natural

CODE	MSRP EUR	MSRP GBP
F356F	€ 105,68	£ 95,11



TC902MT

- √ Top: satin spruce
- √ Back and sides: satin mahogany
- √ Fretboard: rosewood
- √ Machine heads: chromed
- √ Size: 4/4
- √ Finish: satin natural



CODE	MSRP EUR	MSRP GBP
H902H	€ 105,68	£ 95,11

TC60I-34

- √ Top: spruce
- √ Back and sides: agathis
- √ Fretboard: rosewood
- √ Machine heads: chromed
- √ Size: 3/4
- √ Finish: glossy natural



CODE	MSRP EUR	MSRP GBP
F910F	€ 101,96	£ 91,76

TC40I

- √ Top: spruce
- √ Back and sides: agathis
- √ Fretboard: rosewood
- √ Machine heads: chromed
- √ Size: 1/2



CODE	MSRP EUR	MSRP GBP
I315I	€ 98,29	£ 88,46

STRING INSTRUMENTS

ACOUSTIC GUITARS

Sound Sation
OLYMPIC
Series

EQUIPPED WITH
D'ADDARIO

Dedicated to the Olympic National Park, one of the most impressive natural park in the US, Olympic series proudly gathers craftsmanship, woods, finishes and a truly pristine tone. The solid Sitka top coupled with mahogany back and sides provides a real singing voice, while the original GROVER machine heads grant the tuning every musician needs for his performances. Olympic series is available in dreadnought, dreadnought cutaway and OOO, both in satin or glossy finish.

OLYMPIC-DN-GNT



Dreadnought acoustic guitar in glossy finish

- ✓ Top: solid Sitka spruce
- ✓ Back & sides: mahogany
- ✓ Neck: mahogany
- ✓ Fretboard: rosewood with perloid dots
- ✓ Capo & saddles: bone
- ✓ Headstock: mahogany with wood inlay
- ✓ Black celluloid binding on body
- ✓ Blackwood bridge
- ✓ Tortoise pickguard
- ✓ Original GROVER machine heads
- ✓ Shape: dreadnought
- ✓ Finish: glossy
- ✓ Equipped with d'Addario XP strings

CODE	MSRP EUR	MSRP GBP
L405L	€ 219,28	£ 197,35

OLYMPIC-DNCE-GNT



Also available
in Left-Hand
version

Dreadnought cutaway acoustic guitar in glossy finish w/preamp

- ✓ Top: solid Sitka spruce
- ✓ Back & sides: mahogany
- ✓ Neck: mahogany
- ✓ Fretboard: rosewood with perloid dots
- ✓ Capo & saddles: bone
- ✓ Headstock: mahogany with wood inlay
- ✓ Black celluloid binding on body
- ✓ Blackwood bridge
- ✓ Tortoise pickguard
- ✓ Original GROVER machine heads
- ✓ Shape: dreadnought cutaway
- ✓ Preamp: Fishman SON-GT4
- ✓ Finish: glossy
- ✓ Equipped with d'Addario XP strings

CODE	MSRP EUR	MSRP GBP
L406L	€ 283,23	£ 254,91
E058E	€ 301,00	£ 270,90

*Left-hand

OLYMPIC-OOO-GNT



OOO acoustic guitar in glossy finish

- ✓ Top: solid Sitka spruce
- ✓ Back & sides: mahogany
- ✓ Neck: mahogany
- ✓ Fretboard: rosewood with perloid dots
- ✓ Capo & saddles: bone
- ✓ Headstock: mahogany with wood inlay
- ✓ Black celluloid binding on body
- ✓ Blackwood bridge
- ✓ Tortoise pickguard
- ✓ Original GROVER machine heads
- ✓ Shape: OOO
- ✓ Finish: glossy
- ✓ Equipped with d'Addario XP strings

CODE	MSRP EUR	MSRP GBP
L407L	€ 219,28	£ 197,35

Sound Sation
OLYMPIC
Series

EQUIPPED WITH
D'ADDARIO

OLYMPIC-DN-NT



Dreadnought acoustic guitar in open pore satin finish

- ✓ Top: solid Sitka spruce
- ✓ Back & sides: mahogany
- ✓ Neck: satin mahogany
- ✓ Fretboard: blackwood with perloid dots
- ✓ Capo & saddles: bone
- ✓ Headstock: mahogany with wood inlay
- ✓ Black celluloid binding on body
- ✓ Blackwood bridge
- ✓ Tortoise pickguard
- ✓ Original GROVER machine heads
- ✓ Shape: dreadnought
- ✓ Finish: open pore satin
- ✓ Equipped with d'Addario XP strings

CODE	MSRP EUR	MSRP GBP
L390L	€ 204,95	£ 184,46

OLYMPIC-DNCE-NT



Dreadnought cutaway acoustic guitar in open pore satin finish w/preamp

- ✓ Top: solid Sitka spruce
- ✓ Back & sides: mahogany
- ✓ Neck: satin mahogany
- ✓ Fretboard: blackwood with perloid dots
- ✓ Capo & saddles: bone
- ✓ Headstock: mahogany with wood inlay
- ✓ Black celluloid binding on body
- ✓ Blackwood bridge
- ✓ Tortoise pickguard
- ✓ Original GROVER machine heads
- ✓ Shape: dreadnought cutaway
- ✓ Preamp: Fishman SON-GT4
- ✓ Finish: open pore satin
- ✓ Equipped with d'Addario XP strings

CODE	MSRP EUR	MSRP GBP
L391L	€ 268,89	£ 242,00

OLYMPIC-000-NT



OOO acoustic guitar in open pore satin finish

- ✓ Top: solid Sitka spruce
- ✓ Back & sides: mahogany
- ✓ Neck: satin mahogany
- ✓ Fretboard: blackwood with perloid dots
- ✓ Capo & saddles: bone
- ✓ Headstock: mahogany with wood inlay
- ✓ Black celluloid binding on body
- ✓ Blackwood bridge
- ✓ Tortoise pickguard
- ✓ Original GROVER machine heads
- ✓ Shape: OOO
- ✓ Finish: open pore satin
- ✓ Equipped with d'Addario XP strings

CODE	MSRP EUR	MSRP GBP
L392L	€ 204,95	£ 184,46

STRING INSTRUMENTS

ACOUSTIC GUITARS

SoundSation
ZION
Series

EQUIPPED WITH
D'ADDARIO

Soundsation entitles another series to one of the most stunning natural park in the US. Zion series guitars are entirely built in mahogany, achieving both a stunning look and a warmer and rounder tone. The original GROVER machine heads complete the deal, granting the tuning every musician needs for his performances. Zion series is available in dreadnought, dreadnought cutaway and OOO.

ZION-DN-M



Dreadnought acoustic guitar in open pore satin finish

- ✓ Top: solid mahogany
- ✓ Back & sides: mahogany
- ✓ Neck: satin mahogany
- ✓ Fretboard: blackwood with perloid dots
- ✓ Capo & saddles: bone
- ✓ Headstock: mahogany with wood inlay
- ✓ Blackwood bridge
- ✓ Original GROVER machine heads
- ✓ Shape: dreadnought
- ✓ Finish: open pore satin
- ✓ Equipped with d'Addario XP strings

CODE	MSRP EUR	MSRP GBP
L393L	€ 184,88	£ 166,39

ZION-DNCE-M



Dreadnought cutaway acoustic guitar in open pore satin finish w/preamp

- ✓ Top: solid mahogany
- ✓ Back & sides: mahogany
- ✓ Neck: satin mahogany
- ✓ Fretboard: blackwood with perloid dots
- ✓ Capo & saddles: bone
- ✓ Headstock: mahogany with wood inlay
- ✓ Blackwood bridge
- ✓ Original GROVER machine heads
- ✓ Shape: dreadnought cutaway
- ✓ Finish: open pore satin
- ✓ Preamp: Fishman SON-GT4
- ✓ Equipped with d'Addario XP strings

CODE	MSRP EUR	MSRP GBP
L394L	€ 248,83	£ 223,95

ZION-OOO-M




OOO acoustic guitar in open pore satin finish

- ✓ Top: solid mahogany
- ✓ Back & sides: mahogany
- ✓ Neck: satin mahogany
- ✓ Fretboard: blackwood with perloid dots
- ✓ Capo & saddles: bone
- ✓ Headstock: mahogany with wood inlay
- ✓ Blackwood bridge
- ✓ Original GROVER machine heads
- ✓ Shape: OOO
- ✓ Finish: open pore satin
- ✓ Equipped with d'Addario XP strings

CODE	MSRP EUR	MSRP GBP
L395L	€ 184,88	£ 166,39

Sound Sation
GRAND TETON
 Series



Another acoustic guitars series dedicated to another true natural US jewel, Grand Teton is the choice hardly matchable in its market segment for performances, craftsmanship and details. Enriched by its open pore satin finish, Grand Teton series is available in dreadnought, dreadnought 3/4, dreadnought cutaway and OOO.

GRAND TETON-DN-NT



Dreadnought acoustic guitar in open pore satin finish

- √ Top: satin pruce
- √ Back & sides: satin agathis
- √ Neck: satin mahogany
- √ Fretboard: blackwood with perloid dots
- √ Capo & saddles: tusq
- √ Headstock: mahogany with wood inlay
- √ Blackwood bridge
- √ Black pickguard
- √ Diecast chromed machine heads
- √ Shape: dreadnought
- √ Finish: open pore satin
- √ Equipped with d'Addario XP strings

CODE	MSRP EUR	MSRP GBP
L396L	€ 121,82	£ 109,64

GRAND TETON-DNCE-NT



Also available in Left-Hand version

Dreadnought cutaway acoustic guitar in open pore satin finish w/preamp

- √ Top: satin pruce
- √ Back & sides: satin agathis
- √ Neck: satin mahogany
- √ Fretboard: blackwood with perloid dots
- √ Capo & saddles: tusq
- √ Headstock: mahogany with wood inlay
- √ Blackwood bridge
- √ Black pickguard
- √ Diecast chromed machine heads
- √ Shape: dreadnought cutaway
- √ Finish: open pore satin
- √ Preamp: Fishman SON-GT4
- √ Equipped with d'Addario XP strings

CODE	MSRP EUR	MSRP GBP
L397L	€ 185,77	£ 167,19
E059E	€ 199,48	£ 179,53

*Left-hand

GRAND TETON-DN34-NT



3/4 Dreadnought acoustic guitar in open pore satin finish

- √ Top: satin pruce
- √ Back & sides: satin agathis
- √ Neck: satin mahogany
- √ Fretboard: blackwood with perloid dots
- √ Capo & saddles: tusq
- √ Headstock: mahogany with wood inlay
- √ Blackwood bridge
- √ Black pickguard
- √ Diecast chromed machine heads
- √ Shape: 3/4 dreadnought
- √ Finish: open pore satin
- √ Equipped with d'Addario XP strings

CODE	MSRP EUR	MSRP GBP
L399L	€ 117,52	£ 105,77

GRAND TETON-OOO-NT



Chitarra acustica OOO con finitura open pore satinata

- √ Top: satin pruce
- √ Back & sides: satin agathis
- √ Neck: satin mahogany
- √ Fretboard: blackwood with perloid dots
- √ Capo & saddles: tusq
- √ Headstock: mahogany with wood inlay
- √ Blackwood bridge
- √ Black pickguard
- √ Diecast chromed machine heads
- √ Shape: OOO
- √ Finish: open pore satin
- √ Equipped with d'Addario XP strings

CODE	MSRP EUR	MSRP GBP
L398L	€ 121,82	£ 109,64

VAT excluded

ACOUSTIC GUITARS

Sound Sation
compañera
 Series

COMPANERA series

Compañera means 'buddy' in Spanish, and the name is actually a very fitting one: from dusty backroads to summer campfires, this little jewel featuring a 84cm roundback body will be always by your side when it comes to express yourself. Sturdy and compact, spotting a stunning visual appeal with its open pore satin finish, Compañera also features a padded gig bag for easy and safe carrying.

- ✓ Shape: 84cm roundback dreadnought cutaway
- ✓ Top: satin spruce
- ✓ Back & sides: satin mahogany
- ✓ Neck: blackwood
- ✓ Fretboard and bridge: rosewood

- ✓ Chromed machine heads
- ✓ Capo and saddles: tusq
- ✓ Finish: open pore satin
- ✓ 10mm padded bag included



COMPANERA-DNCE

Roundback dreadnought cutaway
 travel guitar w/preamp



- ✓ Preamp: KLT-33 with tuner



CODE	MSRP EUR	MSRP GBP
L401L	€ 197,06	£ 177,35

COMPANERA-DNC

Roundback dreadnought cutaway
 travel guitar



CODE	MSRP EUR	MSRP GBP
L402L	€ 157,65	£ 141,89

COMPANERA-DNCE-LH

Roundback dreadnought cutaway
 travel guitar

Left-Hand version



CODE	MSRP EUR	MSRP GBP
E307E	€ 217,22	£ 195,50

SoundSation Stage Classic Series

STAGE-CLASSIC - Nylon strings thinline cutaway acoustic guitar w/preamp



Have you ever wished for a nylon string tone with the playability and feeling of your acoustic guitar? Of course you did, and Classic-Stage is the answer: featuring a 47mm nut, flat fretboard and nylon strings, Stage-Classic gathers the best of classic and acoustic worlds, allowing you to transpose your skills in new territories. Fishman Isys+ preamp with built-in tuner and cutaway thinline shape make the Stage-Classic an hi-value instrument tailored for live performances.



- √ Top: satin Sitka solid spruce
- √ Back & sides: satin mahogany
- √ Neck: satin mahogany with truss-rod
- √ Fretboard: flat in blackwood with perloid dots
- √ Capo & saddles: tusq
- √ Headstock: mahogany with wood inlay
- √ Classic guitar style headstock and tuners
- √ Blackwood bridge
- √ Black pickguard
- √ Nut: 47mm
- √ Shape: cutaway thinline (80mm)
- √ Finish: open pore satin
- √ Preamp: Fishman Isys+ with tuner
- √ Equipped with dnylon strings

CODE	MSRP EUR	MSRP GBP
L400L	€ 237,02	£ 213,32




SoundSation

Shadow series

DAVIDE TALONI

Viaggio Ribelle Tour

SoundSation
Shadow Series



BA100CTE-MBK - SHADOW series cutaway acoustic guitar with Fishman preamp

SHADOW series were born to gather quality construction, tone, style and outstanding visual appeal. The black satin finish, the Gold machine heads with black satin button and the solid top deliver remarkable quality and look, while the Fishman preamp is perfect for live and studio performances.

- √ Body: solid sitka spruce (top) + mahogany (back & sides)
- √ Neck: set-in mahogany
- √ Tastiera: rosewood
- √ Frets: 20
- √ Machine heads: Grover Black
- √ Bridge: rosewood
- √ Machine heads: gold with black satin button
- √ Binding: rosewood + maple
- √ Preamp: Fishman Isys-T w/ tuner
- √ Equipped with d'Addario EXP
- √ Colour: black satin

CODE	MSRP EUR	MSRP GBP
I562I	€ 319,54	£ 287,59



STRING INSTRUMENTS

ACOUSTIC GUITARS

Sound Sation
YELLOWSTONE
 Series

YELLOWSTONE DN Series

YELLOWSTONE is a dreadnought acoustic guitar featuring a spruce top, combining tone, comfort and playability. With its spruce top and its binding (on body, fretboard, headstock) is a guitar featuring a very refined look. A great value in its market range, both for beginners and more advanced players looking for a spare time instrument.

- √ Top: spruce
- √ Back and sides: basswood
- √ Fretboard and bridge in Blackwood provides the feeling and the visual appeal of real rosewood respecting environment and complying CITES regulation
- √ Machine heads: diecast chrome
- √ Binding: body, fretboard, headstock
- √ Pickguard: black



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
I6471	YELLOWSTONE-DN-BK	Black	€ 88,86	£ 79,97
I6481	YELLOWSTONE-DN-NT	Natural	€ 88,86	£ 79,97
I6491	YELLOWSTONE-DN-SB	Sunburst	€ 88,86	£ 79,97
I6501	YELLOWSTONE-DN-BLS	Blue Sunburst	€ 88,86	£ 79,97
I6511	YELLOWSTONE-DN-RDS	Red Sunburst	€ 88,86	£ 79,97



SoundSation
YELLOWSTONE
 Series

YELLOWSTONE DN-CE Series

YELLOWSTONE-DNCE is an electrified dreadnought cutaway acoustic guitar combining tone, comfort and playability. With its spruce top and its binding (on body, fretboard, headstock) is a guitar boasting a very refined look. A great value in its market range, both for beginners and more advanced players looking for a spare time instrument.

- √ Top: spruce
- √ Back and sides: basswood
- √ Fretboard and bridge in Blackwood provides the feeling and the visual appeal of real rosewood respecting environment and complying CITES regulation
- √ Machine heads: diecast chrome
- √ Binding: body, fretboard, headstock
- √ Pickguard: black
- √ Preamp featuring tuner and XLR/Jack out



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
16521	YELLOWSTONE-DNCE-BK	Black	€ 118,38	£ 106,54
16531	YELLOWSTONE-DNCE-NT	Natural	€ 118,38	£ 106,54
16541	YELLOWSTONE-DNCE-SB	Sunburst	€ 118,38	£ 106,54
16551	YELLOWSTONE-DNCE-BLS	Blue Sunburst	€ 118,38	£ 106,54
16561	YELLOWSTONE-DNCE-RDS	Red Sunburst	€ 118,38	£ 106,54

ACOUSTIC GUITARS

Sound Sation
YELLOWSTONE
 Series

Mini jumbo acoustic cutaway electrified guitar featuring spruce top, a perfect mix of tone, playability and comfort. Onboard preamp adds great live/studio possibilities with its built in tuner. With its spruce top and the body, fretboard and headstock binding is a very goodlooking instrument, a great value for the price.

- √ Top: spruce
- √ Back and sides: basswood
- √ Fretboard and bridge in Blackwood provides the feeling and the visual appeal of real rosewood respecting environment and complying CITES regulation
- √ Machine heads: diecast chrome
- √ Binding: boby, fretboard, headstock
- √ Pickguard: sunburst
- √ Preamp featuring tuner and Jack/XLR out

YELLOWSTONE MJCE Series



CODICE	MODELLO	COLOR	MSRP EUR	MSRP GBP
L284L	YELLOWSTONE-MJCE-BK	Black	€ 120,39	£ 108,35
L285L	YELLOWSTONE-MJCE-NT	Natural	€ 120,39	£ 108,35
L286L	YELLOWSTONE-MJCE-SB	Sunburst	€ 120,39	£ 108,35

SoundSation
YOSEMITE
Series

YOSEMITE DN Series

YOSEMITE is a great choice for beginners and students demanding tone and playability. Dreadnought shape is the all time favourite for deep tone and comfort. The classic design is enanched by the black pickguard and soundhole decoration. Built with the same principles of higher priced models, it's a great choice for students or free time guitar alike.

- ✓ Top: linden
- ✓ Back and sides: basswood
- ✓ Fretboard: maple
- ✓ Bridge: maple
- ✓ Machine heads: chrome diecast
- ✓ Pickguard: black



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
16371	YOSEMITE-DN-BK	Black	€ 81,69	£ 73,52
16381	YOSEMITE-DN-NT	Natural	€ 81,69	£ 73,52
16391	YOSEMITE-DN-SB	Sunburst	€ 81,69	£ 73,52
16401	YOSEMITE-DN-BLS	Blue Sunburst	€ 81,69	£ 73,52
16411	YOSEMITE-DN-RDS	Red Sunburst	€ 81,69	£ 73,52

STRING INSTRUMENTS

ACOUSTIC GUITARS

Sound Sation
YOSEMITE
Series

YOSEMITE DN-CE Series

YOSEMITE-DNCE is a great choice for beginners and students demanding tone and playability. Dreadnought cutaway shape is perfect for deep tone, comfort, playability. The classic design is enanched by the black pickguard and soundhole decoration. Built with the same principles of higher priced models, it's a great choice for students or free time guitar alike.

- √ Top: linden
- √ Back and sides: basswood
- √ Fretboard: maple
- √ Bridge: maple
- √ Machine heads: chrome diecast
- √ Pickguard: black
- √ Preamp: vol/tone controls



CODE	MODELL	COLOR	MSRP EUR	MSRP GBP
I642I	YOSEMITE-DNCE-BK	Nero	€ 97,46	£ 87,71
I643I	YOSEMITE-DNCE-NT	Natural	€ 97,46	£ 87,71
I644I	YOSEMITE-DNCE-SB	Sunburst	€ 97,46	£ 87,71
I645I	YOSEMITE-DNCE-BLS	Blue Sunburst	€ 97,46	£ 87,71
I646I	YOSEMITE-DNCE-RDS	Red Sunburst	€ 97,46	£ 87,71

SoundSation
YOSEMITE
Acoustic Pack

YOSEMITE Series

YOSEMITE acoustic guitar pack is the best choice for those about to enter the acoustic 6 strings world. Includes Soundsation YOSEMITE dreadnought acoustic guitar, a clip tuner for quick&effective tuning, strap, picks and bag. Guitar available in black or natural finish.

YOSEMITE-GP-BK - Acoustic guitar pack

- √ Soundsation YOSEMITE-DN-BK dreadnought acoustic guitar featuring black pickguard, linden top, basswood back and sides
- √ CCT-20 clip tuner for easy, quick and effective tuning
- √ Strap
- √ Picks
- √ Gig bag w/straps
- √ Guitar finish: black

CODE	MSRP EUR	MSRP GBP
1953I	€ 97,46	£ 87,71



YOSEMITE-GP-NT - Acoustic guitar pack

- √ Soundsation YOSEMITE-DN-NT dreadnought acoustic guitar featuring black pickguard, linden top, basswood back and sides
- √ CCT-20 clip tuner for easy, quick and effective tuning
- √ Strap
- √ Picks
- √ Gig bag w/straps
- √ Guitar finish: natural

CODE	MSRP EUR	MSRP GBP
1954I	€ 97,46	£ 87,71



Accordatore a clip
CCT-20



Tracolla / Accordatore / Plettri / Borsa con tracolla



ACOUSTIC GUITARS

DG e RB Series

DG5350CEB - Cutaway dreadnought acoustic guitar with preamp and solid spruce top

DG350 is a cutaway dreadnought acoustic guitar featuring tone, construction and materials quality, playability and stunning look. The Belcat SNT-4 preamp with tuner and 4 bands eq expands your possibilities when you are practicing, recording or performing. The solid spruce top delivers a brilliant breathing tone, while the gold machine heads and the binding on headstock, body and fretboard refine an awesome instrument.

- √ Top: solid spruce
- √ Back and sides: mahogany
- √ Fretboard: rosewood
- √ Machine heads: gold
- √ Preamp: Belcat SNT-4 with tuner and 4 band EQ
- √ Binding: body, fretboard, headstock



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
H007H	DGS350CEB-N	Natural	€ 251,96	£ 226,76
H008H	DGS350CEB-OS	Honey Sunburst	€ 247,70	£ 222,93

RB302CE - Roundback cutaway acoustic guitar with preamp

RB302CE is a cutaway acoustic guitar featuring the worldwide known "roundback" shape, one of the most frequent pick for electric players demanding for an acoustic flavour. The decorations of the piebald ash top and the Belcat EQ 7545-4 preamp complete the deal: a great instrument both for your eyes and for your ears.

- √ Top: piebald ash
- √ Back and side: PVC roundback style
- √ Fretboard: rosewood
- √ Machine heads: chrome
- √ Preamp: Belcat EQ 7545-4



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
G793G	RB302CE-N	Natural	€ 189,88	£ 170,89
G796G	RB302CE-BK	Black	€ 189,88	£ 170,89

RB Series

RB320CE - Roundback cutaway acoustic guitar with preamp

RB320CE is a cutaway acoustic guitar featuring the worldwide known "roundback" shape, one of the most frequent pick for electric players demanding for an acoustic flavour. The hole decoration, the spruce top and the Belcat EQ 7545-4 preamp complete the deal: a great instrument both for your eyes and for your ears.

- √ Top: spruce
- √ Back and side: PVC roundback style
- √ Fretboard: rosewood
- √ Machine heads: chrome
- √ Preamp: Belcat EQ 7545-4



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
G799G	RB320CE-OS	Honey Sunburst	€ 189,88	£ 170,89
G797G	RB320CE-N	Natural	€ 189,88	£ 170,89
G798G	RB320CE-BLS	Blue Sunburst	€ 189,88	£ 170,89
G800G	RB320CE-BK	Nero	€ 189,88	£ 170,89

ELECTRIC GUITARS

Buffalo Series

Buffalo Pro - Double cutaway electric guitar with 2 humbuckers and set-in neck

No doubt: Buffalo Pro rhymes with Rock! Basswood body for deep tone and reliability, set-in mahogany neck for improved sustain, rosewood fretboard featuring 22 easy-access frets. The 2 uncovered humbuckers deliver powerful bite and unmatched sustain, while the 3-way switch and 2 volume/2 tone independent pots offer great sound flexibility. A perfect choice for blues, rock and rawer music.

- √ Body: solid basswood
- √ Neck: set-in mahogany
- √ Tastiera: rosewood
- √ Frets: 22
- √ Machine heads: Vintage Style
- √ Bridge: stoptail
- √ Pick ups: 2 humbuckers
- √ Switch: 3 way
- √ Pots: 2 volume/2 tone
- √ Black pickguard

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
L662L	BUFFALO- PRO BK	Black	€ 185,55	£ 167,00
L663L	BUFFALO- PRO WR	Wine red	€ 185,55	£ 167,00



Buffalo ST - Double cutaway electric guitar with 2 humbuckers

Buffalo Standard was born to speak the language of Rock: basswood body for deep tone and reliability, mahogany neck, rosewood fretboard featuring 22 easy-access frets. The 2 uncovered humbuckers deliver powerful bite and unmatched sustain, while the 3-way switch and 2 volume/2 tone independent pots offer great sound flexibility. A perfect choice for blues, rock and rawer music.

- √ Body: solid basswood
- √ Neck: bolt-on mahogany
- √ Tastiera: rosewood
- √ Frets: 22
- √ Machine heads: Vintage Style
- √ Bridge: stoptail
- √ Pick ups: 2 humbuckers
- √ Switch: 3 way
- √ Pots: 2 volume/2 tone
- √ Black pickguard

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
L660L	BUFFALO-ST BK	Black	€ 153,66	£ 138,29
L661L	BUFFALO-ST WR	Wine red	€ 153,66	£ 138,29

Milestone Series

Milestone Pro - Arch top cutaway electric guitar with 2 humbuckers and set-in neck

Milestone-PRO means further steps along the road that made blues and rock true legend. Solid arch top body, together with powerful humbuckers provide the feeling and the tone everybody has learnt to love, while set-in mahogany neck adds infinite sustain to your chords and solos. The 3-way switch and 2 volume/2 tone independent pots offer great sound flexibility. A perfect choice for blues, rock and rawer music.

- √ Body: solid basswood (arch top)
- √ Neck: set-in mahogany
- √ Tastiera: rosewood
- √ Frets: 22
- √ Hardware: chromed
- √ Machine heads: vintage style
- √ Bridge: stoptail
- √ Pick ups: 2 humbuckers
- √ Switch: 3 way
- √ Pots: 2 volume/2 tone
- √ Black pickguard



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
L667L	MILESTONE-PRO BK	Black	€ 197,15	£ 177,44
L668L	MILESTONE PRO-VSB	Vintage sunburst	€ 197,15	£ 177,44
L669L	MILESTONE-PRO WH	White	€ 197,15	£ 177,44
L670L	MILESTONE-PRO CSB-FM	Flamed cherry sunburst	€ 214,54	£ 193,09
L671L	MILESTONE-PRO VSB-FM	Flamed vintage sunburst	€ 214,54	£ 193,09

Milestone Series

Milestone ST - Flat top cutaway electric guitar with 2 humbuckers

A pure music-landmark: Milestone Standard leads you where blues and rock became legend. A flat top solid body equipped with powerful humbuckers provides the playability and the tone everybody has learnt to love, while the 3-way switch and 2 volume/2 tone independent pots offer great sound flexibility. A perfect choice for blues, rock and rawer music.

- √ Body: solid basswood (flat top)
- √ Neck: bolt-on mahogany
- √ Tastiera: rosewood
- √ Frets: 22
- √ Machine heads: vintage style
- √ Bridge: stoptail
- √ Pick ups: 2 humbuckers
- √ Switch: 3 way
- √ Pots: 2 volume/2 tone



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
L664L	MILESTONE-ST BK	Black	€ 162,36	£ 146,12
L665L	MILESTONE-ST VSB	Vintage Sunburst	€ 162,36	£ 146,12
L666L	MILESTONE-ST CSB	Cherry Sunburst	€ 162,36	£ 146,12

Shadow Series

SHADOW series double cutaway electric guitar with 2 single coils + 1 humbucker and tremolo bridge - Colour: black satin

SH-SB200FR-MBK



- √ Body: basswood
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 24 with abalone inlay at 12th
- √ Machine heads: Grover Black
- √ Bridge: stoptail
- √ Pick ups: 2 humbuckers
- √ Switch: 3 way
- √ Pots: 1 volume/1 tone
- √ Equipped with d'Addario EXP

CODE	MSRP EUR	MSRP GBP
15571	€ 287,16	£ 258,44

SH-SB207-MBK 7 strings version



- √ Body: basswood
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 24 with abalone inlay at 12th
- √ Machine heads: Grover Black
- √ Bridge: stoptail
- √ Pick ups: 2 humbuckers
- √ Switch: 3 way
- √ Pots: 1 volume/1 tone
- √ Equipped with d'Addario EXP

CODE	MSRP EUR	MSRP GBP
15561	€ 262,73	£ 236,46

SH-SB200-MBK



- √ Body: basswood
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 24 with abalone inlay at 12th
- √ Machine heads: Grover Black
- √ Bridge: stoptail
- √ Pick ups: 2 humbuckers
- √ Switch: 3 way
- √ Pots: 1 volume/1 tone
- √ Equipped with d'Addario EXP

CODE	MSRP EUR	MSRP GBP
15551	€ 265,91	£ 239,32

SST-112T-MBK

- √ Body: basswood
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 22 with abalone inlay at 12th
- √ Machine heads: Black
- √ Bridge: tremolo (black)
- √ Pick ups: 2 single coils + 1 humbucker (uncovered)
- √ Switch: 5 way
- √ Pots: 1 volume/2 tone
- √ Equipped with d'Addario EXP
- √ Pickguard: silver mirror

CODE	MSRP EUR	MSRP GBP
15541	€ 162,47	£ 146,22




ELECTRIC GUITARS

Rocker Series

The beauty and the resonance of the ash, the original Wilkinson single coils and bridge, the self locking machines heads: the **ROCKER PRO** series is a super classic revisited with style and character. The 5-way switch and volume/tone pots offer great sound flexibility for blues, rock, funky tones. The Wilkinson bridge means stability and reliability while Wilkinson Vintage single coils deliver that tone which became a trademark in music history.

ROCKER PRO-200S-RW

- ✓ Corpo: frassino
- ✓ Manico: acero
- ✓ Tastiera: palissandro
- ✓ Tasti: 21 (perloid)
- ✓ Meccaniche: cromate autobloccanti
- ✓ Ponte: Wilkinson vintage tremolo
- ✓ Pick up: 3 single coil Wilkinson Vintage
- ✓ Switch: 5 vie,
- ✓ Potenzimetri: volume/tono/tono,
- ✓ Mascherina: bianca



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
19411	ROCKER PRO-200S-RW BK	black	€ 284,49	£ 256,04
19421	ROCKER PRO-200S-RW VW	vintage white	€ 284,49	£ 256,04
19431	ROCKER PRO-200S-RW SIENNA SBT	sienna sunburst	€ 284,49	£ 256,04
19441	ROCKER PRO-200S-RW TOBACCO SBT	tobacco sunburst	€ 284,49	£ 256,04
19451	ROCKER PRO-200S-RW NT	natural	€ 284,49	£ 256,04
19651	ROCKER PRO-200S-RW VB	vintage blonde	€ 284,49	£ 256,04



ROCKER PRO-200S-MP

- ✓ Body: ash
- ✓ Neck: maple
- ✓ Fretboard: rosewood
- ✓ Frets: 21 (perloid)
- ✓ Machine heads: self-locking chrome
- ✓ Bridge: Wilkinson vintage tremolo
- ✓ Pick ups: 3 Wilkinson Vintage single coils
- ✓ Switch: 5 way
- ✓ Pots: volume/tono/tono
- ✓ Pickupguard: white



Original Wilkinson Pickup & Bridge



Self-locking machine heads



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
19461	ROCKER PRO-200S-MP BK	black	€ 284,49	£ 256,04
19471	ROCKER PRO-200S-MP VW	vintage white	€ 284,49	£ 256,04
19481	ROCKER PRO-200S-MP SIENNA SBT	sienna sunburst	€ 284,49	£ 256,04
19491	ROCKER PRO-200-MP TOBACCO SBT	tobacco sunburst	€ 284,49	£ 256,04
19501	ROCKER PRO-200S-MP NT	natural	€ 284,49	£ 256,04
19641	ROCKER PRO-200S-MP VB	vintage blonde	€ 284,49	£ 256,04

Rocker Series

ROCKER series is a super classic revisited: double cutaway electric guitar featuring basswood body for rich tone and reliability, 3 single coils for clear and brilliant tone. The 5-way switch and volume/tone pots offer great sound flexibility for blues, rock, funky tones. A perfect choice for beginners demanding quality.

100-S Double cutaway electric guitar with 3 single coils

- √ Body: basswood
- √ Neck: maple
- √ Fretboard: rosewood
- √ Frets: 21
- √ Machine heads: chrome
- √ Bridge: vintage tremolo
- √ Pick ups: 3 single coils
- √ Switch: 5 way
- √ Pots: volume/tone/tone
- √ Colour: 3T sunburst, Black, Vintage White, Candy Apple Red, Tropical Blue



Note: Left-hand version for the following colors: Black, Vintage White , 3 Toni Sunburst

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
15951	ROCKER-100S 3TS	3 Tone Sunburst	€ 107,76	£ 96,98
15961	ROCKER-100 VW	Vintage White	€ 107,76	£ 96,98
15981	ROCKER-100S BK	Black	€ 107,76	£ 96,98
15971	ROCKER-100S CAR	Candy Apple red	€ 107,76	£ 96,98
16081	ROCKER-100S TB	Transparent Blue	€ 107,76	£ 96,98

Left-hand versions

16011	ROCKER-100S-LH 3TS	3 Tone Sunburst	€ 113,16	£ 101,84
15991	ROCKER-100S-LH BK	Black	€ 113,16	£ 101,84
16001	ROCKER-100S-LH VW	Vintage White	€ 113,16	£ 101,84

100-H Double cutaway electric guitar with 2 single coils + 1 humbucker

- √ Body: basswood
- √ Neck: maple
- √ Fretboard: rosewood
- √ Frets: 21
- √ Machine heads: chrome
- √ Bridge: vintage tremolo
- √ Pick ups: 2 single coils + 1 humbucker
- √ Switch: 5 way
- √ Pots: volume/tone/tone

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
16041	ROCKER-100H BK	Black	€ 113,51	£ 102,16
16031	ROCKER-100H VW	Vintage White	€ 113,51	£ 102,16
16021	ROCKER-100H-3TS	3 Tone Sunburst	€ 113,51	£ 102,16



ELECTRIC GUITARS

Rocker Series

3/4 Versions

ROCKER 3/4 - 3/4 double cutaway electric guitar with 3 single coils

ROCKER series is a super classic revisited: double cutaway electric guitar featuring basswood body for rich tone and reliability, 3 single coils for clear and brilliant tone. The 5-way switch and volume/tone pots offer great sound flexibility for blues, rock, funky tones. A perfect choice for beginners demanding quality, now available also in 3/4 version to meet youngest's needs.

- ✓ Body: basswood
- ✓ Neck: maple
- ✓ Fretboard: rosewood
- ✓ Frets: 21
- ✓ Machine heads: chrome
- ✓ Bridge: vintage tremolo
- ✓ Pick ups: 3 single coils
- ✓ Switch: 5 way
- ✓ Pots: volume/tone/tone
- ✓ Size: 3/4

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
L503L	ROCKER-34 3TS	3T sunburst	€ 102,01	£ 91,81
L504L	ROCKER-34 BK	Nero	€ 102,01	£ 91,81
L505L	ROCKER-34 RD	Rosso	€ 102,01	£ 91,81
L506L	ROCKER-34 BL	Blu	€ 102,01	£ 91,81
L507L	ROCKER-34 PK	Rosa	€ 102,01	£ 91,81



Rocker Series

Rocker Pack is the best way to start your journey in the electric guitar world. The kit includes a Soundsation Rocker-100S GP electric guitar, a Rocker Amp-10 vintage style combo, a last generation clip tuner allowing you to be in tune without cables, a gig bag, picks, cable and strap. All you need is here: now is up to you!

Rocker 100S-GP



Soundsation Rocker-100S GP: double cutaway bass wood body, rosewood fretboard, 21 frets, 3 single coils, 5 positions switch.

Combo Rocker Amp-10 (10w) featuring 6,5" speaker, headphone out and vintage style

✓ **BHCT-10** last generation behind the headstock clip tuner, invisible to the audience and backlit, allowing perfect and fast tuning without cables.

- ✓ Strap
- ✓ Gig bag
- ✓ Picks
- ✓ Cable
- ✓ Guitar finish: 3T Sunburst, Black, Vintage White, Candy Apple Red, Tropical Blue

Tuner



Strap Tuner Pick Gig Bag Cavo

Rocker Amp-10



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
1616I	ROCKER PACK 3TS	3 Tone Sunburst	€ 177,88	£ 160,09
1618I	ROCKER PACK BK	Black	€ 177,88	£ 160,09
1619I	ROCKER PACK CAR	Candy Apple Red	€ 177,88	£ 160,09
1620I	ROCKER PACK TP	Tropical Blue	€ 177,88	£ 160,09
1617I	ROCKER PACK VW	Vintage White	€ 177,88	£ 160,09

ELECTRIC GUITARS

SMB Series

SMB100 - Double cutaway electric guitar with 2 single coils and 1 humbucker

- √ Body: solid alder
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 24
- √ Machine heads: black
- √ Bridge: SMB tremolo
- √ Pick ups: 2 single coils + 1 humbucker
- √ Switch: 5 way
- √ Pots: volume/tone

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
H366H	SMB100-BK	Black	€ 131,90	£ 118,71
H367H	SMB100-DMBL	Dark Metallic Blue	€ 131,90	£ 118,71



SMB200 - Double cutaway electric guitar with 2 single coils and 1 humbucker featuring Floyd Rose style bridge

- √ Corpo: solid alder
- √ Manico: acero
- √ Tastiera: palissandro
- √ Tasti: 24
- √ Meccaniche: nero
- √ Ponte: SMB Floyd Rose style
- √ Pick up: 2 single coil + 1 humbucker al ponte
- √ Switch: 5 vie
- √ Potenziometri: volume/tono

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
H369H	SMB200-DMBL	Dark Metallic Blue	€ 166,47	£ 149,82
H370H	SMB200-MBK	Metallic Black	€ 166,47	£ 149,82
H368H	SMB200-MRD	Metallic Red	€ 166,47	£ 149,82

SMB350FM - Double cutaway electric guitar with 2 humbuckers and 1 single coil featuring Floyd Rose style bridge and flamed top

- √ Body: solid alder with flamed maple top
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 24
- √ Machine heads: black
- √ Bridge: SMB Floyd Rose style
- √ Pick ups: 1 central single coil + 2 humbuckers (bridge/neck)
- √ Switch: 5 way
- √ Pots: volume/tone

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
H375H	SMB350FM-TAM	Transparent Amber	€ 218,34	£ 196,51
H376H	SMB350FM-TBK	Transparent Black	€ 218,34	£ 196,51
H374H	SMB350FM-TRD	Transparent Red	€ 218,34	£ 196,51



SV, SBR, SDV Series

SMB400 - Double cutaway electric guitar with 2 humbuckers and 1 single coil featuring Floyd Rose style bridge

- ✓ Body: solid alder
- ✓ Neck: maple
- ✓ Tastiera: rosewood
- ✓ Frets: 24
- ✓ Machine heads: black
- ✓ Bridge: SMB Floyd Rose style
- ✓ Pick ups: 1 central single coil + 2 humbuckers (bridge/neck)
- ✓ Switch: 5 way
- ✓ Pots: volume/tone
- ✓ Perloid pickguard




CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
H377H	SMB400-BK	Black	€ 198,00	£ 178,20
H378H	SMB400-WH	White	€ 198,00	£ 178,20

SV500 - V-shaped electric guitar with 2 humbuckers and tremolo bridge

Hard rock and metal maniac this is for you: a V-shaped electric guitar featuring mahogany body for deep tone and reliability, maple neck, rosewood fretboard. 22 frets, 2 humbuckers for killer tone and unmatched sustain, black captivating hardware, 3-way switch and volume/tone controls for accurate tone shaping. A perfect choice rock, hard rock and metal music.

- ✓ Body: solid mahogany
- ✓ Neck: maple
- ✓ Tastiera: rosewood
- ✓ Frets: 22
- ✓ Machine heads: diecast black
- ✓ Bridge: SV tremolo
- ✓ Pick ups: 2 humbuckers
- ✓ Switch: 3 way
- ✓ Pots: volume/tone



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
G899G	SV500-BK	Black	€ 193,17	£ 173,85
G898G	SV500-NA	Natural	€ 193,17	£ 173,85

STL - Cutaway electric guitar with 1 single coil and 1 lipstick pickup

Blues and southern rock time?! STL501 is the answer for beginners demanding for quality, tone and playability at an incredible price. Solid alder body provides tone and reliability, 1 single coil + 1 lipstick pickup configuration grants the real twang tone. The 3-way switch and volume/tone pots complete the deal and offer great sound flexibility. It's twang dudes, and we like it!

- ✓ Body: solid alder
- ✓ Neck: maple
- ✓ Tastiera: palissandro
- ✓ Frets: 22
- ✓ Machine heads: chrome
- ✓ Bridge: Vintage STL
- ✓ Pick ups: 1 single coil + 1 lipstick
- ✓ Switch: 3 way
- ✓ Pots: volume/tone
- ✓ Colour: black, Natural, Sunburst (STL601) - Natural, Sunburst (STL501)

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
H492H	STL-601BK	Black	€ 135,06	£ 121,55
H494H	STL-601N	Natural	€ 139,12	£ 125,21
H493H	STL601-TSB	Sunburst	€ 139,12	£ 125,21
G864G	STL501-TSB	Sunburst	€ 131,02	£ 117,92
H491H	STL501-N	Natural	€ 131,02	£ 117,92





SS Series

SL 175X - Hollow body cutaway electric guitar with 2 humbuckers, stoptail bridge and piebald ash top

What we've got here is a instrument born to delight both ears and eyes. The hollow mahogany body is coupled with a stunning piebald ash top, while the binding on body, fretboard, headstock and back complete the deal. 2 humbuckers deliver the classic creamy and rich tone, while the 3-way switch and 2 volume/2 tone independent pots offer great sound flexibility. A perfect choice for blues, rock'n roll and jazz lovers.

- √ Body: mahogany with piebald ash top
- √ Neck: mahogany
- √ Fretboard: rosewood
- √ Frets: 22
- √ Machine heads: diecast chrome
- √ Bridge: stoptail
- √ Pick ups: 2 humbuckers
- √ Switch: 3 way
- √ Pots: 2 volume/2 tone
- √ Binding: body, fretboard, back, headstock



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
G907G	SL175X-N	Natural	€ 292,10	£ 262,89
G908G	SL175X-OS	Orange Sunburst	€ 292,10	£ 262,89

ACOUSTIC BASSES

BCE Series

BCE-400, BCE-500 - Cutaway acoustic bass with preamp

Discover the magic of acoustic bass world with BCE500M, a great choice for gigs, recording, rehearsal sessions. The solid Engleman spruce top delivers a brilliant and breathing tone, while the Fishman ION Plus preamp provides great flexibility of use. Mahogany back and sides, perloid pickguard, abalone decorations in the soundhole and maple binding add great value to this instrument, sold with its deluxe padded gig bag.

- √ Top: solid Engleman spruce
- √ Back and sides: mahogany
- √ Neck: mahogany
- √ Fretboard: rosewood with perloid dots
- √ Headstock: mahogany with perloid logo
- √ Bridge: rosewood
- √ Machine heads: Grover diecast chromo
- √ Binding: maple (body and fretboard)
- √ Soundhole with Abalone decorations
- √ Perloid pickguard
- √ Preamp: Fishman ION Plus with tuner
- √ Padded gig bag included
- √ Finish: glossy natural



CODE	MODEL	MSRP EUR	MSRP GBP
H399H	BCE-500FM	€ 563,92	£ 507,53
H397H	BCE-500M	€ 486,49	£ 437,84
H398H	BCE-500R	€ 512,53	£ 461,28

SHADOW Series

SHADOW series was born to gather quality construction, tone, style and outstanding visual appeal. The black satin finish, the Shadow abalone inlay at 12th fret, the dedicated black hardware work together to provide a killer look, while woods deliver an overall unmatched quality in this price range.

SH-BI204-MBK



- √ Body: basswood
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 24 with abalone inlay at 12th
- √ Machine heads: diecast black
- √ Bridge: black
- √ Pick ups: 1 Precision style + 1 Jazz style
- √ Pots: 2 volume/1 tone
- √ Equipped with d'Addario EXP
- √ Colour: black satin

CODE	MSRP EUR	MSRP GBP
I560I	€ 161,42	£ 145,28

SH-BI205-MBK - 5 strings version



- √ Body: basswood
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 24 with abalone inlay at 12th
- √ Machine heads: diecast black
- √ Bridge: black
- √ Pick ups: 1 Precision style + 1 Jazz style
- √ Pots: 2 volume/1 tone
- √ Equipped with d'Addario EXP
- √ Colour: black satin

CODE	MSRP EUR	MSRP GBP
I561I	€ 187,55	£ 168,80

STRING INSTRUMENTS

ELECTRIC BASSES

SWB600, SMM 105, SMM 100 Series

SWB600 - Electric bass featuring solid mahogany body with bridge and neck pick ups

SWB 600 sets himself apart from the others electric basses for his solid mahogany body: an undisputed boost in terms of deep tone and construction solidity. Maple neck, rosewood fretboard, 24 easy access frets, 2 J-style pickups for creamy and rounded tone. Independent 2 volumes/2tone pots offer great sound shaping. A perfect choice for rock, metal and jazz players.

- √ Body: solid mahogany
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 24
- √ Machine heads: chrome
- √ Bridge: SWB series
- √ Pick ups: 2 J-style
- √ Pots: 2 volume/2 tone
- √ Colour: natural



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
G925G	SWB600-NA	Metal Black	€ 272,78	£ 245,50
G926G	SWB600-MBK	Naturele	€ 272,78	£ 245,50

SMM 105 - 5 strings electric bass with bridge humbucker

5 string electric bass with a stunning visual appeal, equipped with a powerful bridge humbucker for percussive and aggressive tone, born to rule in rock, hard rock and metal styles. Solid alder body, maple neck, rosewood fretboard featuring 21 frets, rounded black pickguard. Volume/tone pots with chromed panel offer great sound shaping and complete the deal.

- √ Body: solid alder
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 21
- √ Machine heads: chrome
- √ Bridge: SMM series
- √ Pick ups: 1 humbucker (bridge)
- √ Pots: volume/tone
- √ Rounded black pickguard



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
H384H	SMM105-BK	Black	€ 212,97	£ 191,67
H385H	SMM105-TSB	Sunburst	€ 217,23	£ 195,51

SMM 100 - Electric bass with bridge humbucker

Electric bass with a stunning visual appeal, equipped with a powerful bridge humbucker for percussive and aggressive tone, born to rule in rock, hard rock and metal styles. Solid alder body, maple neck, rosewood fretboard featuring 21 frets, rounded black pickguard. Volume/tone pots with chromed panel offer great sound shaping and complete the deal.

- √ Body: solid alder
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 21
- √ Machine heads: chrome
- √ Bridge: SMM series
- √ Pick ups: 1 humbucker (bridge)
- √ Pots: volume/tone
- √ Rounded black pickguard



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
H383H	SMM100-BK	Black	€ 191,10	£ 171,99
H382H	SMM100-TSB	Sunburst	€ 186,84	£ 168,16

SNB600, SPB600 Series

SNB600-N - Electric bass with 2 humbuckers

Electric bass featuring solid alder body, maple neck, rosewood fretboard. 24 frets, bridge and neck humbuckers for percussive and aggressive tone, chrome hardware. Independent volumes/tones pots offer great sound shaping. A perfect choice for rock, hard rock and metal players.



- √ Body: solid alder
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 24
- √ Machine heads: chrome
- √ Bridge: SNB series
- √ Pick ups: 2 humbuckers
- √ Pots: 2 volume/2 tone
- √ Colour: natural

CODE	MSRP EUR	MSRP GBP
G923G	€ 225,18	£ 202,66

SPB600 - Electric bass with bridge P-style pick up

A super classic: electric bass featuring solid alder body for tone and reliability, maple neck, rosewood fretboard. 20 frets, bridge P-style pick up for creamy and deep tone, chrome hardware. Volume/tone pots offer great sound shaping. A perfect choice for blues, rock and jazz players.

- √ Body: solid alder
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 20
- √ Machine heads: chrome
- √ Bridge: SPB vintage
- √ Pick ups: 1 P-style
- √ Pots: volume/tone



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
G917G	SPB600-BK	Black	€ 159,97	£ 143,97
G918G	SPB600-RDS	Red Sunburst	€ 159,97	£ 143,97
G916G	SPB600-TRD	See Through Red	€ 159,97	£ 143,97
G915G	SPB600-TSB	3-Toni Sunburst	€ 159,97	£ 143,97



ELECTRIC BASSES

STJB600 Series

STJB 600 - Electric bass with bridge and neck pick ups

It's classic time: electric bass featuring solid alder body for tone and reliability, maple neck, rosewood fretboard. 20 frets, 2 J-style pickups for creamy and rounded tone, chrome hardware. Volumes/tone pots offer great sound shaping. A perfect choice for blues, rock and jazz players.

- √ Body: solid alder
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 20
- √ Machine heads: chrome
- √ Bridge: SJB vintage
- √ Pick ups: 2 J-style
- √ Pots: 2 volume/tone
- √ Left handed version per la SJB600LH BK
- √ Colour: black, See Through Red, See Through Blue, 3-Toni Sunburst



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
H623H	SJB 600LH BK	Black mancina	€ 174,25	£ 156,83
G921G	SJB600-BK	Black	€ 166,10	£ 149,49
G922G	SJB600-TBL	See Through Blue	€ 161,84	£ 145,66
G920G	SJB600-TRD	See Through Red	€ 161,84	£ 145,66
G919G	SJB600-TSB	3 Tone Sunburst	€ 166,10	£ 149,49

SWB600 Series

SBI 100 BB - Electric bass with bridge and neck pick ups

Electric bass born to rule in the rock, metal and jazz territories, featuring solid alder body for tone and reliability, maple neck, rosewood fretboard. 24 easy access frets, Bridge J-style pickup + neck P-style pickup for creamy and rounded tone, black hardware. Volumes/tone pots offer great sound shaping.

- √ Body: solid alder
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 24
- √ Machine heads: black
- √ Bridge: SBI series
- √ Pick ups: J-style + P-style
- √ Pots: 2 volume/tone



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
G909G	SBI100BB-BK	Black	€ 164,45	£ 148,01
G910G	SBI100BB-TRD	See Through Red	€ 160,19	£ 144,17
G911G	SBI100BB-TSB	3-Toni Sunburst	€ 160,19	£ 144,17

SBI 1015 BB - 5 strings electric bass with bridge and neck pick ups

Jazz, rock and metal: these are the territories where SBI-101-5 rules. 5 strings electric bass featuring solid alder body for tone and reliability, maple neck, rosewood fretboard. 24 easy access frets, 2 J-style pickups for creamy and rounded tone, black hardware. Volumes/tone pots offer great sound shaping. A perfect choice for rock, metal and jazz players where the 5th string can expand expression possibilities.

- √ Body: solid alder
- √ Neck: maple
- √ Tastiera: rosewood
- √ Frets: 24
- √ Machine heads: black
- √ Bridge: SBI series
- √ Pick ups: 2 J-style
- √ Pots: 2 volume/tone



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
G912G	SBI1015BB-BK	Black	€ 185,30	£ 166,77
G913G	SBI1015BB-TRD	See Through Red	€ 185,30	£ 166,77
G914G	SBI1015BB-TSB	3-Toni Sunburst	€ 185,30	£ 166,77

STRING INSTRUMENTS

UKULELES



MAUI Series

An exotic touch to your arrangements? Party with friends on the beach? MAUI ukuleles are what you are looking for. Available in 5 different colors, MAUI ukuleles come out with color bag and chords tutorial, allowing you to play whatever you want, wherever you want!

- √ Soprano ukulele
- √ Body: linden
- √ Fretboard: maple (12 frets)
- √ Diapason: 13"
- √ Machine heads: open with black button
- √ Bridge: hardwood
- √ Chords tutorial included for fast&easy learning
- √ Padded gig bag included
- √ Provided in color box



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
U145U	MUK10-YW	Yellow	€ 32,68	£ 29,41
U146U	MUK10-BW	Brown	€ 32,68	£ 29,41
U147U	MUK10-BL	Blue	€ 32,68	£ 29,41
U148U	MUK10-PK	Pink	€ 32,68	£ 29,41
U149U	MUK10-RD	Red	€ 32,68	£ 29,41





Un tocco esotico ai vostri arrangiamenti? Volete qualcosa di più da un semplice ukulele? Gli ukulele della serie MAUI PRO fanno al caso vostro. Disponibili in tutte le estensioni dal Soprano al Baritono, gli ukulele MAUI PRO sono costruiti interamente in Mogano Sapele con tastiera e ponte in noce.

MPUK-110M - Soprano ukulele MAUI

- √ Body: Sapele plywood
- √ Fretboard: Walnut (12 frets)
- √ Diapason: 13"
- √ Machine heads: open with black button
- √ Bridge: Walnut
- √ Rosette: Maui pro design
- √ Finish: Matte
- √ Strings: Aquila
- √ Bag: included

CODE	MSRP EUR	MSRP GBP
U195U	€ 51,59	£ 46,43



MPUK-120M - Concerto ukulele

- √ Body: Sapele plywood
- √ Fretboard: Walnut(12 frets)
- √ Diapason: 15"
- √ Machine heads: open with black button
- √ Bridge: Walnut
- √ Rosette: Maui pro design
- √ Finish: Matte
- √ Strings: Aquila
- √ Bag: included

CODE	MSRP EUR	MSRP GBP
U196U	€ 59,91	£ 53,92



MPUK-130M - Tenor ukulele

- √ Body: Sapele plywood
- √ Fretboard: Walnut (12 frets)
- √ Diapason: 17"
- √ Machine heads: open with black button
- √ Bridge: Walnut
- √ Rosette: Maui pro design
- √ Finish: Matte
- √ Strings: Aquila
- √ Bag: included

CODE	MSRP EUR	MSRP GBP
U197U	€ 65,07	£ 58,56



MPUK-140M - Baritono ukulele

- √ Body: Sapele plywood
- √ Fretboard: Walnut (17 frets)
- √ Diapason: 19"
- √ Machine heads: open with black button
- √ Bridge: Walnut
- √ Rosette: Maui pro design
- √ Finish: Matte
- √ Strings: Aquila
- √ Bag: included

CODE	MSRP EUR	MSRP GBP
U198U	€ 79,97	£ 71,97



MPUK-120ME - Concerto ukulele

- √ Body: Sapele plywood
- √ Fretboard: Walnut(15 keys)
- √ Diapason: 15"
- √ Machine heads: open with black button
- √ Bridge: Walnut
- √ Rosette: Maui pro design
- √ Finish: Matte
- √ Strings: Aquila
- √ Preamp with tuner
- √ Bag: included

CODE	MSRP EUR	MSRP GBP
U278U	€ 85,70	£ 77,13



UKULELES



MAUI PRO MPUKA Series

An exotic touch to your arrangements? You want something more from a simple ukulele? THE PRO series ukulele of the MAUI are perfect for you. Available in all extensions from Soprano to Baritone the ukulele MAUI PRO are now offered also in a new version featuring spruce top with mahogany Sapele back and sides.

- √ Body: Sapele plywood with Spruce top
- √ Fretboard: Walnut (15 keys)
- √ Machine heads: chrome
- √ Bridge: Walnut
- √ Rosette: Maui pro design
- √ Finish: Satin -Finish: Matte for MPUKA-120AE
- √ Strings: Aquila
- √ Bag: included



CODE	MODEL	TYPE	SIZE	MSRP EUR	MSRP GBP
U274U	MPUKA-110A	Sopran ukulele	33cm	€ 54,46	£ 49,01
U275U	MPUKA-120A	Concerto ukulele	38cm	€ 62,77	£ 56,49
U276U	MPUKA-130A	Tenore ukulele	43cm	€ 67,93	£ 61,14
U277U	MPUKA-140A	Baritono ukulele	48cm	€ 82,84	£ 74,56
U264U	MPUKA-120AE	Concerto ukulele	38cm	€ 85,70	£ 77,13

Preamp with tuner - Electrified version



Electrified Bass Ukulele MAUI PRO with bag

MAUI PRO U-Bass provides the depth and the punch of a real bass in uku format. Its standard EADG tuning allows on the fly easy playing for those able to handle a real bass, while the preamp ensures great results on both live or studio sessions. Great choice for traveller, uku ensembles or for those approaching the bass world.

- √ Bass ukulele in EADG standard tuning
- √ Body: Sapele plywood
- √ Fretboard: EcoRosewood (17 frets)
- √ Diapason: 20.15"
- √ Machine heads: open with black button
- √ Bridge: EcoRosewood
- √ Rosette: Maui pro design
- √ Finish: Matte
- √ Strings: Aquila
- √ Preamp with tuner
- √ Bag: included

CODE	MODEL	MSRP EUR	MSRP GBP
U265U	U-BASS 200E	€ 214,98	£ 193,48



Ukulele Banjo featuring sapele mahogany body and REMO head

Country music? Folk music? Need to add some exotic touch to your songs? SBJ-40B is what you need: a banjo featuring mahogany back and sides, maple bridge and rosewood fretboard, equipped with REMO head. Great both for your ears and your eyes!

- √ Back and sides: sapele mahogany plywood
- √ Bridge: spruce
- √ Neck: mahogany
- √ Fretboard: walnut
- √ Machine heads: chrome
- √ REMO head equipped
- √ Finish: glossy mahogany
- √ With bag

CODE	MODEL	MSRP EUR	MSRP GBP
U271U	SUBJ-20	€ 140,17	£ 126,15



STRING INSTRUMENTS

MANDOLINS

MEDITERRANEA Series - Made in ITALY

Soundsation Mediterranea series Mandolins and Mandolas are 100% Made in Italy. Handcrafted by Sicilian artisans, each instrument is built following the traditional designs, woods and methods of Italian and Mediterranean luthiers.

100% handcrafted in Italy

ROMANO - Traditional Roman style mandolin



- ✓ Roman Style with slat construction curved back
- ✓ Spruce top
- ✓ Back in walnut 19 slats
- ✓ Rosewood fingerboard, 25 frets
- ✓ Mahogany neck

CODE	MSRP EUR	MSRP GBP
M016M	€ 439,63	£ 395,67

NAPOLETANO - Traditional Naples style mandolin



- ✓ Naples Style with slat construction curved back
- ✓ Spruce top
- ✓ Back in walnut 19 slats
- ✓ Rosewood fingerboard, 18 frets
- ✓ Mahogany neck

CODE	MSRP EUR	MSRP GBP
M017M	€ 244,94	£ 220,45

PIATTO FRANCESE - Traditional French style mandolin



- ✓ French Style with flat back
- ✓ Spruce top
- ✓ Back in walnut
- ✓ Rosewood fingerboard, 18 frets
- ✓ Mahogany neck

CODE	MSRP EUR	MSRP GBP
M052M	€ 238,66	£ 214,79

ROMANA - Traditional Roman style mandola



- ✓ Roman Style with slat construction curved back
- ✓ Spruce top
- ✓ Back in walnut 19 slats
- ✓ Rosewood fingerboard, 25 frets
- ✓ Mahogany neck

CODE	MSRP EUR	MSRP GBP
M221M	€ 690,85	£ 621,77

NAPOLETANA - Traditional Naples style mandola



- ✓ Naples Style with slat construction curved back
- ✓ Spruce top
- ✓ Back in walnut 19 slats
- ✓ Rosewood fingerboard, 18 frets
- ✓ Mahogany neck

CODE	MSRP EUR	MSRP GBP
M220M	€ 408,23	£ 367,41

MPF - Traditional French style mandola



- ✓ French Style with flat back
- ✓ Spruce top
- ✓ Back in walnut
- ✓ Rosewood fingerboard, 18 frets
- ✓ Mahogany neck

CODE	MSRP EUR	MSRP GBP
M890M	€ 301,46	£ 271,31

BMA is a 23 frets bluegrass mandolin featuring laminated spruce top f style. Great choice for country, folk or simply for enriching your arrangements. Bag included. Colour: sunburst. Fretboard: walnut(23 frets)

BMA-50 VS



- √ Back and sides: plywood linden
- √ Top: laminated spruce
- √ Neck: maple

CODE	MSRP EUR	MSRP GBP
U279U	€ 103,38	£ 93,04

BMA-60 VS



- √ Back and sides: plywood mahogany
- √ Top: laminated spruce
- √ Neck: maple

CODE	MSRP EUR	MSRP GBP
U280U	€ 149,23	£ 134,31

BMA-60E VS



- √ Back and sides: plywood mahogany
- √ Top: laminated spruce
- √ Neck: mahogany
- √ Pickups:magnetic

CODE	MSRP EUR	MSRP GBP
U281U	€ 164,22	£ 147,80

BMA-100ES



- √ Back and sides: plywood linden
- √ Top: plywood linden
- √ Neck: maple
- √ Pickups:magnetic

CODE	MSRP EUR	MSRP GBP
U282U	€ 209,77	£ 188,79

BOUZOUKI

SBOU-20E - Irish Bouzouki

Celtic music? Need music in Irish gigs and reels? A special arrangement? The bouzouki SBOU-20E is the answer. A bouzouki with spruce plywood, back and side plywood mahogany, walnut keyboard and walnut bridge. Nice to see, a pleasure to play!

- √ Back and side: laminated mahogany
- √ top: plywood spruce
- √ Neck: mahogany
- √ Fretboard: walnut
- √ Machine heads: chrome whit black button
- √ Preamp: EQ A-4T four bands whit tuner
- √ Finish: satin
- √ Bags:included

CODE	MSRP EUR	MSRP GBP
U273U	€ 282,05	£ 253,85



BANJOS

SBJ-30B - Banjo featuring mahogany body and REMO head

Country music? Folk music? Need to add some exotic touch to your songs? SBJ-30B is what you need: a banjo featuring mahogany back and sides, maple bridge and rosewood fretboard, equipped with REMO head. Great both for your ears and your eyes!

- √ Back and sides: mahogany
- √ Bridge: spruce
- √ Neck: mahogany
- √ Fretboard: rosewood
- √ Machine heads: chrome
- √ REMO head equipped
- √ Finish: glossy mahogany

CODE	MSRP EUR	MSRP GBP
M986M	€ 232,79	£ 209,51



SBJ-40 - Banjo featuring sapele mahogany body and REMO head


Country music? Folk music? Need to add some exotic touch to your songs? SBJ-40B is what you need: a banjo featuring mahogany back and sides, maple bridge and rosewood fretboard, equipped with REMO head. Great both for your ears and your eyes!

- √ Back and sides: sapele mahogany plywood
- √ Bridge: spruce
- √ Neck: mahogany
- √ Fretboard: walnut
- √ Machine heads: chrome
- √ REMO head equipped
- √ Finish: glossy mahogany
- √ Whith bag

CODE	MSRP EUR	MSRP GBP
U272U	€ 197,78	£ 178,00



String Instruments Accessories



STRINGS

CLASSICAL GUITAR STRINGS

Serie SC

Wound by automatic machine and built with quality materials imported from Japan, USA, Germany and France, SC series classical strings offer balanced tone, reliability and long lasting character.

NORMAL TENSION



CODE	MODEL	MATERIAL	KEY	MSRP EUR	MSRP GBP
D421D	SC132	silver plated copper wound + clear nylon	Set	€ 3,26	£ 2,93
D422D	SC132-1	clear nylon	E (0.28)	€ 0.36	£ 0.32
D423D	SC132-2	clear nylon	B (0.32)	€ 0.39	£ 0.35
D424D	SC132-3	clear nylon	G (0.40)	€ 0.42	£ 0.38
D425D	SC132-4	silver plated	D (0.30)	€ 0.61	£ 0.55
D426D	SC132-5	silver plated	A (0.35)	€ 0.65	£ 0.59
D427D	SC132-6	silver plated	E (0.43)	€ 0.68	£ 0.61

NORMAL TENSION BALL END



CODE	MODEL	MATERIAL	KEY	MSRP EUR	MSRP GBP
D435D	SC132BE	Corde Ball End	Set	€ 3,87	£ 3,48
D436D	SC132BE-1	clear nylon	E (0.28)Ball end	€ 0.45	£ 0.41
D437D	SC132BE-2	clear nylon	B (0.32)Ball end	€ 0.48	£ 0.43
D438D	SC132BE-3	clear nylon	G (0.40)Ball end	€ 0.52	£ 0.47
D439D	SC132BE-4	silver plated	D (0.30) Ball end	€ 0.71	£ 0.64
D440D	SC132BE-5	silver plated	A (0.35)Ball end	€ 0.74	£ 0.67
D441D	SC132BE-6	silver plated	E (0.43)Ball end	€ 0.77	£ 0.69

HARD TENSION



CODE	MODEL	MATERIAL	KEY	MSRP EUR	MSRP GBP
D428D	SC133	silver plated copper wound + clear nylon	Set	€ 3,26	£ 2,93
D429D	SC133-1	clear nylon	E (0.285)	€ 0.36	£ 0.32
D430D	SC133-2	clear nylon	B (0.325)	€ 0.39	£ 0.35
D431D	SC133-3	clear nylon	G (0.41)	€ 0.42	£ 0.38
D432D	SC133-4	silver plated	D (0.30)	€ 0.61	£ 0.55
D433D	SC133-5	silver plated	A (0.36)	€ 0.65	£ 0.59
D434D	SC133-6	silver plated	E (0.44)	€ 0.68	£ 0.61

ACOUSTIC GUITAR STRINGS

Serie SAW

BRONZE WOUND 80/15



CODE	MODEL	GAUGE		MSRP EUR	MSRP GBP
D446D	SAW 432	Light	.012 .016 .024 .032 .042 .053	€ 3,26	£ 2,93
D442D	SAW431	Super Light	.011 .015 .024 .032 .042 .052	€ 3,26	£ 2,93
D549D	SAW 430	X Super Light	.010 .014 .023 .030 .039 .047	€ 3,26	£ 2,93

CORDE SINGOLE



CODE	MODEL	GAUGE	MSRP EUR	MSRP GBP
D462D	P011	0.11	€ 0.29	£ 0.33
D447D	P012	0.12	€ 0.29	£ 0.33
D557D	P014	0.14	€ 0.36	£ 0.41
D456D	P015	0.15	€ 0.36	£ 0.41
D448D	P016	0.16	€ 0.36	£ 0.41
D558D	BW023	0.23	€ 0.48	£ 0.43
D449D	BW024	0.24	€ 0.48	£ 0.43
D559D	BW030	0.30	€ 0.61	£ 0.55
D450D	BW032	0.32	€ 0.61	£ 0.55
D560D	BW039	0.39	€ 0.65	£ 0.59
D451D	BW042	0.42	€ 0.65	£ 0.59
D561D	BW047	0.47	€ 0.68	£ 0.61
D445D	BW052	0.52	€ 0.68	£ 0.61
D452D	BW053	0.53	€ 0.68	£ 0.61

STRING INSTRUMENTS ACCESSORIES

STRINGS

ELECTRIC GUITAR & BASS GUITAR STRINGS

SE series - for Electric Guitar

STAINLESS STEEL NICKEL WOUND



CODE	MODEL	GAUGE		MSRP EUR	MSRP GBP
D467D	SE532	Light	.010 .013 .017 .026 .036 .046	€ 2,97	£ 2,67
D460D	SE531	Super Light	.00 .011 .016 .024 .032 .042	€ 2,97	£ 2,67
D453D	SE530	X Super Light	.008 .010 .015 .021 .030 .038	€ 2,97	£ 2,67

Single PLAIN STEEL



CODE	MODEL	GAUGE	MSRP EUR	MSRP GBP
D454D	P008	0.08	€ 0.29	£ 0.26
D461D	P009	0.09	€ 0.29	£ 0.26
D455D	P010	0.10	€ 0.29	£ 0.26
D462D	P011	0.11	€ 0.29	£ 0.26
D447D	P012	0.12	€ 0.29	£ 0.26
D468D	P013	0.13	€ 0.36	£ 0.32
D456D	P015	0.15	€ 0.36	£ 0.32
D469D	P017	0.17	€ 0.61	£ 0.55

Single NICKEL WOUND

CODE	MODEL	GAUGE	MSRP EUR	MSRP GBP
D457D	NW021	0.21	€ 0.58	£ 0.52
D464D	NW024	0.24	€ 0.58	£ 0.52
D470D	NW026	0.26	€ 0.58	£ 0.52
D458D	NW030	0.30	€ 0.61	£ 0.55
D465D	NW032	0.32	€ 0.61	£ 0.55
D471D	NW036	0.36	€ 0.61	£ 0.55
D459D	NW038	0.38	€ 0.65	£ 0.59
D466D	NW042	0.42	€ 0.65	£ 0.59
D472D	NW046	0.46	€ 0.65	£ 0.59


NWB Series - for Bass Guitar

NICKEL ROUND WOUND - SINGLE

CODE	MODEL	GAUGE	MSRP EUR	MSRP GBP	CODE	MODEL	GAUGE	MSRP EUR	MSRP GBP
D474D	NWB040	.040	€ 1,26	£ 1,13	D481D	NWB085	.085	€ 1,58	£ 1,42
D479D	NWB045	.045	€ 1,26	£ 1,13	D477D	NWB095	.095	€ 2,10	£ 1,89
D475D	NWB060	.060	€ 1,36	£ 1,22	D482D	NWB105	.105	€ 2,10	£ 1,89
D480D	NWB065	.065	€ 1,36	£ 1,22	D548D	NWB130	.130	€ 2,20	£ 1,98
D476D	NWB075	.075	€ 1,61	£ 1,45					

NICKEL ROUND WOUND - SET


CODE	MODEL	GAUGE	TUNE	MSRP EUR	MSRP GBP
D473D	SB608L	Light	.040 .060 .075 .0 5	€ 6,84	£ 6,16
D478D	SB608M	Medium	.045 .065 .085 .105	€ 6,84	£ 6,16
D550D	SB-608-5	Medium - 5 strings	.045 .065 .085 .105 .130	€ 8,75	£ 7,88



MANDOLIN & VIOLIN STRINGS

SMAseries - for Mandolin

STAINLESS STEEL BRONZE WOUND



CODE	MODEL	TUNE	MSRP EUR	MSRP GBP
D551D	SMA 500	Set	€ 3,42	£ 3,08
D552D	SMA 500-1	.010	€0.52	£0.47
D553D	SMA 500-2	.014	€0.61	£0.55
D554D	SMA 500-3	.024	€0.94	£ 0.85
D555D	SMA 500-4	.034	€ 1,19	£ 1,07

SV series - for Violin

CHROME ROUND WOUND STEEL



CODE	MODEL	TUNE	MSRP EUR	MSRP GBP
D483D	SV706	Set	€ 5,33	£ 4,80
D484D	SV706-1	Mi	€ 0.74	£ 0.67
D485D	SV706-2	La	€ 1,13	£ 1,02
D486D	SV706-3	Re	€ 1,45	£ 1,31
D487D	SV706-4	Sol	€ 1,78	£ 1,60





SPT, SPC Series

SPC

Sundstation presents SPC600 celluloid pick series, coming out in 6 different thickness/colour versions.



- √ 72 pcs bag
- √ Material: celluloid

CODE	MODEL	GAUGE	MSRP EUR	MSRP GBP
Q257Q	SPC-600-046	0.46	€ 9,67	£ 8,70
Q258Q	SPC-600-071	0.71	€ 10,06	£ 9,05
Q259Q	SPC-600-081	0.81	€ 10,06	£ 9,05
Q260Q	SPC600-096	0.96	€ 10,06	£ 9,05
Q261Q	SPC600-120	1.20	€ 10,06	£ 9,05
Q262Q	SPC-600-150	1.50	€ 10,06	£ 9,05

SPC-600-BOX

A smart and captivating box containing 600 celluloid picks. Each size is provided in 100 pcs and has its own sector for convenient storage(0.46 - 0.71 - 0.81 - 0.96 - 1.20 - 1.50).



- √ Pvc picks box
- √ Content: 600 pcs clear nylon
- √ 6 sectors (100 pcs each)
- √ Pick Sizes: (0.46 - 0.71 - 0.81 - 0.96 - 1.20 - 1.50)

CODE	MSRP EUR	MSRP GBP
Q256Q	€ 85,84	£ 77,26

SPT

Sundstation presents SPT600 clear nylon pick series, coming out in 6 different thickness/colour versions.



- √ 72 pcs bag
- √ Material: clear nylon

CODICE	MODELLO	GAUGE	MSRP EUR	MSRP GBP
D564D	SPT-600-058	0.58	€ 6,18	£ 5,56
D565D	SPT-600-071	0.71	€ 6,18	£ 5,56
D566D	SPT-600-081	0.81	€ 6,18	£ 5,56
D567D	SPT-600-096	0.96	€ 5,82	£ 5,24
D568D	SPT-600-120	1.20	€ 5,82	£ 5,24
D569D	SPT-600-150	1.50	€ 6,18	£ 5,56

SPT-600-BOX

A smart and captivating box containing 600 clear nylon picks. Each size is provided in 100 pcs and has its own sector for convenient storage(0.58 - 0.71 - 0.81 - 0.96 - 1.20 - 1.50).



- √ Pvc picks box
- √ Content: 600 pcs clear nylon
- √ 6 sectors (100 pcs each)
- √ Pick Sizes: (0.58 - 0.71 - 0.81 - 0.96 - 1.20 - 1.50)

CODE	MSRP EUR	MSRP GBP
D563D	€ 52,16	£ 46,94

STRING INSTRUMENTS ACCESSORIES

STRAPS

PRL series - Padded strap for guitar/bass in real leather

Soundsation straps series is born to provide a wide array of straps made in different materials and finishes to match estetical and functional needs of musicians.

- √ Front: 100% real leather
- √ Rear: artificial leather
- √ Length: 124cm - Width: 7,6cm
- √ Soft padding material for great comfort
- √ Sewings: yellow



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
E491E	PRL-BK	Black	€ 28,68	£ 25,81
E492E	PRL-BW	Brown	€ 28,68	£ 25,81

TL-YB - Tweed strap for guitar/bass with real leather ends

Soundsation straps series is born to provide a wide array of straps made in different materials and finishes to match estetical and functional needs of musicians.

- √ Made in tweed
- √ 100% real leather ends
- √ Brass metal buckets
- √ Width: 5cm
- √ Length: 150cm
- √ Colour: Black/Yellow



CODE	MODEL	MSRP EUR	MSRP GBP
E482E	TL-YB	€ 7,87	£ 7,08

CL series - Cotton strap for guitar/bass with real suede leather ends

Soundsation straps series is born to provide a wide array of straps made in different materials and finishes to match estetical and functional needs of musicians.

- √ Made in cotton
- √ 100% real suede leather ends
- √ Brass metal buckets
- √ Width: 5cm
- √ Length: 150cm



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
E211E	CL-BK	Black	€ 7,61	£ 6,85
E212E	CL-MGR	Military Green	€ 7,61	£ 6,85
E213E	CL-WH	White	€ 7,61	£ 6,85
E214E	CL-RD	Red	€ 7,61	£ 6,85
E215E	CL-LBW	Light Brown	€ 7,61	£ 6,85
E216E	CL-BW	Brown	€ 7,61	£ 6,85

PCL series - Cotton strap for guitar/bass with real leather ends

Soundsation straps series is born to provide a wide array of straps made in different materials and finishes to match estetical and functional needs of musicians.

- √ Made in cotton
- √ 100% real leather ends
- √ Silver metal buckets and rivets
- √ Width: 5cm
- √ Length: 150cm



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
E208E	PCL-BK	Black	€ 7,57	£ 6,81
E209E	PCL-BW	Brown	€ 7,57	£ 6,81
E210E	PCL-GR	Green	€ 7,57	£ 6,81

PP series - Poly strap for guitar/bass with artificial leather ends

Soundation straps series is born to provide a wide array of straps made in different materials and finishes to match estetical and functional needs of musicians.

- √ Made in poly
- √ Artificial leather ends
- √ ABS buckles

- √ Width: 5cm
- √ Length: 150cm

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
E217E	PP-PK	Pink	€ 2,08	£ 1,87
E218E	PP-BL	Blue	€ 2,08	£ 1,87
E219E	PP-BW	Brown	€ 2,08	£ 1,87
E220E	PP-GR	Green	€ 2,08	£ 1,87
E221E	PP-VL	Violet	€ 2,08	£ 1,87
E222E	PP-RD	Red	€ 2,08	£ 1,87
E223E	PP-BK	Black	€ 2,08	£ 1,87
E224E	PP-LBW	Light Brown	€ 2,08	£ 1,87
E225E	PP-WH	White	€ 2,08	£ 1,87



CAPOS & STRING WINDERS

EASY-FIT

Easy-Fit CAPO is suitable both for acoustic and electric guitar, delivering perfect intonation and tone in every situation. The Easy Clamping Design ensures a quick and effective use, while the Reversible Neck Cushion System provides a truly universal fitting.



CODE	MSRP EUR	MSRP GBP
A985A	€ 8,07	£ 7,26

CABS-10 - ABS universal guitar capo

An essential tool for expanding your creativity, the CABS-10 universal capo fits acoustic, classical and electric guitars, providing perfect intonation along the fretboard. Soft rubber covers the clamp granting instrument protection.

- √ Perfect intonation along the fretboard
- √ Ergonomic shape
- √ Easy to apply/dismount
- √ Soft rubber padding for instrument protection
- √ Material: ABS - Colour: black
- √ Use: universal for guitars



CODE	MSRP EUR	MSRP GBP
L822L	€ 3,95	£ 3,56

String Winders

- √ Colour-mixed transparent string winders box (24 pcs).
- √ Transparent finish
- √ Colours: orange, white, blue, green, red, black

CODE	MODEL	MSRP EUR	MSRP GBP
D570D	SSW-24	€ 13,70	£ 12,33
E446E	SSW-1	€ 2,57	£ 2,31



MAINTENANCE PRODUCTS

CARE PRODUCTS

#1 - Musical Instruments Body Polish (Display of 12 bottles)

Creamy liquid with natural waxes suitable for cleaning musical instrument. Ensure necessary moisture and resistance to stains.

- √ Cleans, polishes & seals
- √ For all wood, metal & plastic surfaces
- √ POS Display of 12 bottles
- √ 118 ml (4 Oz) bottles



CODE	MSRP EUR	MSRP GBP
D746D	€ 7,03	£ 6,33

#2 - Lemon Oil Cleaner & Conditioner

Lemon Oil Cleaner & Conditioner suitable for cleaning and maintenance of musical instruments wood parts. SOUNDSATIION Lemon Oil will bring new life to fingerboards and bodies. Ensure effective protection against moisture.

- √ Contains real lemon oil - the natural wood cleaner
- √ Removes dirt, grease & wax build-up
- √ Conditions to resist dryness
- √ POS Display of 12 pcs
- √ 59 ml Bottle (2 Oz)



CODE	MSRP EUR	MSRP GBP
D748D	€ 5,75	£ 5,18

#3 - Musical Instruments String Cleaner & Lubricant

String Cleaner & Lubricant. Perfect cleaning for stringed instruments. Ensure longer strings life when applied after each use of the instrument.

- √ Prolongs string life & brightens sound
- √ Cleans grime & tarnish
- √ Silicone lubricant reduces friction
- √ POS Display of 12 bottles
- √ 59 ml Bottle (2 Oz)



CODE	MSRP EUR	MSRP GBP
D747D	€ 5,75	£ 5,18



SoundSation
Mute
CLIP
HEART QUARK
SU

String Instruments Amplifications



GUITAR AMPLIFIERS

MOLOTOV-15

MOLOTOV-15 - Mini full tube 15W head for electric guitar

Full tube mini head for electric guitar, featuring 2x12AX7 + 2xEL84, 15W/8W RMS, 2 modes (Sparkling, Flaming), Gain, Volume, 3 way Eq, 8/16 ohm speaker out. Sparkling mode delivers clear, vintage dynamic tones; Flaming mode features raging British punch. Great for blues, rock, hard rock and classic metal. Only 7.8 kgs, perfect for rehearsal, home practicing, recording and gigs. Padded gig bag included.

- √ Power: 15w/8w RMS - Class A
- √ Tubes: 2x12AX7 + 2xEL84
- √ Channels: 1
- √ Controls: Volume, Gain, Low, Mid, High, mode selector, power selector.
- √ Padded gig bag included



CODE	MSRP EUR	MSRP GBP
A881A	€ 324,04	£ 291,64

MOLOTOV-15C - 15W full tube combo for electric guitar

Full tube combo for electric guitar, featuring 2x12AX7 + 2xEL84, 15W/8W RMS, 2 modes (Sparkling, Flaming), Gain, Volume, 3 way Eq, 12" Eminence speaker, FX loop. Sparkling mode delivers clear, vintage dynamic tones; Flaming mode features raging British punch. Great for blues, rock, hard rock and classic metal.

- √ Power: 15w/8w RMS - Class A
- √ Tubes: 2x12AX7 + 2xEL84
- √ Channels: 1
- √ Controls: Volume, Gain, Low, Mid, High, mode selector, power selector.
- √ FX loop
- √ 12" Eminence speaker



CODE	MSRP EUR	MSRP GBP
I563I	€ 283,50	£ 255,15

CAMDEN-30H 30W Full Tube Head

CAMDEN-30H - 30W Full tube guitar head with spring reverb

30W Full tube guitar head featuring a top notch dynamic British tone. The spring reverb and the 2 independent channels expand the possibilities of a head conceived to deliver the purest medium-focused sound made in England.



- √ Power: 30w RMS
- √ Tubes: 12AX7 + 1x12AT7 + 2xEL34
- √ Channels: 2 (clean + overdrive)
- √ EQ: 3 bands with Push-Pull on Middle control
- √ Spring reverb (footswtch activable)
- √ Controls: Level (ch1), Level + Gain (ch2), Master volume
- √ FX Loop with Level switch
- √ Out: speaker su 40hm / 80hm, FX Loop with loop level
- √ Weight: 12 kg
- √ Dimensions (L×H×D): 510 x 242 x 256 mm

CODE	MSRP EUR	MSRP GBP
A919A	€ 512,21	£ 460,99

GC212-C - 2x12" guitar cabinet equipped with Celestion Seventy 80 (vintage clothing)

Guitar cabinet featuring 2x12" Celestion Seventy 80 woofers. Great for studio sessions or gigs where deeper and richer tone is needed.



- √ Woofers: 2 x 12" Celestion Seventy 80
- √ Power: 80W+80W
- √ Impedence: 8 ohm
- √ Dimensions (W×H×D): 706 x 452 x 330 mm - Weight: 20kg

CODE	MSRP EUR	MSRP GBP
A923A	€ 310,37	£ 279,33

GC112-C - 1x12" guitar cabinet equipped with Celestion Seventy 80 (vintage clothing)

Guitar cabinet featuring 1x12" Celestion Seventy 80 woofer. Great for home practicing, studio sessions or gigs where lightness and great tone are both needed.



- √ Woofer: 12" Celestion Seventy 80
- √ Power: 80W
- √ Impedence: 8 ohm
- √ Dimensions (W×H×D): 470 x 452 x 330 mm - Weight: 14kg

CODE	MSRP EUR	MSRP GBP
A922A	€ 186,16	£ 167,54

GUITAR AMPLIFIERS

GC112-C-B - 1x12" guitar cabinet equipped with Celestion Seventy 80 (black clothing)

Guitar cabinet featuring 1x12" Celestion Seventy 80 woofer. Great for home practicing, studio sessions or gigs where lightness and great tone are both needed.

- √ Woofer: 12" Celestion Seventy 80
- √ Power: 80W
- √ Impedence: 8 ohm
- √ Dimensions (W×H×D): 470 x 452 x 330 mm
- √ Weight: 14kg



CODE	MSRP EUR	MSRP GBP
L361L	€ 173,74	£ 156,37

GC212-C-B - 2x12" guitar cabinet equipped with Celestion Seventy 80 (black clothing)

Guitar cabinet featuring 2x12" Celestion Seventy 80 woofers. Great for studio sessions or gigs where deeper and richer tone is needed.

- √ Woofers: 2 x 12" Celestion Seventy 80
- √ Power: 80W+80W
- √ Impedence: 8 ohm
- √ Dimensions (W×H×D): 706 x 452 x 330 mm
- √ Weight: 20kg



CODE	MSRP EUR	MSRP GBP
L362L	€ 310,37	£ 279,33

GC112-E - Cabinet 1x12" with Eminence speaker

Professional cabinet for MOLOTOV-15, EMINENCE EGTR-S1712-8 12" speaker, 200W, 8 ohm, top handle for easy carrying.



- √ Speaker: 1x12" Eminence EGTR-S1712-8
- √ Handle
- √ Power: 200W
- √ Impedence: 8 ohm
- √ Dimensions: 44,5(L)×28,5(W)×46(H)mm
- √ Weight: 10,5 kgs

CODE	MSRP EUR	MSRP GBP
A882A	€ 136,15	£ 122,54



GC212-E - Cabinet 2x12" with Eminence speaker

Professional cabinet for MOLOTOV-15, 2xEMINENCE EGTR-SA1712-16 12" speaker. Rated power 200W at 8 ohm, side handles.

- √ Speakers: 2x12" Eminence EGTR-SA1712-16
- √ Side handles
- √ Power: 200W
- √ Impedence: 8 ohm
- √ Dimensions: 76,2(L)×32(W)×42,7(H)mm
- √ Weight: 18,5 kgs



CODE	MSRP EUR	MSRP GBP
L353L	€ 237,91	£ 214,12

CAMDEN Series

CAMDEN-20 20W Full Tube Amp

20W Full tube guitar combo featuring a top notch dynamic British tone. The spring reverb expands the sonor palette of a combo conceived to deliver the purest medium-focused sound made in England.



- √ Power: 20w RMS
- √ Tubes: 12AX7WA + 1 12AU7 + 2xEL84
- √ Channels: 1 with 2 modes (low-hi gain)
- √ EQ: 3 bands with Push-Pull on Middle control
- √ Spring reverb (footswtch enabled)
- √ Master volume
- √ Woofer Celestion Seventy 80 10"
- √ Out: speaker 8Ohm, Line out
- √ Dimensions (L×H×D): 445 x 475 x 260 mm - Weight: 16 kg

CODE	MSRP EUR	MSRP GBP
A921A	€ 462,40	£ 416,16

CAMDEN 30 30W Full Tube Amp

30W Full tube guitar combo featuring a top notch dynamic British tone. The spring reverb and the 2 independent channels expand the possibilities of a combo conceived to deliver the purest medium-focused sound made in England.



- √ Power: 30w RMS
- √ Tubes: 12AX7 + 1x12AT7 + 2xEL34
- √ Channels: 2 (clean + overdrive)
- √ EQ: 3 bands with Push-Pull on Middle control
- √ Spring reverb (footswtch activable)
- √ Controls: Level (ch1), Level + Gain (ch2), Master volume
- √ Woofer Celestion Seventy 80 12"
- √ FX Loop with Level switch
- √ Out: speaker su 4Ohm / 8Ohm, FX Loop with loop level switch
- √ Dimensions (L×H×D): 512 x 452 x 244 mm - Weight: 20 kg

CODE	MSRP EUR	MSRP GBP
A920A	€ 655,95	£ 590,36

CC20-R - Footswitch

Footswitch for CAMDEN-20 with cable (reverb control)

- √ Metal chassis
- √ Switch: 1



CODE	MSRP EUR	MSRP GBP
A929A	€ 19,72	£ 17,75

CC30-RC - Footswitch

Footswitch for CAMDEN-30/CAMDEN 30-H with cable (reverb and channel selection control)

- √ Metal chassis
- √ Switches: 2



CODE	MSRP EUR	MSRP GBP
A930A	€ 29,97	£ 26,97

GUITAR AMPLIFIERS



SOUNDSATION presents its new CLASSIC series, a new solid state amps line bringing you the unforgettable vintage feel and tone that crafted music history through the years. A revisited super-cult available in four versions with different features.

CLASSIC-25R

- √ 25W electric guitar combo with reverb
- √ 2 channels with push/push overdrive selector on CH2
- √ Controls: Vol1, Vol2, Gain, Treble, Middle, Bass
- √ Woofer: 10"
- √ Input: 1 (instrument)
- √ Output: Headphones
- √ Aux In
- √ Digital Reverb with dedicated control
- √ Footswitchable channel selection via PBC1 footswitch (not included)
- √ Designed in Italy
- √ Sizes: 43(H)x39(L)x21(D) - Weight: 11.4 Kg



CODE	MSRP EUR	MSRP GBP
A963A	€ 180,15	£ 162,14

CLASSIC-15R

- √ 15W electric guitar combo with reverb
- √ 2 channels with push/push overdrive selector on CH2
- √ Controls: Vol1, Vol2, Gain, Treble, Middle, Bass
- √ Woofer: 8"
- √ Input: 1 (instrument)
- √ Output: Headphones
- √ Aux In
- √ Digital Reverb with dedicated control
- √ Designed in Italy
- √ Sizes: 33.7(H)x31.4(L)x18.4(D) - Weight: 6.8 Kg



CODE	MSRP EUR	MSRP GBP
A962A	€ 119,37	£ 107,43

PBC1 PBC1 footswitch allows the channel selection on SoundSation PITCHBLACK and CLASSIC series. Metal construction, cable included.

- √ Function: channel select
- √ Metal construction
- √ Cable included

CODE	MSRP EUR	MSRP GBP
A965A	€ 18,21	£ 16,39



MPA-10G - 5W battery operated portable mini amp for guitar

Play anytime, anywhere with SoundSation MPA-10G, a 5W portable mini amp for guitar that can be run both with 9V battery or adaptor (not included). Mp3 input, Phone output and vintage style appeal complete a very interesting deal.

- √ Power: 5W RMS
- √ Woofer: 5"
- √ Controls: Gain, Drive on/ff, Volume, Tone
- √ MP3 In
- √ Phone out
- √ 9V battery double slot
- √ Power supply: 9V (battery/adaptor)
- √ Required psu unit: 9V adaptor 500mA min (not included)
- √ Measurements: (WxHxD)230 x 185 x 120mm - Weight: 1.9 kg



CODE	MSRP EUR	MSRP GBP
N770N	€ 37,12	£ 33,41



TUMBLEWEED-60DC

TUMBLEWEED-60DC is a dual channel combo for acoustic guitar featuring built-in DSP effect. It is the perfect choice for home practicing, rehearsal, live performances. Mic XLR input, double line out, DSP processor and FX loop allow wide range of use and flexibility. Footswitchable FX via TW2 control pedal (not included).

- √ 60W acoustic guitar combo with reverb and chorus
- √ Channels: 2
- √ Controls CH1: Volume - Bass - Treble; Controls CH2: Volume - Bass - Treble; Master controls: Chorus, Reverb (speed/depth), Notch Filter, Master Volume
- √ Woofer: 2x8", Tweeter: 1x2"
- √ Input: instrument, Aux in, Mic XLR in, footswitch
- √ Output: Jack line out, XLR line out, headphones, FX loop
- √ Footswitchable FX via TW2 control pedal (not included)
- √ Designed in Italy
- √ Sizes: 41(H)x55(L)x26.5(D) - Weight: 14,80 Kg

CODE	MSRP EUR	MSRP GBP
A955A	€ 285,76	£ 257,18



TUMBLEWEED-30DC

TUMBLEWEED-30DC is a dual channel combo for acoustic guitar featuring built-in DSP effect. It is the perfect choice for home practicing, rehearsal, live performances. Mic XLR input, double line out, DSP processor and FX loop allow wide range of use and flexibility.

- √ 30W acoustic guitar combo with chorus and reverb
- √ Channels: 2
- √ Controls: Gain, 5 band Eq, Chorus (speed/depth), Delay, Notch filter, Master Volume
- √ Woofer: 2x6,5"
- √ Input: instrument, Aux in, Mic XLR in, footswitch
- √ Output: Jack line out, XLR line out, headphones, FX loop
- √ Designed in Italy
- √ Sizes: 39(H)x36(L)x25(D) - Weight: 9,5 kg

CODE	MSRP EUR	MSRP GBP
A954A	€ 176,73	£ 159,06



TW2 - Footswitch for TUMBLEWEED series

PBC1 footswitch allows FX selection on Soundsation TUMBLEWEED series. Metal construction.

- √ Function: Chorus & Delay/Reverb selection
- √ Metal construction
- √ Cable not included

CODE	MSRP EUR	MSRP GBP
A966A	€ 21,85	£ 19,67



BASS AMPLIFIERS



SMALL
THE NEXT BIG THING

Heartquake-500 is a 500W RMS Class-D bass head born to deliver *earth-quaking & heart-shocking* power in about 2 kgs.

Ultra compact, ultra light and ultra powerful, is perfect for live performances, studio recordings or home practising.

Get your heart ready for a shocking quake!



HEARTQUAKE-500

500W RMS Class-D bass head born to deliver earthquaking power in about 2 kgs. Ultra compact, ultra light and ultra powerful, is perfect for live performances, studio recordings or home practising.

- ✓ Power: 500 watt RMS class D
- ✓ Active/passive selector
- ✓ 4 band EQ + presence control
- ✓ Fx Loop, Aux input, Tuner/Phone out, Pre/Post EQ, Direct Out with level control, footswitch input
- ✓ Protection: Peak LED, Thermal, Over Current
- ✓ Speakon and jack 1/4 TRS out
- ✓ Power Supply: Switch Mode
- ✓ Speaker out: 4 ohm
- ✓ Dimensions (L×H×D): 275 x 75 x 275 mm - Weight: 2,60 Kg

CODE	MSRP EUR	MSRP GBP
A924A	€ 326,77	£ 294,09



BHQ-500 - 10mm padded bag for Heartquake-500 bass head

Carry and protect your Soundsation Heartquake-500 with BHQ-500 bag, featuring 10mm padding, adjustable strap, handle and pocket for accessories storage.

CODE	MSRP EUR	MSRP GBP
B561B	€ 14,72	£ 16,93



HEARTQUAKE Series

BC410-C

4x10" bass cabinet equipped with 10" custom woofer and compression driver. Perfect choice for deep and rich tone in every situation: in studio, on stage, on a jam.



- ✓ Metal grill
- ✓ Side handles
- ✓ Woofer: 4 x Custom 10"
- ✓ Compression driver with rear panel control
- ✓ LINK out (speakon)
- ✓ Power: 400W
- ✓ Impedance: 8 ohm

CODE	MSRP EUR	MSRP GBP
A927A	€ 549,63	£ 494,67

BC115-C

1x15" bass cabinet equipped with Celestion TRUEVOX 1018. Perfect choice for deep and rich tone in every situation: in studio, on stage, on a jam.



- ✓ Metal grill
- ✓ Side handles
- ✓ Woofer: Celestion TRUEVOX 1525 (15")
- ✓ Compression driver with rear panel control
- ✓ LINK out (speakon)
- ✓ Power: 250W
- ✓ Impedance: 8 ohm

CODE	MSRP EUR	MSRP GBP
A928A	€ 453,21	£ 407,89

BC210-C

2x10" bass cabinet equipped with Celestion TRUEVOX 1018 woofers. Great choice for rehearsal, studio recording or gigs.



- ✓ Metal Grill
- ✓ Woofer: Celestion TRUEVOX 1018 (10")
- ✓ Speakon/jack input
- ✓ Power: 200W
- ✓ Impedance: 4 ohm

CODE	MSRP EUR	MSRP GBP
A926A	€ 305,09	£ 274,58

BC110-C

Ultra compact 1x10" bass cabinet equipped with 10" Custom woofer. Great choice for home practicing, studio recording or small gigs.



- ✓ Metal grill
- ✓ Woofer: 1 x Custom 10"
- ✓ Power: 100W
- ✓ Impedance: 8 ohm
- ✓ Dimensions: (WxHxD) 300x353x356mm

CODE	MSRP EUR	MSRP GBP
A925A	€ 158,37	£ 142,53

BASS AMPLIFIERS

PITCH BLACK

SOUNDSATION presents PITCH BLACK series, a brand new solid state amps array born to guide you to the discovery of your inner shadows. Captivating look and killer tone, Pitch Black amps are now available in different versions both for guitar and bass. Ready to take a ride to your dark side?

PITCH BLACK-60B



- √ 60W electric bass combo with compressor
- √ 1 channel (clean)
- √ Controls: Gain, Compressor, Treble, Middle, Bass, Master Volume, 7 band Eq
- √ Woofer: 12"
- √ Input 2 (high/low)
- √ Output: FX Loop/Headphones
- √ Designed in Italy
- √ Sizes: 52(H)x47.5(L)x24.5(D) - Weight: 19,45 Kg

CODE	MSRP EUR	MSRP GBP
A952A	€ 279,04	£ 251,14

PITCH BLACK-30R



- √ 30W electric guitar combo with reverb
- √ 2 channels (clean, overdrive)
- √ Controls: Volume, Gain, Treble, Mid, Bass, Master Volume, Reverb
- √ Digital reverb with dedicated control
- √ Woofer: 10"
- √ Input 2 (high/low)
- √ Output: FX Loop/Headphones/Footswitch
- √ Footswitch included
- √ Designed in Italy
- √ Sizes: 45(A)x37.5(L)x20.7(P) - Weight: 12,50 Kg

CODE	MSRP EUR	MSRP GBP
A948A	€ 158,41	£ 142,57



SoundSation
PITCH BLACK 35B

TAKE A RIDE
THROUGH YOUR
DARK SIDE



35W BASS AMP
1 Channel
Active/Passive inputs
3 Way EQ + Contour control
10" Premium Woofer
FX Loop
Headphones Out
Metal Grille
Top quality construction
Designed in Italy

www.soundsationmusic.com

EFFECT PEDALS

SPIRAL LOOPER Series

SPIRAL LOOPER - Ultra compact Looper stompbox

Spiral Looper is the ultra-compact, light, minimal, intuitive stompbox looper, born to expand your creativity boundaries. It allows 10 minutes of looping, featuring Undo/Redo function and unlimited overdubs. It is True Bypass for zero loss of high-end and avoids any latency. You can also import/export your loops using Spiral Manager software (free) via USB port.

SoundSation
**SPIRAL
LOOPER**



- √ 10 minutes of looping
- √ Undo / Redo function
- √ Unlimited overdubs
- √ True Bypass
- √ 24 bit uncompressed high quality audio
- √ Controls: Loop Level knob (Loop playback volume), Switch (Loop playback control)
- √ Mini-USB port for loop import/export via Spiral Manager software (free, PC)
- √ Ultracompact design
- √ USB cable included

- √ Input: Standard 1/4" jack – mono/TS
- √ Output: Standard 1/4" jack – mono/TS
- √ Power supply: Standard 9 V DC, centre negative (power supply not included)
- √ USB port: Mini USB connector
- √ Dimensions: 9x35x33mm

CODE	MSRP EUR	MSRP GBP
L677L	€ 80,26	£ 72,23

SPIRAL LOOPER PRO-FX - Stereo looper stompbox with FX

Spiral Looper Pro-FX is the 2 switch stereo stompbox looper born to expand your creativity beyond every imagination. The 'Looper' switch allows 10 minutes of looping, featuring Undo/Redo function and unlimited overdubs. The 'FX' switch can be used to engage 3 effects (change, forward, reverse) or as 'Stop' function for the loop. Spiral Looper Pro-FX spots stereo in/out, True Bypass for zero loss of high-end and avoids any latency. You can also import/export your loops using Spiral Manager software (free) via USB port.



SoundSation
**SPIRAL
LOOPER PRO-FX**

- √ 10 minutes of looping
- √ Undo / Redo function
- √ Unlimited overdubs
- √ True Bypass
- √ 24 bit uncompressed high quality audio
- √ Controls: Independent Loop Level knobs (Left/Right Loop playback volume), Loop Switch (Loop playback control, FX switch, FX selector, Function selector for FX switch, Speed control.
- √ Mini-USB port for loop import/export via Spiral Manager software (free, PC)
- √ Compact design
- √ USB cable included

- √ Input (R/L): Standard 1/4" jack – mono/TS
- √ Outputs (R/L): Standard 1/4" jack – mono/TS
- √ Power supply: Standard 9 V DC, centre negative (power supply not included)
- √ USB port: Mini USB connector
- √ Dimensions: 110 (W) x 20 (D) x 90 (H) mm

CODE	MSRP EUR	MSRP GBP
L678L	€ 111,79	£ 100,61

CONTROL Series

FV100-LM

CONTROL series pedal has been conceived to perform precise control and comfortable use due to their slip proof large footboard. Soundsation FV100-LM has been designed for guitar players and it's useful to control volume or gain, depending on the connection through the effect chain. A must-have to enrich your expression possibilities and control over your sound.

- √ Mono volume pedal for guitars or other string instruments
- √ Large footboard inslip proof ABS material for comfortable and precise control
- √ Jack 6,3 mono input
- √ Jack 6,3 mono output
- √ 100K ohm potentiometer

CODE	MSRP EUR	MSRP GBP
R090R	€ 17,31	£ 15,58



FS200-OF

CONTROL series pedal has been conceived to perform precise control and comfortable use. With piano style footboard, FS200-SU has been designed for keyboard players to control the sustain. It features a status select switch to adapt the function to your style. Coming with jack stereo integrated cable for direct connection. A must-have to enrich your expression possibilities and control over your sound.

- √ On/off pedal for amplifiers and effects
- √ 6,3 mono jack connection
- √ On/off led indicator
- √ Side panel with shaped profile to attach other pedals
- √ Requires 9V battery to supply power for led indicator

CODE	MSRP EUR	MSRP GBP
R095R	€ 11,95	£ 10,76



Drums & Percussions



ELECTRONIC DRUMKITS

soundation **RealKit-TOUCH**

REALKIT-TOUCH - Electronic drum kit with snare mesh head and advanced sound module

Soundation RealKit-Touch delivers natural feel and sound. The snare drum is equipped with mesh head for a perfect bounce. Pads are velocity sensitive and offers a great dynamic response alike the acoustic drums. In order to provide the widest expression pattern, the snare drum has 3 different sounds. Crash and ride cymbals are equipped with choke feature to stop the sound immediately and feature 2 different zones. You won't miss your acoustic kit. The module is equipped with an LCD backlight display and an user-friendly interface, along with a mixer to adjust the volume of single components. 431 voices divided in 20 preset drumkits are loaded with quality sound fitting all genre and styles, while 20 user defined sets are available for your customization. Adding up the Eq and DSP functions, you can truly create great sounds. Wanna practice? 40 demo songs are ready to go and metronome function helps to improve your timing. As a latest generation kit, RealKit-Touch won't make you trouble. It's coming on a pre-assembled rack for quick & easy mounting, so you can jam right away!

- √ Electronic drumkit including 5 pad, 3 cymbals, optical Hi-Hat pedal and bass drum pedal
- √ Snare drum with mesh head and 3 different sounds
- √ Dual zone Crash and ride (Bow and Edge) with Choke function, Hi-Hat open, close and semi-open
- √ Sound module with backlight LCD display and single connector for quick & easy setup
- √ 6 faders in three modes: Real-time volume control, FX control or Midi control.
- √ 20 factory Drumkit sounds and 20 user defined
- √ 40 demo songs with Drum on/off and accompaniment on/off functions
- √ Metronome function with Tempo, Voice, Time Signature and tap tempo
- √ DSP with reverb effects, Equalizer with 8 presets
- √ Sound, dynamic response editing functions
- √ Record function to save up to 15 songs
- √ USB out to record with your favourite software, Headphone out and line out
- √ Pre-assembled rack for quick and easy installation
- √ Bass Drum pedal included

- √ 3 Tom Tom pad 8" size + 1 8" bass drum pad
- √ 1 Snare drum pad, 10" size with mesh heads and 3 different
- √ 1 Crash cymbal 12" size, 2 zones with Choke function
- √ 1 Ride cymbal 12" size, 2 zones with Choke function
- √ 1 Hi-Hat cymbal 12" size open/closed/half open functions
- √ Optical sensor Hi-Hat Pedal
- √ Bass Drum pedal with hard metal plate and 8" pad
- √ Pre Assembled rack with 8 tubes and 14 clamps
- √ Sound module with backlight LCD display
- √ 431 voices, 20 presets Kit, 20 User defined kit
- √ 52 demo songs with Drum on/off and accompaniment on/off
- √ Metronome with tempo, voice, time signature and Tap Tempo
- √ Voice, Volume, Pan and Pitch are editable for each component
- √ Digital equalizer with 8 presets
- √ Record function up to 15 songs
- √ Usb 2.0 output
- √ TRS 1/4" (6,3mm) Headphone out, TRS 1/4" (6,3mm) Line out, TRS 1/4" (6,3mm) Line in, 2 x external trigger
- √ Power supplier: 12VDC (included)



CODE	MSRP EUR	MSRP GBP
E009E	€ 682,74	£ 614,47



REALKIT-HOME - Electronic drum kit with foldable rack and advanced sound module

SoundSation RealKit-One is the Entry-Level Electronic drumkit that includes all the essential features of Professional Kits. Pads are velocity sensitive and offers a great dynamic response alike the acoustic drums. In order to provide the widest expression pattern, the snare drum has 2 different zones and the Crash cymbal is equipped with choke feature to stop the sound immediately. The module is equipped with a 3 units LCD display and an user-friendly interface. 20 preset are loaded with quality sound fitting all genre and style and each preset can be edited using up to 184 different voices. Wanna practice? 50 demo song are ready to go and metronome fuction helps to improve your timing. The pre-assembled Rack is ultra compact and foldable, perfect fit for home use.

- √ Electronic drumkit including 4 pad,3 cymbals, optical Hi-Hat pedal and bass drum pedal
- √ Ultra compact and foldable rack, perfect for home use
- √ Snare drum pad with natural feel head and 2 zones
- √ 12" Crash with Choke function,12" Ride and 8" Hi-Hat
- √ Sound module with single connector for quick & easy setup
- √ 20 factory Drumkit sounds with editing function up to 184 voices
- √ 50 demo songs with Drum Only and Mute functions
- √ Pre-assembled rack for quick and easy installation
- √ Including bass drum pedal with dynamic sensitive mini-pad
- √ Including drumsticks



- √ 3 x Tom Tom pad 8" size
- √ 1 x 8" Snare drum pad with natural feel drumhead and 2 zones
- √ 1 x 12" Crash cymbal with Choke function
- √ 1 x 12" Ride cymbal
- √ 1 x 8" Hi-Hat cymbal open/closed fuction
- √ Optical Hi-Hat Pedal
- √ Optical bass drum pedal
- √ Pre Assembled rack compact and foldable
- √ Compact and smart design Sound Module
- √ 184 voices, 20 presets Kit
- √ 50 demo songs with Drum Only and Mute functions
- √ Adjustable Metronome with quick enable system
- √ Usb 2.0 output
- √ TRS 1/4" (6,3mm) Headphone out, TRS 1/4" (6,3mm) Line out

CODE	MSRP EUR	MSRP GBP
E008E	€ 446,68	£ 402,01

ELECTRONIC DRUMKITS

soundation **RealKit-ONE**

REALKIT-ONE - Electronic programmable drum kit with advanced sound module

Soundation RealKit-One is the Entry-Level Electronic drumkit that includes all the essential features of Professional Kits. Pads are velocity sensitive and offers a great dynamic response alike the acoustic drums. In order to provide the widest expression pattern, the snare drum has 2 different zones and the Crash cymbal is equipped with choke feature to stop the sound immediately. The module is equipped with a 3 units LCD display and an user-friendly interface. 20 preset are loaded with quality sound fitting all genre and style and each preset can be edited using up to 184 different voices. Wanna practice? 50 demo song are ready to go and metronome fuction helps to improve your timing. The pre-assembled Rack let you complete the setup in less than 10 minutes giving the possibility to carry with you the Realkit-One and jamming around the world!

- √ Electronic drumkit including 5 pad,3 cymbals, optical Hi-Hat pedal and bass drum pedal
- √ Snare drum pad with natural feel head and 2 zones
- √ 12" Crash with Choke function,12" Ride and 8" Hi-Hat
- √ Sound module with single connector for quick & easy setup
- √ 20 factory Drumkit sounds with editing function up to 184 voices
- √ 50 demo songs with Drum Only and Mute functions
- √ Pre-assembled rack for quick and easy installation
- √ Bass Drum pedal included



- √ 3 x Tom Tom pad 8" size + 1 x 6" bass drum pad
- √ 1 x 8" Snare drum pad with natural feel drumhead and 2 zones
- √ 1 x 12" Crash cymbal with Choke function
- √ 1 x 12" Ride cymbal
- √ 1 x 8" Hi-Hat cymbal open/closed fuction
- √ Optical sensor Hi-Hat Pedal
- √ Bass Drum pedal with rugged metal plate
- √ Pre Assembled rack with 8 tubes and 14 clamps
- √ Compact and smart design Sound Module
- √ 184 voices, 20 presets Kit
- √ 50 demo songs with Drum Only and Mute functions
- √ Adjustable Metronome with quick enable system
- √ Usb 2.0 output
- √ TRS 1/4" (6,3mm) Headphone out, TRS 1/4" (6,3mm) Line out

CODE	MSRP EUR	MSRP GBP
E006E	€ 500,86	£ 450,77

Junior Drum Set 5 pcs

The JDK516 series is a Junior kit dedicated to kids who want start playing the drum. The small sizes help kids under 120cm height to play in a comfortable way. The elements are the same as a traditional drumkit: Bassdrum, 2 Toms, Floor Tom and Snare drum. The pack will be supplied with cymbals (8" Hi-Hat & 10" Crash), Drum Stool and Sticks.

- √ Poplar shells for linear response
- √ Wrapped finishes
- √ "Mini-size" bracket fixing toms system
- √ Hardware JDK 100 Series
- √ Double tension rod Lugs
- √ Soundsation® Heads
- √ Dimension: Toms 8",10" - Floor Tom 12" – Bassdrum 16" – Snare 11"
- √ Poplar shells
- √ Adjustable Mini Size Brackets Toms fixing System
- √ Soundsation® chrome Hardware
- √ Chrome Hoops
- √ Double tension rod Lugs (Chrome finishes) - 4 on Toms, Floor Tom and Snare, 6 on BassDrum
- √ Hi-Hat Stand: HS-JDK 100
- √ Snare Stand: SS-JDK 100
- √ Bass Drum Pedal: BP-JDK 100
- √ Cymbal Stand: CS-JDK 100
- √ Cymbals, Stool and Sticks included

JDK516-EB

√ Color: Electric Blue



CODE	MSRP EUR	MSRP GBP
T749T	€ 278,76	£ 250,88

JDK516-MR

√ Color: Metallic Red



CODE	MSRP EUR	MSRP GBP
T750T	€ 278,76	£ 250,88

SDTR-416

SDTR-416 is an adjustable stool designed for drummers. The double-braced tripod ensure a great stability even if overcharged and the 55mm padded seat improves the comfort especially after a long session.

- √ Seat Diameter: 28cm
- √ Padded Seat Height: 55mm
- √ Min Height: 42,5cm
- √ Max Height: 53cm
- √ Total Weight: 2,460 Kg

CODE	MSRP EUR	MSRP GBP
S912S	€ 31,63	£ 28,47



CONGAS

PACO Series

The "Congas" are the most popular percussion in the world. At the beginning these instruments were built digging a trunk and attaching a Cow-hide on one side. The tuning were made putting a candle inside the shell drying the cow-hide till the right tuning was reached. Initially used in the Yuruba and Folk Afro-cuban music the congas are now a must for all percussionist in every music style from Latin to Pop. The PACO Series includes a QUINTO 10" and a CONGA 11". All the sheels are in SIAM OAK equipped with Satin Black Rims and synthetic heads. The stands and the tuning key are included in the pack. Genuine heads can be supplied for replacement as well as additional stands.

- √ Dimension: QUINTO 10" & CONGA 11"
- √ SIAM OAK Shells
- √ Satin Black Rims
- √ Elliptical Lugs with 2 fixing points
- √ Synthetic Heads
- √ Stands and Tuning Key Included



CODE	MODEL	FINISH	MSRP EUR	MSRP GBP
D315D	SCO10-NT	Natural	€ 343,96	£ 309,56
D380D	SCO10-SB 10	Sunburst	€ 349,15	£ 314,24
D381D	SCO10-RD 10 +11	Red	€ 343,96	£ 309,56
D382D	SCO10-DW 10 +11	Dark Wood	€ 343,96	£ 309,56

*each item refers to a pair of percussion

SCQ10M-MH - 10" & 11" MANGO Congas - Satin Natural finish

The "Congas" are the most popular percussion in the world. At the beginning these instruments were built digging a trunk and attaching a Cow-hide on one side. The tuning were made putting a candle inside the shell drying the cow-hide till the right tuning was reached. Initially used in the Yuruba and Folk Afro-cuban music the congas are now a must for all percussionist in every music style from Latin to Pop. The MADERA Series includes a QUINTO 10" and a CONGA 11". All the shells are in MANGO equipped with Satin Black Rims and synthetic heads. The double stand and the tuning key are included in the pack. Genuine heads can be supplied for replacement as well as additional stands.

- √ Dimension: QUINTO 10" & CONGA 11"
- √ MANGO Shells
- √ Satin Black Rims
- √ Elliptical Lugs with 2 fixing points
- √ Synthetic Heads
- √ Double stand and Tuning Key Included
- √ Finishes: Satin Natural



CODE	MSRP EUR	MSRP GBP
D802D	€ 341,10	£ 306,99

Conguitas Serie PACO

- √ Dimension: 8" & 9"
- √ SIAM OAK Shells
- √ Satin Black Rims
- √ Elliptical Lugs with 2 fixing points
- √ Synthetic Heads
- √ Stands and Tuning Key Included
- √ Finishes: Natural

CODE	MODEL	FINISH	MSRP EUR	MSRP GBP
D534D	SCG10-NT	Natural	€ 347,95	£ 313,16
D535D	SCG10-SB	Sunburst	€ 352,27	£ 317,04



CONGAS

FUENTE Series

The "Congas" are the most popular percussion in the world. At the beginning these instruments were built digging a trunk and attaching a Cow-hide on one side. The tuning were made putting a candle inside the shell drying the cow-hide till the right tuning was reached. Initially used in the Yuruba and Folk Afro-cuban music the congas are now a must for all percussionist in every music style from Latin to Pop. The FUENTE Series is the top line of SOUNDSATION Congas. All Shells are 100% SIAM OAK and the professional Chrome hardware includes triangular Lugs with 3 fixing points for a precise and lasting tuning. To improve the quality of the sound every unit is equipped with Natural Heads. The Professional Stand and the tuning key is included in each pack.

- √ SIAM OAK Shells
- √ CHROME Rims
- √ Triangular Lugs with 3 fixing points
- √ Natural Heads
- √ Stands and Tunink Key Included

Dimensions: QUINTO 10"

CODE	MODEL	FINISH	MSRP EUR	MSRP GBP
D596D	SCO20-NT10	Natural	€ 194,51	£ 175,06
D599D	SCO20-SB10	Sunburst	€ 198,30	£ 178,47
D602D	SCO20-RD10	Red	€ 194,51	£ 175,06
D605D	SCO20-DW10	Dark Wood	€ 194,51	£ 175,06
D611D	SCO20-BS10	Blue Sunburst	€ 198,30	£ 178,47

Dimensions: CONGA 11"

CODE	MODEL	FINISH	MSRP EUR	MSRP GBP
D597D	SCO20-NT11	Natural	€ 202,48	£ 182,23
D600D	SCO20-SB11	Sunburst	€ 206,26	£ 185,63
D603D	SCO20-RD11	Red	€ 202,48	£ 182,23
D606D	SCO20-DW11	Dark Wood	€ 202,48	£ 182,23
D612D	SCO20-BS11	Blue Sunburst	€ 206,26	£ 185,63

Dimensions: TUMBADORA 12"

CODE	MODEL	FINISH	MSRP EUR	MSRP GBP
D598D	SCO20-NT12	Natural	€ 209,65	£ 188,69
D601D	SCO20-SB12	Sunburst	€ 213,43	£ 192,09
D604D	SCO20-RD12	Red	€ 209,65	£ 188,69
D607D	SCO20-DW12	Dark Wood	€ 209,65	£ 188,69
D613D	SCO20-BS12	Blue Sunburst	€ 244,87	£ 220,38



The Djembè is maybe one of the most famous North African percussion. The special construction as well as the different ways of tuning let the Djembè become one of the most important and special percussion. The MANDUNKA series are made in 100% SIAM OAK and all the shells are equipped with Chrome hardware with rounded DELUXE Rims. Each shell comes with Synthetic heads and a tuning key is included in each pack.

MANDUNKA Series

- √ Dimension: 14"
- √ 100% SIAM OAK shells
- √ DELUXE Chrome Rims
- √ Elliptical Lugs with 2 fixing points
- √ SOUNDSATION Synthetic head
- √ Finishes: Natural



CODE	MODEL	FINISH	MSRP EUR	MSRP GBP
D317D	SDJ02-NT	Natural	€ 257,00	£ 231,30

YORUBA Series

- √ Dimension: 14"
- √ 100% SIAM OAK shells
- √ Traditional Nylon cords tuning system
- √ Nylon strap included
- √ SOUNDSATION Natural Head
- √ Finishes: Natural



CODE	MODEL	FINISH	MSRP EUR	MSRP GBP
D614D	SDJ03-NT	Natural	€ 220,13	£ 198,12

Djembè BAMAN series

- √ Dimension: 12" 1/2"
- √ SIAM OAK shells
- √ Black Rims
- √ Elliptical Lugs with 2 fixing points
- √ D401D Synthetic head

CODE	MODEL	FINISH	MSRP EUR	MSRP GBP
D316D	SDJ01-NT	Natural	€ 161,52	£ 145,37
D392D	SDJ01-SB	Sunburst	€ 164,82	£ 148,34
D393D	SDJ01-RD	Red	€ 161,52	£ 145,37
D394D	SDJ01-DW	Dark Wood	€ 161,52	£ 145,37



DRUMS & PERCUSSIONS

BONGOS

The BONGO is a typical percussion used in the Cuban music. The most famous configuration is composed by 2 bongos: the small one called "MACHO" produces higher frequencies and the big one, called "HEMBRA" is dedicated to reproduce the low frequencies. The KOKU series is the main line of SOUNDSATION bongos. The shells are 100% SIAM OAK and the COMFORT Rims are Chrome plated as well as the professional 8mm Lugs. All the heads can be replaced with genuine SOUNDSATION heads.

KOKU Series

- √ Diameter: 7" & 8"
- √ Height: 7 1/4" (18,5cm)
- √ SIAM OAK Shells
- √ COMFORT mounted Rims
- √ 8mm reinforced Lugs
- √ SOUNDSATION natural Heads



CODE	MODEL	FINISH	MSRP EUR	MSRP GBP
D321D	SB02-NT	Natural	€ 105,77	£ 95,19
D389D	SB02-SB	Sunburst	€ 108,64	£ 97,78
D390D	SB02-RD	Red	€ 105,77	£ 95,19
D391D	SB02-DW	Dark Wood	€ 105,77	£ 95,19
D531D	SB02-JG	Jungle Green	€ 105,77	£ 95,19
D532D	SB02-KB	Sky Blue	€ 105,77	£ 95,19

TOGO Series

- √ Diameter: 6" & 7" (14-15cm)
- √ Height: 7 1/4" (18,5cm)
- √ SIAM OAK Shells
- √ COMFORT mounted Rims
- √ 8mm reinforced Lugs
- √ SOUNDSATION natural Heads



CODE	MODEL	FINISH	MSRP EUR	MSRP GBP
D319D	SB01-NT	Naturale	€ 90,12	£ 81,11
D386D	SB01-SB	Sunburst	€ 94,02	£ 84,62
D387D	SB01-RD	Red	€ 90,12	£ 81,11
D388D	SB01-DW	Dark Wood	€ 90,12	£ 81,11
D803D	SB01M-MH	Satin Natural	€ 90,12	£ 81,11

Entry Level 6,5" + 7,5" Bongos

- √ Diameter: 6,5" & 7,5" (16-19 cm)
- √ Finish: Wood stripes
- √ Rims: Standard Black
- √ BHSET-10 Synthetic Heads



CODE	MODEL	FINISH	MSRP EUR	MSRP GBP
B412B	SB-NW10-WS	Wood stripes	€ 36,81	£ 33,13
B638B	SB-NW10-NS	Natural satin	€ 36,81	£ 33,13
B639B	SB-NW10-DWS	Dark wood satin	€ 36,81	£ 33,13


CAJONS

Tattoo Series


SCAJ-05 - Snare Cajon Serie TATTOO

The Cajon is a percussion instrument born in Perù. At the begin it was an adapted fruit shipping crate. The modern Cajon has been modified during the years and is now made with more professional materials that create a better sound and let this instrument be used in many music styles. SCAJ-05 features a SIAM OAK Natural finished front panel and a dark brown satin body. The 14 tuning screws ensure the most precise tuning ever. This model features 2 internal snare assembled in the top part of the cabinet. The TATTOO series Cajon are customized with exclusive SOUNDSATION artwork on the top of the instrument.

- √ Dimension: 30 cm x 30,5 cm H 45 cm
- √ SIAM OAK frontal panel
- √ Double Internal Snare
- √ 14 tuning points
- √ Ultra-Grip Rubber Feet
- √ Top Resonance construction system
- √ Front Panel finishes: Natural
- √ Body finishes: Satin brown



CODE	MODEL	PRINT	MSRP EUR	MSRP GBP
D870D	SCAJ-05-DF	DragonFly	€ 106,06	£ 95,45
D871D	SCAJ-05-TR	Tribal	€ 106,06	£ 95,45
D872D	SCAJ-05-FP	Animal Footprint	€ 106,06	£ 95,45
D873D	SCAJ-05-BB	Fish Backbone	€ 106,06	£ 95,45
D942D	SCAJ-05-SC	Scorpio	€ 106,30	£ 95,67
D943D	SCAJ-05-SN	Snake	€ 106,30	£ 95,67



AYMARA Series

The Cajón is a percussion instrument born in Perú. At the begin it was an adapted fruit shipping crate. The modern Cajón has been modified drung the years and is now made with more professional materials that create a better sound and let this instrument be used in many music styles. The AYMARA series are made in SIAM OAK with Natural Front panel and black satin body. The 14 tuning screws ensure the most precise tuning ever.this model feature 3 internal snare assembled in the top part of the cabinet. The tuning key is included in each pack.

SCAJ-25

- √ Dimension: 30 cm x 30,5 cm H 45 cm
- √ SIAM OAK body
- √ Triple Internal Snare
- √ 14 tuning points
- √ Ultra-Grip Rubber Feet
- √ Top Resonance construction system
- √ Front Panel finishes: Vintage Brown Sunburst
- √ Body finishes: Satin Black



CODE	MSRP EUR	MSRP GBP
D800D	€ 141,74	£ 127,57

SCAJ-20

- √ Dimension: 30 cm x 30,5 cm H 45 cm
- √ SIAM OAK body
- √ Triple Internal Snare
- √ 14 tuning points
- √ Ultra-Grip Rubber Feet
- √ Top Resonance construction system
- √ Front Panel finishes: Natural
- √ Body finishes: Satin Black



CODE	MSRP EUR	MSRP GBP
D717D	€ 141,74	£ 127,57

SCAJ-05

- √ Dimension: 30 cm x 30,5 cm H 45 cm
- √ SIAM OAK frontal panel
- √ Double Internal Snare
- √ 14 tuning points
- √ Ultra-Grip Rubber Feet
- √ Top Resonance construction system
- √ Front Panel finishes: Natural
- √ Body finishes: Satin brown



CODE	MSRP EUR	MSRP GBP
D801D	€ 97,46	£ 87,71

OTHER PERCUSSIONS

Griot

Talking Drum is a special percussion original from West Africa. The main feature is the variable tuning obtained by some special nylon ropes that give a progressive tension to the hide. The GRIOT series is equipped with SIAM OAK Shells and are available in 5", 6" and 7,5" sizes. All the drums comes with Natural hides and the traditional mallet is included.

- √ SIAM OAK Shells
- √ Professional NYLON ropes
- √ NYLON Strap

- √ SOUNDSATION Natural Head
- √ Traditional Mallet and Tuning Key included
- √ Finishes: Satin Black Shell - Natural Front Panel

CODE	MODEL	DIMENSION	MSRP EUR	MSRP GBP
D528D	STK-L	7,5" x 16" - 1 cm x 40,6cm	€ 186,86	£ 168,17
D527D	STK-M	6" x 13" - 15,24 cm x 33cm	€ 150,60	£ 135,54
D526D	STK-S	5" x 11" - 12,7 cm x 28cm	€ 145,03	£ 130,53



Tambora

The Tambora is a typical percussion from Dominican or Afro-Caribbean area and it's widely used in the "merengue" music. Even if the first instruments were tuned through a rope the recent models features tension rods and Die-Cast rims. The actual heads are the same used on Congas. The handcraft construction ensure a "punchy" sound and fine tuning. The mallets and the Tuning key are included.

- √ 10" Siam Oak Shell
- √ Chromed die-cast rims
- √ 10 Tension Rods (5 Top, 5 bottom)
- √ Heads: Natural

- √ Wooden Mallets
- √ Tuning key included
- √ Finishes: Natural

CODE	MODEL	MSRP EUR	MSRP GBP
D529D	STAM-10	€ 181,89	£ 163,70



Party time with Soundsation fruit shaker! Colorful, funny and suitable for anyone in all funny occasions but also useful in teaching situations because they promote the learning of musicality in a pleasant and witty. - Material: ABS Useful and fun

S-MAR20 - Abs maracas (paired)

- √ Content: 2 pcs
- √ Colour: red
- √ Material: ABS



CODE	MSRP EUR	MSRP GBP
S888S	€ 10,30	£ 9,27

BS-SCB

- √ Shaker Fruit - Soccer Ball



CODE	MSRP EUR	MSRP GBP
S213S	€ 5,87	£ 5,28

FS-KWI

- √ Shaker Fruit - Kiwi



CODE	MSRP EUR	MSRP GBP
S346S	€ 5,16	£ 4,64

S-MAR28 - Colorful egg maracas (28 pcs basket)

Colorful, funny, for everyone: with egg maracas is always party!

- √ 28 pcs bag with assorted colours
- √ Material: ABS



CODE	MSRP EUR	MSRP GBP
S863S	€ 31,26	£ 28,13

Drumhead

Natural Drumhead

The SOUNDSATION Percussions has been adopted from many musician thanks to the wide range of products available and the relation between cost and quality. With the mission to extend the accessories catalogue SOUNDSATION introduces the complete line of Spare Natural Heads. You can have the head for any instrument from Bongos to Congas.

CODE	MODEL	DIAMETER	INSTRUMENT	MSRP EUR	MSRP GBP
D395D	SCH-10	10"	10" QUINTO Natural Head	€ 30,50	£ 27,45
D396D	SCH-11	11"	11" CONGA Natural Head	€ 38,09	£ 34,28
D397D	SBH-6	6"	6" BONGO Natural Head	€ 21,76	£ 19,58
D399D	SBH-8	8"	8" BONGO Natural Head	€ 26,40	£ 23,76
D400D	SDH-12	12"	12" DJEMBE' Natural Head	€ 49,87	£ 44,88
D401D	SDH-14	14"	14" DJEMBE' Natural Head	€ 56,64	£ 50,98
D533D	SCH-12	12"	12" TUMBADORA Natural Head	€ 49,82	£ 44,84
D690D	SBH017	7,5"	7,5" BONGO Natural Head	€ 24,36	£ 21,92
D691D	SBH027	7,125"	7,125" BONGO Natural Head	€ 24,36	£ 21,92



SD Series Drumsticks

Le bacchette Soundsation in legno di acero possiedono un'ottima qualità ad un prezzo incredibilmente basso. Disponibili in un vasto assortimento di calibri e punte, sonoperfette per batteristi di qualsiasi livello o di stile.

CODE	MODEL	DIAMETER	LENGHT	TIP	MSRP EUR	MSRP GBP
B691B	SD-5AW	1,56 cm	40,5 cm	Wood tip, teardrop shaped	€ 3,20	£ 2,88
B692B	SD-5AN	1,56 cm	40,5 cm	Nylon tip, teardrop shaped	€ 3,20	£ 2,88
B693B	SD-7AW	1,38 cm	3,5	Wood tip, teardrop shaped	€ 3,20	£ 2,88
B694B	SD-5BW	1,62 cm	40,5 cm	Wood tip, teardrop shaped	€ 3,20	£ 2,88
B695B	SD-2BW	1,56 cm	40,5 cm	Wood tip, teardrop shaped	€ 3,20	£ 2,88



Drumsticks

MLT-10



- ✓ Timpani or bass drum mallet pair
- ✓ Maple body
- ✓ Felt head
- ✓ Length: 38 cm
- ✓ Body diameter: 15 mm
- ✓ Head diameter (max): 36 mm

CODE	MSRP EUR	MSRP GBP
B736B	€ 12,43	£ 11,19

BRU-10



- ✓ Metal brushes for drum
- ✓ Retractable
- ✓ Rubber handle
- ✓ Length (closed-open): 16 cm - 29 cm

CODE	MSRP EUR	MSRP GBP
B737B	€ 14,92	£ 13,43

WBR-10



- ✓ Wooden brush pair with rubber handle
- ✓ made with 19 wood rods
- ✓ Rubber non slip handle
- ✓ Rubber ring to adjust opening of the rods
- ✓ Length: 40,5 cm - Diameter: 14 mm

CODE	MSRP EUR	MSRP GBP
B738B	€ 11,35	£ 10,22

Wind Instruments



FLUTES

SFP-10 - C key piccolo flute with silver plated finish

Piccolo flute is the highest pitched instrument in the orchestra. With brilliant sound, it's pitched an octave higher than the regular flute. SFP-10 body is built in ABS, offering a similar sound to the wooden version but with longer durability and higher resistance to damages. The head and keys are nickel made with silver plated finish. The E-split mechanism facilitates the execution. SFP-10 is the perfect choice both for students and seasoned players who are looking for a piccolo flute to play in specific situations.




- √ ABS body
- √ Nickel head
- √ 18 keys in nickel
- √ Head and keys with silver plated finish
- √ Including carrying case with pad saver and cleaning cloth

CODE	MSRP EUR	MSRP GBP
S780S	€ 207,67	£ 186,90

SFL-11-OH - C flute in silver plated finish with open hole keys

SFL-11-OH C flute was built to last. Nickel silver body guarantee moisture and denting resistance over time. Open hole key system enlarge the instrument expressivity and offers improved sound projection. Offset G and E split mechanism, offers great help to perform. Coming with full set accessories, SFL-10 represent a great choice for advanced students.



- √ Built in Nickel-Silver
- √ Silver plated finish
- √ 16 keys with open holes and offset G
- √ E split mechanism
- √ Included pad saver and cleaning cloth
- √ Coming in lightweight and resistant soft case with external pocket

CODE	MSRP EUR	MSRP GBP
S967S	€ 204,66	£ 184,19

SFL-10 - C flute in silver plated finish

First step are the most important when learning to play an instrument. SFL-10 C flute was designed to make sure the student is able to produce beautiful sound in a short time. Nickel silver body guarantee moisture and denting resistance over time. Offset G and E split mechanism, offers great help to perform. Coming with full set accessories, SFL-10 represent a great choice for students.



- √ Built in Nickel-Silver
- √ Silver plated finish
- √ 16 keys with closed holes and offset G
- √ E split mechanism
- √ Included pad saver and cleaning cloth
- √ Coming in lightweight and resistant soft case with external pocket

CODE	MSRP EUR	MSRP GBP
S623S	€ 186,60	£ 167,94

SFLC-10 - C flute in silver plated finish

First step are the most important when learning to play an instrument. SFLC-10 C flute was designed to make sure the student is able to produce beautiful sound in a short time. Nickel silver body guarantee moisture and denting resistance over time. Offset G and E split mechanism, offers great help to perform. Coming with full set accessories, SFLC-10 represent a great choice for students. Dual headboard supplied.



- √ Built in Nickel-Silver
- √ Silver plated finish
- √ 16 keys with closed holes and offset
- √ E split mechanism
- √ Included pad saver and cleaning cloth
- √ Coming in lightweight and resistant soft case with external pocket

CODE	MSRP EUR	MSRP GBP
U270U	€ 188,03	£ 169,23

SCL-11 - Ebanite Eb clarinet with soft case

Eb clarinet was once mostly used by bigger orchestral and bands, it's becoming more and more popular thanks to his higher pitch. The ebanite body offers a great tone and nice visual effect. Ergonomic, lightweight design, bright sound and perfect pitch: SCL-10 is the choice for advanced students, bands and orchestras. Coming in lightweight and resistant softcase with strap and external pocket.



- √ Ebanite body
- √ 17 Keys
- √ 6 rings
- √ Cupronickel keys
- √ Leather pads
- √ Including mouthpiece with ligature and cap
- √ Coming in lightweight and resistant softcase with strap and external pocket



CODE	MSRP EUR	MSRP GBP
S781S	€ 204,66	£ 184,19

SCL-18 - Bb clarinet with 18 keys and additional bell

First step are the most important when learning to play an instrument. SCL-18 Bb Clarinet was designed for students. The ABS body offers a great tone and nice visual effect. Coming with full set of accessories, includes an additional bell to play in two different pitches. Ergonomic, lightweight design, easy playing and perfect pitch: SCL-18 is a great choice for students.

- √ Boehm system
- √ ABS body
- √ 18 Keys
- √ 6 rings
- √ Cupronickel keys
- √ Adjustable thumb rest
- √ Leather pads
- √ Additional bell included for 440Hz or 442Hz pitch
- √ Including mouthpiece with ligature and cap
- √ Coming in lightweight and resistant softcase with strap and external pocket



CODE	MSRP EUR	MSRP GBP
S989S	€ 225,73	£ 203,16

SCL-10 - Bb clarinet with additional bell

First step are the most important when learning to play an instrument. SCL-10 Bb Clarinet was design for students. The ABS body offers a great tone and nice visual effect. Coming with full set of accessories, includes an additional bell to play in two different pitches. Ergonomic, lightweight design, easy playing and perfect pitch: SCL-10 is a great choice for students.

- √ Boehm system
- √ ABS body
- √ 17 Keys
- √ 6 rings
- √ Cupronickel keys
- √ Adjustable thumb rest
- √ Leather pads
- √ Additional bell included for 440Hz or 442Hz pitch
- √ Including mouthpiece with ligature and cap
- √ Coming in lightweight and resistant softcase with strap and external pocket



CODE	MSRP EUR	MSRP GBP
S621S	€ 198,64	£ 178,78

SCL-10E - Bb student clarinet

First step are the most important when learning to play an instrument. SCL-10E Bb Clarinet was conceived for students, offering an easy playing istrument at an affordable price. The ABS body offers a great tone and nice visual effect. Coming with full set of accessories. Ergonomic, lightweight design, easy playing and perfect pitch: SCL-10E is a great choice for students.

- √ Boehm system
- √ ABS body
- √ 17 Keys
- √ 6 rings
- √ Cupronickel keys
- √ Adjustable thumb rest
- √ Leather pads
- √ Including mouthpiece with ligature and cap
- √ Coming in lightweight and resistant softcase with strap and external pocket



CODE	MSRP EUR	MSRP GBP
U161U	€ 157,65	£ 141,89

CLARINETS & SAXOPHONES

SCL-20 - Bb German System

First step are the most important when learning to play an instrument. SCL-20 Bb Clarinet was conceived for students, offering an easy playing instrument at an affordable price. The ABS body offers a great tone and nice visual effect. Coming with full set of accessories. Ergonomic, lightweight design, easy playing and perfect pitch: SCL-20 is a great choice for students.

- √ German System
- √ ABS body
- √ 21 Keys
- √ 6 rings
- √ Cupronickel keys
- √ Adjustable thumb rest
- √ Leather pads
- √ Including mouthpiece with ligature and cap
- √ Coming in lightweight and resistant softcase with strap and external pocket

CODE	MSRP EUR	MSRP GBP
Q994Q	€ 204,66	£ 184,19



SSSXC-21 - Curved Bb soprano saxophone with F# key

First step are the most important when learning to play an instrument. SSSXC-21 curved soprano saxophone has been designed with students in mind. Lightweight and ergonomic and with brilliant sound, features easy emission to obtain a nice sound since first steps. The classic desing consist in a gold lacquered finish and keys with perloid buttons. Including a full set of accessories, is the perfect instrument for students.

- √ Bb tune
- √ Brass body
- √ Gold lacquered finish
- √ Keys with perloid buttons
- √ F# key for improved fingering
- √ Including mouthpiece and care kit
- √ Coming in ABS hard case for easy and safe transport

CODE	MSRP EUR	MSRP GBP
S896S	€ 477,74	£ 429,97



SSSX-20 - Straight Bb soprano saxophone with F# key

First step are the most important when learning to play an instrument. SSSX-20 soprano saxophone has been designed with students in mind. Lightweight and ergonomic and with brilliant sound, features easy emission to obtain a nice sound since first steps. The classic desing consist in a gold lacquered finish and keys with perloid buttons. Coming with second chiver, it includes a full set of accessories. Definitely a great instrument for students.

- √ Bb tune
- √ Brass body
- √ Gold lacquered finish
- √ Keys with perloid button
- √ F# key for improved fingering
- √ Additional chiver with curved design
- √ Including mouthpiece and care kit
- √ Coming in ABS hard case for easy and safe transport

CODE	MSRP EUR	MSRP GBP
S895S	€ 453,89	£ 408,50



SALSX-20 - Eb alto saxophone with F# key

First step are the most important when learning to play an instrument. SALSX-20 alto saxophone has been designed with students in mind. Lightweight and ergonomic and with balanced sound, features easy emission to obtain a nice sound since first steps. The classic desing consist in a gold laquered finish, engraved bell and keys with perloid buttons. Including a full set of accessories, is the perfect instrument for students.

- √ Eb tune
- √ Brass body
- √ Gold lacquered finish
- √ Engraved bell with classic decorations
- √ Keys with perloid buttons
- √ F# key for improved fingering
- √ Including mouthpiece and care kit
- √ Coming in ABS hard case for easy and safe transport



CODE	MSRP EUR	MSRP GBP
S897S	€ 453,60	£ 408,24

STNSX-20 - Bb tenor saxophone with F# key

First step are the most important when learning to play an instrument. STNSX-20 tenor saxophone has been designed with students in mind. With a rich, full-bodied tone, features easy emission to obtain a nice sound since first steps. The classic desing consist in a gold laquered finish, engraved bell and keys with perloid buttons. Including a full set of accessories, is the perfect instrument for students.

- √ Bb tune
- √ Brass body
- √ Gold lacquered finish
- √ Engraved bell with classic decorations
- √ Keys with perloid buttons
- √ F# key for improved fingering
- √ Including mouthpiece and care kit
- √ Coming in ABS hard case for easy and safe transport



CODE	MSRP EUR	MSRP GBP
S898S	€ 597,18	£ 537,46

SBASX-20 - Eb baritone saxophone with F# key + A low key

First step are the most important when learning to play an instrument. SBASX-20-20 tenor saxophone has been designed with students in mind. With a rich, full-bodied tone, features easy emission to obtain a nice sound since first steps. The classic desing consist in a gold laquered finish, engraved bell and keys with perloid buttons. Including a full set of accessories, is the perfect instrument for students.

- √ Eb tune
- √ Brass body
- √ Gold lacquered finish
- √ Engraved bell with classic decorations
- √ Keys with perloid buttons
- √ F# key for improved fingering A Low Key
- √ Including mouthpiece and care kit
- √ Coming in ABS hard case for easy and safe transport

CODE	MSRP EUR	MSRP GBP
Q975Q	€ 2374,65	£ 2137,19



TRUMPETS

STPGD-10P - Pocket trumpet in Bb

STPGD-10P is a pocket trumpet designed to offer an ultra portable instrument which produce the same sound of a traditional Bb trumpet. It feature easy emission, perfect intonation and bright sound. Built in brass with gold lacquered finish, it's lightweight and ultra compact. Pocket dimensions, makes it the perfect choice for childrens or seasoned player who needs a compact instruments to bring along.



- √ Built in brass
- √ Stainless steel valves
- √ Bore Ø 11,73mm
- √ Bell size: Ø 95mm
- √ Adjustable main, first and third valve slides
- √ 2 waterkeys
- √ Gold lacquered finish
- √ Including 7C size mouthpiece, valve oil, gloves, cleaning clothes
- √ Including lightweight and resistant softcase with pocket and accessories pouch

CODE	MSRP EUR	MSRP GBP
S770S	€ 207,67	£ 186,90

STPGD-10C - c trumpet in gold lacquered finish

First step are the most important when learning to play an instrument. STPGD-10 has been designed to make sure the student is able to produce beautiful sound in a short time. It feature easy emission, perfect intonation and bright sound. Built in brass with gold lacquered finish, it's lightweight and compact. Including a full set of accessories, is a great instruments for students.

- √ Built in brass
- √ Stainless steel valves
- √ Bore Ø 11,65mm
- √ Bell size: Ø 125mm
- √ Adjustable main, first and third valve slides
- √ 2 waterkeys
- √ Gold lacquered finish
- √ Including 7C size mouthpiece, valve oil, gloves, cleaning clothes
- √ Including lightweight and resistant softcase with pocket and accessories pouch



CODE	MSRP EUR	MSRP GBP
U217U	€ 216,70	£ 195,03

STPSL-10 - Bb trumpet in silver plated finish

First step are the most important when learning to play an instrument. STPSL-10 has been designed to make sure the student is able to produce beautiful sound in a short time. It feature easy emission, perfect intonation and bright sound. Built in brass, it's lightweight and compact. This silver plated finish version, offers brighter sound and improved durability. Including a full set of accessories, is a great choice for students.




- √ Built in brass
- √ Stainless steel valves
- √ Bore Ø 11,65mm
- √ Bell size: Ø 125mm
- √ Adjustable main, first and third valve slides
- √ 2 waterkeys
- √ Silver plated finish
- √ Including 7C size mouthpiece, valve oil, gloves, cleaning clothes
- √ Including lightweight and resistant softcase with pocket and accessories pouch

CODE	MSRP EUR	MSRP GBP
S625S	€ 231,75	£ 208,58

STPGD-10 - Bb trumpet in gold lacquered finish

First step are the most important when learning to play an instrument. STPGD-10 has been designed to make sure the student is able to produce beautiful sound in a short time. It feature easy emission, perfect intonation and bright sound. Built in brass with gold lacquered finish, it's lightweight and compact. Including a full set of accessories, is a great instruments for students.



- √ Built in brass
- √ Stainless steel valves
- √ Bore Ø 11,65mm
- √ Bell size: Ø 125mm
- √ Adjustable main, first and third valve slides
- √ 2 waterkeys
- √ Gold lacquered finish
- √ Including 7C size mouthpiece, valve oil, gloves, cleaning clothes
- √ Including lightweight and resistant softcase with pocket and accessories pouch

CODE	MSRP EUR	MSRP GBP
S624S	€ 193,67	£ 174,30

CORNETS & TROMBONES

SCOR-10E - Bb cornet in gold lacquered finish

The cornet is an instrument with many similarities with the trumpet, but due to its conic bore, the sound is much mellower and warmer. SCOR-10 was conceived to feature easy emission and perfect intonation. Built in brass with gold lacquered finish, it's lightweight and compact. Cornet is often the preferred choice by many beginners, being the mouthpiece closer to the piston and thus more balanced. It's often used in Jazz music. Including a full set of accessories, is a great instruments both for students and trumpet players who need the instrument in specific situations.



- √ Built in brass
- √ Stainless steel valves
- √ Bore Ø 11,50mm
- √ Bell size: Ø 120 mm
- √ Adjustable main, third valve slides
- √ 1 waterkeys
- √ Gold lacquered finish
- √ Including 7C size mouthpiece, valve oil, gloves, cleaning clothes
- √ Including Hard Case

CODE	MSRP EUR	MSRP GBP
Q966Q	€ 221,77	£ 199,59

STBF-20G - Bb/F trombone in gold lacquered finish

First step are the most important when learning to play an instrument. STBF-20 Ghas been designed to make sure the student is able to produce beautiful sound in a short time. It feature easy emission, perfect intonation warm sound. Built in brass with gold lacquered finish, it's lightweight and compact. Including a full set of accessories, is a great instruments for students.



- √ Built in brass
- √ Coulisse Trombone Bb/F
- √ Bore 0.496 - 0.525" (12,6mm - 13.34mm)
- √ Bell size: 7.913" (Ø 201mm)
- √ Adjustable main
- √ 1 waterkeys
- √ Gold lacquered finish
- √ Including mouthpiece, valve oil, gloves, cleaning clothes
- √ Including lightweight and resistant softcase with pocket and accessories pouch

CODE	MSRP EUR	MSRP GBP
U268U	€ 444,29	£ 399,86

First step are the most important when learning to play an instrument. STBC-10G has been designed to make sure the student is able to produce beautiful sound in a short time. It feature easy emission, perfect intonation and bright sound. Built in brass with gold lacquered finish, it's lightweight and compact. Including a full set of accessories, is a great instruments for students.

STBC-10G - Bb trombone in gold lacquered finish



- √ Built in brass
- √ Coulisse Trombone
- √ Bore Ø 13mm
- √ Bell size: Ø 215mm
- √ Adjustable main
- √ 1 waterkeys
- √ Gold lacquered finish
- √ Including mouthpiece, valve oil, gloves, cleaning clothes
- √ Including lightweight and resistant softcase with pocket and accessories pouch

CODE	MSRP EUR	MSRP GBP
B379B	€ 237,77	£ 213,99

STB-10G - Bb trombone in gold lacquered finish



- √ Built in brass
- √ Stainless steel valves
- √ Bore Ø 12,40mm
- √ Bell size: Ø 203mm
- √ Adjustable main, first and third valve slides
- √ 2 water keys
- √ Gold lacquered finish
- √ Including mouthpiece, valve oil, gloves, cleaning clothes
- √ Including light weight and resistant softcase with pocket and accessories pouch

CODE	MSRP EUR	MSRP GBP
B380B	€ 478,54	£ 430,69

FLUGELHORNS

SFLH-10G - Sopran Bb Flugelhorn

Soundsation SFLH-10G sopran flugelhorn is built with high attention on details. With creamy and warm timber, it offers smooth emission and perfect intonation. Suitable for marching bands and ensembles.



- √ Material: brass
- √ Stainless steel 0,413" pistons w/perloid fittings
- √ Bore diameter: Ø 10,5mm (0,413")
- √ Bell Diameter: Ø 151,80mm (6")
- √ 3 Pitch slides on main bore, first and third piston
- √ 3 Waterkeys on main bore, first and third pistons
- √ Finish: gold lacquered
- √ Included in the package mouthpiece, lubricant oil, cleaning gloves and cloth
- √ Shaped soft case with accessory pouch and strap included

CODE	MSRP EUR	MSRP GBP
B376B	€ 316,02	£ 284,42

SFA-10G - Alto Eb flugelhorn

Soundsation SFA-10G is built with high attention on details. With creamy and warm timber, typical of conical bore instruments, it offers smooth emission and perfect intonation. Suitable for marching bands and ensembles.



- √ Body in brass
- √ Stainless steel 0,413" pistons w/perloid fittings
- √ bore diameter 12,40 mm
- √ Bell diameter 193 mm
- √ 3 pitch slides on main bore, first and third piston
- √ Waterkey on main bore
- √ Gold lacquered finish
- √ Included in the package 7C mouthpiece, lubricant oil, cleaning gloves and cloth
- √ Shaped soft case with accessory pouch and strap included

CODE	MSRP EUR	MSRP GBP
S785S	€ 346,11	£ 311,50

SFB-10G - Bb Baritone

Soundsation SFB-10G sopran flugelhorn is built with high attention on details. With creamy and warm timber, it offers smooth emission and perfect intonation. Suitable for marching bands and ensembles.

- √ Material: brass
- √ Stainless steel 0,413" pistons w/perloid fittings
- √ Bore diameter: Ø 13,40mm (0,53")
- √ Bell Diameter: Ø 230,00 mm (9")
- √ 4 pitch slides on bore and each piston
- √ Waterkeys on bore
- √ Finish: gold lacquered with red brass inserts
- √ Included accessories: Mouthpiece, lubricant oil, cleaning gloves and cloth
- √ Shaped soft case with accessory pouch and strap included



CODE	MSRP EUR	MSRP GBP
B377B	€ 388,25	£ 349,43

SEU-10G - 4 pistons Bb euphonium

Soundsation SEU-10G euphonium is built with high attention on details. With creamy and warm timber, it offers smooth emission and perfect intonation. Suitable for marching bands and ensembles.

- √ Material: brass
- √ 4 stainless steel 0,413" pistons w/perloid fittings
- √ Bore diameter: Ø 14,40mm (0,57")
- √ Bell Diameter: Ø 300 mm (11,8")
- √ 5 pitch slides on bore and each piston
- √ Waterkey on bore
- √ Finish: gold laquered w/chrome inserts on pitch slides
- √ Included accessories: mouthpiece, lubricant oil, cleaning gloves and cloth
- √ Shaped soft case with accessory pouch and strap included

CODE	MSRP EUR	MSRP GBP
B378B	€ 580,87	£ 522,78

**SEU-20G - Euphonium 3 pistons**

Euphonium built with great care of the warm and round sound details typical of tapering cone instruments, the Eufoni SEU-20G is easy to emit great tune, ideal for band and orchestra

- √ Brass
- √ Mechanics: 3 <stainless Steel Pistons, Mother of Pearl button
- √ Bore: 0.567" (Ø 14,40mm)
- √ Bell: 12.236" (Ø 260mm)
- √ Tuning pumps: Main bore, first-second-third piston
- √ Water Venting Key: main bore
- √ Finishing: Gold lacquered with chromed inserts on the pumps
- √ Accessories: mouthpiece, oil, gloves, cloth for cleaning
- √ Case: Hard case preformed

CODE	MSRP EUR	MSRP GBP
U269U	€ 567,54	£ 510,79



HORNS

SFH-FB4GU - F/Bb Double French Horn with 4 rotary valves

French horn has been historically very popular in orchestra, both on harmonies and solos. The French Horn Soundsation SFH-FB4G is built with high attention on details. Perfectly pitched and featuring easy emission, Double pitch F/Bb it offer a warm and mellow tone. Ergonomic, lightweight design, easy playing and perfect pitch: SFH-FB4G is a great choice for students.



- √ Brass body
- √ F/Bb pitch
- √ 4 stainless steel rotary valves
- √ Bore diameter of Ø 11,90mm
- √ Bell unita diameter of Ø 311mm
- √ Pitch slide on main bore
- √ Laquered gold finish
- √ Included in the package mouthpiece, lubricant oil and cleaning gloves and cloth
- √ Included hard case abs for easy and safe transportation

CODE	MSRP EUR	MSRP GBP
U218U	€ 735,83	£ 662,25

SFH-FB4G - F/Bb Double French Horn with 4 rotary valves

French horn has been historically very popular in orchestra, both on harmonies and solos. The French Horn Soundsation SFH-FB4G is built with high attention on details. Perfectly pitched and featuring easy emission, Double pitch F/Bb it offer a warm and mellow tone. Ergonomic, lightweight design, easy playing and perfect pitch: SFH-FB4G is a great choice for students.



- √ Brass body
- √ F/Bb pitch
- √ 4 stainless steel rotary valves
- √ Bore diameter of Ø 11,90mm
- √ Bell diameter of Ø 311mm
- √ Pitch slide on main bore
- √ Laquered gold finish
- √ Included in the package mouthpiece, lubricant oil and cleaning gloves and cloth
- √ Included hard case abs for easy and safe transportation

CODE	MSRP EUR	MSRP GBP
U163U	€ 684,23	£ 615,81

SFH-F3G - F French Horn with 3 rotary valves

French horn has been historically very popular in orchestra, both on harmonies and solos. SFH-F3G is built with high attention on details. Perfectly pitched and featuring easy emission, it offer a warm and mellow tone. Ergonomic, lightweight design, easy playing and perfect pitch: SFH-F3G is a great choice for students.



- √ Brass body
- √ F pitch
- √ 3 stainless steel rotary valves
- √ Bore diameter of Ø 11,60mm
- √ Bell diameter of Ø 277,5mm
- √ Pitch slide on main bore
- √ Laquered gold finish
- √ Included in the package mouthpiece, lubricant oil and cleaning gloves and cloth
- √ Included hard case for easy and safe transportation

CODE	MSRP EUR	MSRP GBP
U162U	€ 443,80	£ 399,42

SCF-10G - Bb French Horn with 4 rotary valves

French horn has been historically very popular in orchestra, both on harmonies and solos. SCF-10G is built with high attention on details. Perfectly pitched and featuring easy emission, it offer a warm and mellow tone. Ergonomic, lightweight design, easy playing and perfect pitch: SCF-10 is a great choice for students.



- √ Brass body
- √ Bb pitch
- √ 4 stainless steel rotary valves
- √ Bore diameter of Ø 11,50mm
- √ Bell diameter of Ø 315mm
- √ Pitch slide on main bore
- √ Laquered gold finish
- √ Included in the package mouthpiece, lubricant oil and cleaning gloves and cloth
- √ Included soft case for easy and safe transportation

CODE	MSRP EUR	MSRP GBP
S786S	€ 409,32	£ 368,39

STUB-20G - Bb Tuba junior with 3 pistons

The is the lowest pitched instrument in the brass family. It's widely used in orchestras. Soundsat STUB-20G has been designed for students. With its relatively lightweight and compact body, performs easy emission and perfect intonation. Coming in hard case equipped with wheels for easy carrying.

- √ Brass body
- √ Stainless steel pistons w/perloid fittings
- √ Bell size 15" (Ø 381mm) bore size 0,65" (16,5mm)
- √ 3 Pitch slides on main bore, first, second and third piston
- √ Gold laquered finish
- √ Included in the package mouthpiece, lubricant oil, cleaning gloves and cloth
- √ Shaped hard case abs equipped with wheel for best protection and easy carrying
- √ net weight of the instrument: 7 kg
- √ gross weight including case: 13,8 Kg

CODE	MSRP EUR	MSRP GBP
U266U	€ 1562,17	£ 1405,95



STUE-20G - Eb Tuba junior 3/4 with 3 pistons

The tuba is the lowest pitched instrument in the brass family. It's used both in marching band and orchestras. Soundsation STUE-20G has been designed for students. With its relatively lightweight and compact body, performs easy emission and perfect intonation. Coming in hard case equipped with wheels for easy carrying.

- √ Brass body
- √ Stainless steel pistons w/perloid fittings
- √ Bell size 12.835" (Ø 326mm) bore size 0,63" (16,0mm)
- √ 3 Pitch slides on main bore, first, second and third piston
- √ Gold laquered finish
- √ Included in the package mouthpiece, lubricant oil, cleaning gloves and cloth
- √ Shaped soft case equipped with wheel for best protection and easy carrying
- √ net weight of the instrument: 5,4kg
- √ gross weight including case: 10Kg



CODE	MSRP EUR	MSRP GBP
U267U	€ 1447,52	£ 1302,77



TUBAS & SOUSAPHONES

STC-10G - 4 rotary valve C tuba

This is the lowest pitched instrument in the brass family. It's widely used in orchestras. Designed for students, STC-10G ensure easy playing and maneuverability. With deep and warm timber, it offers smooth emission and perfect intonation. Coming in hard case equipped with wheels for easy carrying.

- √ Body material: brass
- √ Four rotary nickel valves
- √ Bore size: Ø .740 (18,80 cm)
- √ Bell Size: Ø 380mm (15")
- √ Pitch slides on bore and on each valve
- √ Waterkey on bore
- √ Finish: gold laquered with chrome inserts
- √ Included accessories: Mouthpiece, lubricant oil, cleaning gloves and cloth
- √ Included shaped soft case with accessory pouch, strap and wheel for easy carrying

CODE	MSRP EUR	MSRP GBP
B381B	€ 2141,83	£ 1927,65



SSOU-20GW - Bb Sousaphone

The sousaphone can be classified as a modified tuba. It is mostly used in marching bands, offering sound projections and visual effect thanks to its front sided bell. Belonging to the brass family, among the lowest pitched instruments, it features a slimmer bore and thus offers a brighter sound compared with the tuba. The SSOU-20GW has been conceived to ensure easy emission and easy carrying. The bell is detachable and the included hardcase is equipped with wheels in order to ensure easy carrying. Perfect fits for marching bands.

- √ fiberglass Bell, main machine and pipe in brass
- √ 3 stainless steel pistons with perloid buttons
- √ Bore size Ø 18,5 mm
- √ Bell size Ø 660 mm
- √ Pitch slides on bore and all pistons
- √ One waterkey
- √ White finish, main machine and pipe gold laquered
- √ Included in the package mouthpiece, lubricant oil, cleaning gloves and cloth
- √ Shaped soft case equipped with wheel for best protection and easy carrying

CODE	MSRP EUR	MSRP GBP
U334U	€ 2624,00	£ 2361,60



MELODY KEY-32

MELODY KEY 32 - 32 key Melodyhorn F

Melody Key of Soundsation is the ideal educational melodic for schools, in line with recent ministerial programs. Keys 32, range from Fa3 to Do6. Adapted to the most popular methods of study, it comes with a practical padded bag with shoulder strap to protect it from small bumps.

- √ Keyboard: 32 keys
- √ Range: from F3 to C6
- √ Comes with a comfortable light and shockproof bags, mouthpiece, mouthpiece flexible
- √ Size: 420x105x45 mm
- √ Net Weight: 543g



CODE	MODEL	COLORE	MSRP EUR	MSRP GBP
D889D	MELODY KEY 32-BL	Blue	€ 17,32	£ 15,59
D890D	MELODY KEY 32-BK	Black	€ 17,32	£ 15,59
D891D	MELODY KEY 32-RD	Red	€ 17,32	£ 15,59
D892D	MELODY KEY 32-PK	Pink	€ 17,32	£ 15,59

MK-32 - Tube for Melodyhorn Melody key soundsation MK-32



- √ ABS Resin
- √ Colors: white tube/ black terminals

CODE	MSRP EUR	MSRP GBP
D903D	€ 1,15	£ 1,04



WIND INSTRUMENT

HARMONICAS



BluesMeister is built for the Blues with the original design. It represents the most popular harmonica style ever. The comb in ABS is long lasting and offers a comfortable playing. The stainless steel cover makes BluesMeister an instrument for a lifetime. Great for students or advanced players looking for tone and reliability.

HBM20-A - 20 tone A key



- √ 10 holes, 20 reeds
- √ Reeds in brass
- √ Reed plate in brass, 0,9mm thick
- √ Comb in ABS for comfort and resistance
- √ Stainless steel cover
- √ Plastic carrying box to protect your instrument

- √ Tune: A
- √ Reeds: 20
- √ Cover: Chrome

CODE	MSRP EUR	MSRP GBP
A912A	€ 7,17	£ 6,45

HBM20-B - 20 tone B key



- √ 10 holes, 20 reeds
- √ Reeds in brass
- √ Reed plate in brass, 0,9mm thick
- √ Comb in ABS for comfort and resistance
- √ Stainless steel cover
- √ Plastic carrying box to protect your instrument

- √ Tune: B
- √ Reeds: 20
- √ Cover: Chrome

CODE	MSRP EUR	MSRP GBP
A913A	€ 7,17	£ 6,45

HBM20-C - 20 tone C key



- √ 10 holes, 20 reeds
- √ Reeds in brass
- √ Reed plate in brass, 0,9mm thick
- √ Comb in ABS for comfort and resistance
- √ Stainless steel cover
- √ Plastic carrying box to protect your instrument

- √ Tune: C
- √ Reeds: 20
- √ Cover: Chrome

CODE	MSRP EUR	MSRP GBP
A914A	€ 7,17	£ 6,45

HBM20-D - 20 tone D key



- √ 10 holes, 20 reeds
- √ Reeds in brass
- √ Reed plate in brass, 0,9mm thick
- √ Comb in ABS for comfort and resistance
- √ Stainless steel cover
- √ Plastic carrying box to protect your instrument

- √ Tune: D
- √ Reeds: 20
- √ Cover: Chrome

CODE	MSRP EUR	MSRP GBP
A915A	€ 7,17	£ 6,45

HBM20-E - 20 tone E key



- √ 10 holes, 20 reeds
- √ Reeds in brass
- √ Reed plate in brass, 0,9mm thick
- √ Comb in ABS for comfort and resistance
- √ Stainless steel cover
- √ Plastic carrying box to protect your instrument

- √ Tune: E
- √ Reeds: 20
- √ Cover: Chrome

CODE	MSRP EUR	MSRP GBP
A916A	€ 7,17	£ 6,45

HBM20-F - 20 tone F key



- √ 10 holes, 20 reeds
- √ Reeds in brass
- √ Reed plate in brass, 0,9mm thick
- √ Comb in ABS for comfort and resistance
- √ Stainless steel cover
- √ Plastic carrying box to protect your instrument

- √ Tune: F
- √ Reeds: 20
- √ Cover: Chrome

CODE	MSRP EUR	MSRP GBP
A917A	€ 7,17	£ 6,45

HBM20-G - 20 tone G key



- √ 10 holes, 20 reeds
- √ Reeds in brass
- √ Reed plate in brass, 0,9mm thick
- √ Comb in ABS for comfort and resistance
- √ Stainless steel cover
- √ Plastic carrying box to protect your instrument

- √ Tune: G
- √ Reeds: 20
- √ Cover: Chrome

CODE	MSRP EUR	MSRP GBP
A918A	€ 7,17	£ 6,45


0720 - Lyra for Clarinet



√ Mounting: Bell Bb clarinet
√ Ring: 34 mm abs
√ Lyra: Nickel

CODE	MSRP EUR	MSRP GBP
D053D	€ 16,88	£ 15,19

500LQ - Lyra for Trumpet



√ Mounting: Bore 3° pistons
√ Shape: upright
√ Finish: Gold
√ length: 16 cm

CODE	MSRP EUR	MSRP GBP
D059D	€ 5,81	£ 5,23


510N - Lyre for Flute



√ Instruments: Flute
√ Strap: Leather
√ Application: On the wrist
√ Lyra: Nickel

CODE	MSRP EUR	MSRP GBP
D069D	€ 18,53	£ 16,68

501LQ - Lyra for Trumpet



√ Mounting: Bore 3° Pistons
√ Shape: L
√ Finish: Gold
√ length: 14 cm

CODE	MSRP EUR	MSRP GBP
D088D	€ 6,21	£ 5,59

500LLQ - Lyra for Sousaphone- bariton sax - brass instruments



√ Shape: upright
√ length: 20 cm

CODE	MSRP EUR	MSRP GBP
D089D	€ 6,91	£ 6,22

500XLLQ - Lyra for Brass



√ Shape: upright
√ Finish: Gold
√ length: 27 cm

CODE	MSRP EUR	MSRP GBP
D090D	€ 7,71	£ 6,94

506N - Lyra for Clarinet



√ Mounting: Bell Eb clarinet or center in Bb clarinet
√ Ring: 28 mm Nickel
√ Lyra: Nickel

CODE	MSRP EUR	MSRP GBP
D091D	€ 10,42	£ 9,38

517LQ - Lyra for sax



√ Mounting: body sax
√ Finish: Gold

CODE	MSRP EUR	MSRP GBP
D092D	€ 6,62	£ 5,96

502N - Lyra for Trumpet and brass instruments



√ Shape: clamp
√ Finish: Nickel

CODE	MSRP EUR	MSRP GBP
D093D	€ 15,28	£ 13,75

511LQ - Lyra for Trombone



√ Finish: Gold
√ length: 21 cm

CODE	MSRP EUR	MSRP GBP
D094D	€ 10,67	£ 9,60

720A - Lyra for Clarinet



√ Mounting: Bell Bb clarinet
√ Ring: Nickel
√ Lyra: Nickel

CODE	MSRP EUR	MSRP GBP
D130D	€ 27,58	£ 24,82

500XLN - Lyra for Brass



√ Shape: upright
√ Finish: Nickel
√ length: 27 cm

CODE	MSRP EUR	MSRP GBP
D231D	€ 6,36	£ 5,72

Bowed Instruments



BOWED INSTRUMENTS

VIOLINS

Virtuoso
Primo



VIRTUOSO PRIMO PVI

Virtuoso Primo series is the perfect choice for beginners demanding for affordable quality and playability. Virtuoso Primo, finishes, crafting and details definitely unmatched in this market range, coming out with alloy aluminium with integrated individual adjuster tailpiece, bow, case, straps and rosin. A very complete hi-value deal.

- √ Top: Laminated
- √ Back and sides: laminated
- √ Binding: well done purfling (inlaid)
- √ Bridge: maple
- √ Fingerboard: dyed maple
- √ Pegs and Chinrest: dyed maple
- √ Tailpiece: alloy aluminium with integrated individual adjuster
- √ Bow: student model in brazilian wood section
- √ Color: Cherry Brown
- √ Finish: glossy
- √ Case: preformed in brown with cream interior
- √ Accessories: rosin, straps, strings



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
U226U	PVI-44	4/4	€ 57,04	£ 51,34
U225U	PVI-34	3/4	€ 57,04	£ 51,34
U224U	PVI-12	1/2	€ 57,04	£ 51,34
U223U	PVI-14	1/4	€ 57,04	£ 51,34
U222U	PVI-18	1/8	€ 57,04	£ 51,34
U221U	PVI-116	1/16	€ 57,04	£ 51,34

Virtuoso Series

VIRTUOSO PRO VPVI

Virtuoso Pro series is born to provide performing instruments to young players demanding for high quality violins built in the tradition of Italian luthiers. Materials, crafting, details and accessories, everything in the Virtuoso Pro series is at the top in its market range: solid spruce AA top, flamed solid maple back & sides, ebony fingerboard, bossa pegs and chinrest, alloy aluminium with integrated individual adjuster tailpiece. Full accessoried with brazilian wood bow w/hexagonal section case, straps, rosin and strings.

- ✓ Top: solid spruce AA
- ✓ Back and sides: flamed solid maple
- ✓ Binding: well done purfling (inlaid)
- ✓ Bridge: maple
- ✓ Fingerboard: ebony
- ✓ Pegs and Chinrest: bossa
- ✓ Tailpiece: Alloy aluminium with integrated individual adjuster
- ✓ Finish: matt satin
- ✓ Color: Antique Brown
- ✓ Bow: Brazilian wood quality, hexagonal section, ebony frog, Eye Parisian mother of pearl, silver ring
- ✓ Case: Preformed in brown with cream interior
- ✓ Accessories: Rosin, Strings, Straps



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
U144U	VPVI-44	4/4	€ 174,45	£ 157,01
U143U	VPVI-34	3/4	€ 174,45	£ 157,01
U142U	VPVI-12	1/2	€ 174,45	£ 157,01
U157U	VPVI-14	1/4	€ 174,45	£ 157,01
U158U	VPVI-18	1/8	€ 174,45	£ 157,01

VIRTUOSO STUDENT VSVI

Virtuoso Student series is the perfect choice for beginners demanding for affordable quality and playability. Virtuoso Student provides woods, finishes, crafting and details definitely unmatched in this market range, coming out with alloy aluminium with integrated individual adjuster tailpiece, bow with hexagonal section, case, straps and rosin. A very complete hi-value deal.

- ✓ Top: carved solid spruce
- ✓ Back and sides: solid maple
- ✓ Binding: well done purfling (inlaid)
- ✓ Bridge: maple
- ✓ Fingerboard: dyed maple
- ✓ Pegs and Chinrest: dyed maple
- ✓ Tailpiece: alloy aluminium with integrated individual adjuster
- ✓ Bow: student model in brazilian wood and hexagonal section
- ✓ Color: Cherry Brown
- ✓ Finish: glossy
- ✓ Case: preformed in brown with cream interior
- ✓ Accessories: rosin, straps, strings

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
U141U	VSVI-44	4/4	€ 74,24	£ 66,82
U140U	VSVI-34	3/4	€ 74,24	£ 66,82
U139U	VSVI-12	1/2	€ 72,81	£ 65,53
U138U	VSVI-14	1/4	€ 72,81	£ 65,53
U137U	VSVI-18	1/8	€ 71,37	£ 64,23
U136U	VSVI-116	1/16	€ 71,37	£ 64,23



VIOLINS

Serie HDV e YV

VIRTUOSO STUDENT PLUS VSPVI

Virtuoso Student pro series is the perfect choice for beginners demanding for affordable quality and playability. Virtuoso Student provides woods, finishes, crafting and details definitely unmatched in this market range, coming out with ebony with integrated individual adjuster tailpiece, bow, case, straps and rosin. A very complete hi-value deal.

- √ Top: carved solid spruce
- √ Back and sides: solid maple
- √ Bridge: maple
- √ Fingerboard: Ebony
- √ Pegs and Chinrest: dyed ebony
- √ Tailpiece: ebony with integrated individual adjuster
- √ Bow: student pro model in brazilian wood
- √ Color: Cherry Brown

- √ Finish: Satin Vintage
- √ Case: preformed in brown with blue interior
- √ Accessories: rosin, straps, strings

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
U194U	VSPVI-44	4/4	€ 117,00	£ 105,30
U193U	VSPVI-34	3/4	€ 117,00	£ 105,30
U192U	VSPVI-12	1/2	€ 117,00	£ 105,30




E-Master Electric Violin

Keep playing, but stop annoying the neighbors?
Now you can!

E-Master is a smart electric violin allowing you to play, practice, record in the easiest way without bothering your neighbours. You can connect E-Master to your PA, headphones or pc via line out. Fully accessorized (bow, rosin, headphones, cable) it comes out with dedicated hard case equipped with frontal pocket, padded handle and straps.

- √ Slim, classic and captivating design
- √ Body, chin rest, bow in ABS
- √ Wooden bridge
- √ Controls: Volume, Tone
- √ Connections: Line out, Phone OUT, Mic IN
- √ Fully accessorized with bow featuring natural hair and perloid button, rosin, headphones, cable
- √ Elegant wooden sunburst finish on body and bow
- √ Hard case with straps, padded handle and frontal pocket
- √ Power supply: 1x9V battery (included)
- √ Size: 4/4

CODE	MSRP EUR	MSRP GBP
S990S	€ 174,85	£ 157,37



STUDENT LINE VIOLAS

VL-408 student line represent an exceptional instrument within his market segment. Built with traditional materials and design, is the perfect fit for beginners and students. Coming with soft case and bows, is designed to guarantee optimal playability.


- √ Top: Solid Spruce
- √ Back & Sides: Solid maple
- √ Fretboard: ebonized maple
- √ Bridge: european design
- √ Tailpiece: diecast metal with 4 fine tuners
- √ Included wood bow with hexagonal stick and natural hair
- √ Lightweight soft case with velvet internal coating, object storage, bow storage and straps
- √ Rosin included

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
S427S	VL-408	40,8 cm 16"	€ 88,08	£ 79,27
U165U	VL-394	3,4 cm 15"	€ 88,08	£ 79,27



CELLOS

Virtuoso *Primo*



VIRTUOSO VPCE-SV

Virtuoso Primo series is the perfect choice for beginners demanding for affordable quality and playability. Virtuoso Primo, finishes, crafting and details definitely unmatched in this market range, coming out with alloy aluminium with integrated individual adjuster tailpiece, bow, bags, straps and rosin. A very complete hi-value deal.

- √ Top: Laminated
- √ Back and sides: laminated
- √ Binding: well done purfling (inlaid)
- √ Bridge: maple
- √ Fingerboard: dyed maple
- √ Pegs and Chinrest: dyed maple
- √ Tailpiece: alloy aluminium with integrated individual adjuster
- √ Bow: student model in brazilian wood section
- √ Color: Cherry Brown
- √ Finish: glossy
- √ bags
- √ Accessories: rosin, straps, strings

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
U283U	PCE-44	4/4	€ 219,52	£ 197,57
U284U	PCE-34	3/4	€ 219,52	£ 197,57
U285U	PCE-12	1/2	€ 219,52	£ 197,57
U286U	PCE-14	1/4	€ 219,52	£ 197,57
U287U	PCE-18	1/8	€ 219,52	£ 197,57



Virtuoso Series

VIRTUOSO VPCE-SV

Wood is a key element to build high quality bowed instruments. Virtuoso Pro SV is an all solid wood cello with rich tone e defined attack. Flamed maple back and sides creates a stunning visual effect and provide a brighter tone enhancing medium and high frequencies. Hand rubbed spirit varnish, bring a classic and elegant look. Frame and peg tuners are in ebony wood. Coming with carrying bag and brazilwood bow, Virtuoso Pro SV is the perfect choice for the student looking for an instrument with great tone and appealing look.

- √ Solid spruce top
- √ Solid flamed maple back & side
- √ Maple neck
- √ Ebony fingerboard
- √ Ebony peg tuners
- √ Ebony nut
- √ Hand rubbed spirit varnish
- √ French Style design maple bridge
- √ Diecast metal tailpiece with four fine tuners
- √ Included brazil wood bow with octagonal stick and natural hair
- √ Padded carrying bag with bow pocket and carrying straps

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
U239U	VPCE-SV44	4/4	€ 821,45	£ 739,31
U238U	VPCE-SV34	3/4	€ 821,45	£ 739,31
U237U	VPCE-SV12	1/2	€ 821,45	£ 739,31



CELLOS

Virtuoso Series

VIRTUOSO PRO VPCE

Virtuoso Pro series is born to provide performing instruments to young players demanding for high quality Cellist built in the tradition of Italian luthiers. Materials, crafting, details and accessories, everything in the Virtuoso Pro series is at the top in its market range: solid spruce AA top, flamed solid maple back & sides, ebony fingerboard, boss pegs and chin rest, alloy aluminium tailpiece. Full set of accessories included with brazilian wood bow w/hexagonal section case, straps, rosin and strings.

- √ Top: solid spruce AA
- √ Back and sides: flamed solid maple
- √ Binding: well done purfling (inlaid)
- √ Bridge: maple
- √ Fingerboard: ebony
- √ Pegs: ebony
- √ Tailpiece: Alloy aluminium
- √ Finish: matt satin
- √ Color: Matt Antique Brown
- √ Bow: Brazilian wood, hexagonal section, ebony frog, Eye Parisian mother of pearl, silver ring
- √ Case: Nylon padded bag
- √ Accessories: Rosin, Strings, Straps

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
U159U	VPCE-44	4/4	€ 802,48	£ 722,23
U160U	VPCE-34	3/4	€ 802,48	£ 722,23



Virtuoso Series

VIRTUOSO VSPCE

Virtuoso student plus offers a rich sound thanks to the solid spruce top. Built in traditional design with light brown painting and all parts are made of quality materials. Coming with bags and bow, it's a great instrument for advanced students.

- √ Solid spruce top
- √ Maple back and sides laminated
- √ Maple neck
- √ ebony fingerboard
- √ Painted purfling
- √ Ebony nut
- √ Ebony pegs
- √ Maple bridge, French Style
- √ Diecast metal tailpiece with 4 fine tuners
- √ Included wood bow with octagonal stick and natural hair
- √ Padded carrying bag with bow pocket and carrying straps

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
U236U	VSPCE-44	4/4	€ 332,63	£ 299,37
U235U	VSPCE-34	3/4	€ 332,63	£ 299,37
U234U	VSPCE-12	1/2	€ 332,63	£ 299,37
U233U	VSPCE-14	1/4	€ 332,63	£ 299,37
U232U	VSPCE-18	1/8	€ 332,63	£ 299,37



VIRTUOSO VSCE

Virtuoso Student series is the perfect choice for beginners demanding for affordable quality and playability. Virtuoso Student provides woods, finishes, crafting and details definitely unmatched in this market range, coming out with alloy alluminium with integrated individual adjuster tailpiece, bow with hexagonal section, case, straps and rosin. A very complete hi-value deal.


- √ Top: carved solid spruce
- √ Back and sides: Laminated
- √ Binding: well done purfling (inlaid)
- √ Bridge: French style maple
- √ Fingerboard: dyed maple
- √ Pegs and Chinrest: dyed maple
- √ Tailpiece: alloy alluminium with integrated individual adjuster
- √ Bow: student model in brazilian wood and hexagonal section
- √ Color: Cherry Brown
- √ Finish: glossy
- √ Case: bags
- √ Accessories: rosin, straps, strings

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
U231U	VSCE-44	4/4	€ 300,81	£ 270,73
U230U	VSCE-34	3/4	€ 300,81	£ 270,73
U229U	VSCE-12	1/2	€ 300,81	£ 270,73
U228U	VSCE-14	1/4	€ 300,81	£ 270,73
U227U	VSCE-18	1/8	€ 300,81	£ 270,73



DOUBLEBASSES

Virtuoso
Primo



PDB series - 4/4 Virtuoso Primo Double bass with bags and bow

Virtuoso Primo series is the perfect choice for beginners demanding for affordable quality and playability. Virtuoso Primo, finishes, crafting and details definitely unmatched in this market range, coming out with alloy alluminium with integrated individual adjuster tailpiece, bow, bags, straps and rosin. A very complete hi-value deal.

- ✓ Top: Laminated
- ✓ Back and sides: laminated
- ✓ Binding: well done purfling (inlaid)
- ✓ Bridge: maple
- ✓ Fingerboard: dyed maple
- ✓ Pegs and Chinrest: dyed maple
- ✓ Tailpiece: alloy alluminium with integrated individual adjuster
- ✓ Bow: student model in brazilian wood section
- ✓ Color: Cherry Brown
- ✓ Finish: glossy



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
U332U	PDB-44	4/4	€ 700,04	£ 630,04
U288U	PDB-34	3/4	€ 700,04	£ 630,04
U333U	PDB-12	1/2	€ 700,04	£ 630,04

P906-34 - Virtuoso Pro solid spruce top hand made 3/4 doublebass with flame maple back & sides

Handcrafted with the best materials, P906 is a visually stunning doublebass with rich and deep sound, thanks to the solid spruce top. The flamed maple back & sides contributes to brighten the sound. With its classic design in violin shape, the hand varnished alcohol finish is in satin light brown, enhancing the visual appeal of wood. P906 is also equipped with ebony fingerboard, for great feeling and sound response. Including bow and padded carrying bag, it's the perfect instrument for the advanced student.

- √ Solid spruce top
- √ Flamed maple back and sides
- √ Ebony fretboard for perfect feeling
- √ Alcohol hand varnished satin finish in light brown color
- √ Metal tailpiece with tuners
- √ Hexagonal brazilwood bow with ebony frog and natural hair
- √ Padded backpack style bag with pockets

CODE	MSRP EUR	MSRP GBP
S997S	€ 2786,12	£ 2507,51



P806-34 - Virtuoso Pro solid spruce top hand made 3/4 doublebass

Handcrafted with the best materials, P806 is a visually stunning doublebass with rich and deep sound, thanks to the solid spruce top. With its classic design in violin shape, it's coming a light brown satin finish enhancing the visual appeal of wood. Including bow and padded carrying bag, it's the perfect instrument for the advanced student

- √ Solid spruce top
- √ Plywood back and sides
- √ Ebonized wood fretboard
- √ Sprayed matte painting in light brown
- √ Metal tailpiece
- √ Hexagonal brazilwood bow with ebony frog and natural hair
- √ Padded backpack style bag with pockets

CODE	MSRP EUR	MSRP GBP
S996S	€ 1117,89	£ 1006,10



P810-34 - Virtuoso Pro solid spruce top hand made 3/4 doublebass with maple back & sides

Handcrafted with the best materials, P906 is a visually stunning doublebass with rich and deep sound, thanks to the solid spruce top. The maple back & sides contributes to brighten the sound. With its classic design in violin shape, the hand varnished alcohol finish is in satin light brown, enhancing the visual appeal of wood. P906 is also equipped with ebony fingerboard, for great feeling and sound response. Including bow and padded carrying bag, it's the perfect instrument for the advanced student.

- √ Solid spruce top
- √ Flamed maple back and sides
- √ Ebony fretboard for perfect feeling
- √ Alcohol hand varnished satin finish in light brown color
- √ Ebony tailpiece with tuners
- √ Hexagonal brazilwood bow with ebony frog and natural hair
- √ Finish satin
- √ Padded backpack style bag with pockets

CODE	MSRP EUR	MSRP GBP
U289U	€ 2110,69	£ 1899,62



BOWED INSTRUMENTS

BOWS

CB-BLK Series

Bow's size

Dimensions are approximate and may change depending on the manufacturer.

	4/4	3/4	1/2	1/4	1/8	1/16
Violin	71-72	66-69	58-61	53-56	47-51	39-44
Viola	72-75					
Cello	67-71	62-66	57-61	53-56	45-52	
	4/4 3/4	3/4 1/2	1/2 1/4	1/4 1/8	1/8 1/10	
Double bass	68-72	62-67				

Carbon Fiber Bows

During the recent years, carbon fiber bows became widely popular. The reason is that they offer similar functionality of those in pernambuco wood, but at a sharply lower cost. Lightweight, balance and easy playing, as well as the produced sound, are essentially the same. Other than the cost, the carbon fiber offer other relevant advantages. They are more resistant and they essentially last longer. Bottom line, CB-BLK bow is a great choice for both students and professionals.

- √ Stick in carbon fiber
- √ Round stick
- √ Ebony frog
- √ Perloid parisian eye with silver ring
- √ Natural hairs



CODE	MODEL	SIZE	INSTRUMENT	LENGHT	MSRP EUR	MSRP GBP
S988S	CB-BLK-VN 4/4	4/4	Violin		€ 91,72	£ 82,55
S962S	CB-BLK 4/4	4/4	Cello	70 cm	€ 108,92	£ 98,03
S963S	CB-BLK 3/4	3/4	Cello	68 cm	€ 108,92	£ 98,03
S964S	CB-BLK-DBF 3/4	3/4	Double Bass	65 cm	€ 220,35	£ 198,32



AT-20 Series

AT-20VN student line is built with high quality materials, such as brazilwood and ebony, to ensure best performance and durability. Lightweight and balanced, is the perfect fit for students and beginners



AT-20VN for Violin

- √ Hexagonal stick
- √ High quality brazilwood stick
- √ Ebony frog
- √ Perloid Parisian eye
- √ Silver plated ring
- √ Natural hair

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
S949S	AT-20VN 4/4	4/4	€ 39,53	£ 35,58
S950S	AT-20VN 3/4	3/4	€ 39,53	£ 35,58
S951S	AT-20VN 1/2	1/2	€ 39,53	£ 35,58
S952S	AT-20VN 1/4	1/4	€ 39,53	£ 35,58
S953S	AT-20VN 1/8	1/8	€ 39,53	£ 35,58

AT-20VA for Viola

- √ Hexagonal stick
- √ High quality brazilwood stick
- √ Ebony frog
- √ Perloid Parisian eye
- √ Silver plated ring
- √ Natural hair

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
S954S	AT-20VA 4/4	4/4	€ 49,59	£ 44,63
S955S	AT-20VA 3/4	3/4	€ 49,59	£ 44,63

AT-20VC for Cello

- √ Hexagonal stick
- √ High quality brazilwood stick
- √ Ebony frog
- √ Perloid Parisian eye
- √ Silver plated ring
- √ Natural hair

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
S956S	AT-20VC 4/4	4/4	€ 60,31	£ 54,28
S957S	AT-20VC 3/4	3/4	€ 60,31	£ 54,28
S958S	AT-20VC 1/2	1/2	€ 60,31	£ 54,28
S959S	AT-20VC 1/8	1/8	€ 60,31	£ 54,28

AT-20DBF for Double Bass

- √ Hexagonal stick
- √ High quality brazilwood stick
- √ French style ebony frog
- √ Perloid Parisian eye
- √ Silver plated ring
- √ Natural hair

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
S960S	AT-20DBF 4/4	4/4	€ 150,77	£ 135,69
S961S	AT-20DBF 3/4	3/4	€ 150,77	£ 135,69

BOWED INSTRUMENTS

BOWS

AT-10 Series

AT-10VN student line is a violin bow lightweight and balanced. It's the best fit for student and beginners.



AT-10VN for Violin

- √ Round stick
- √ Wooden frog
- √ Parisian eye
- √ Natural hairs

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
S079S	AT-10VN 4/4	4/4	€ 11,73	£ 10,56
S152S	AT-10VN 3/4	3/4	€ 11,73	£ 10,56
S153S	AT-10VN 1/2	1/2	€ 11,73	£ 10,56
S154S	AT-10VN 1/4	1/4	€ 11,73	£ 10,56
S155S	AT-10VN 1/8	1/8	€ 11,73	£ 10,56

AT-10VA for Viola

- √ Round stick
- √ Wooden frog
- √ Parisian eye
- √ Natural hairs

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
S915S	AT-10VA 4/4	4/4	€ 12,73	£ 11,46

Archetto per Violoncello AT-10VC

- √ Round stick
- √ Wooden frog
- √ Parisian eye
- √ Natural hairs

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
S370S	AT-10VC 4/4	4/4	€ 15,41	£ 13,87
S371S	AT-10VC 3/4	3/4	€ 15,41	£ 13,87
S372S	AT-10VC 1/2	1/2	€ 15,41	£ 13,87
S373S	AT-10VC 1/4	1/4	€ 15,41	£ 13,87

BRIDGE & CHIN REST

VLBG10 series - for Violin

Bridge for violin maple standard French model non prepared
Material: Maple



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
P345P	VLBG10-44	4/4	€ 2,43	£ 2,19
P129P	VLBG10-34	3/4	€ 2,43	£ 2,19
P252P	VLBG10-12	1/2	€ 1,77	£ 1,59
P054P	VLBG10-14	1/4	€ 1,77	£ 1,59
P055P	VLBG10-18	1/8	€ 1,77	£ 1,59

CEBG series - for Cello

Bridge for violin maple standard non prepared

Material: Maple



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
Q819Q	CEBG-1044	4/4	€ 8,90	£ 8,01
Q820Q	CEBG-1034	3/4	€ 8,90	£ 8,01
Q821Q	CEBG-1012	1/2	€ 8,90	£ 8,01
Q822Q	CEBG-1014	1/4	€ 8,90	£ 8,01
Q823Q	CEBG-1018	1/8	€ 8,90	£ 8,01

DBBBG series - for Double Bass

Bridge for violin maple standard non prepared

Material: Maple



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
Q824Q	DBBBG-1044	4/4	€ 29,66	£ 26,69
Q825Q	DBBBG-1034	3/4	€ 29,66	£ 26,69

CHIVI series - Chin Rest for Violin

this product is superior in material, very comfortable in use, suitable for violin 4/4

Material : Abs



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
M208M	CHIVI-1044	4/4	€ 7,61	£ 6,85
M209M	CHIVI-1034	3/4	€ 7,61	£ 6,85
M210M	CHIVI-1012	1/2	€ 5,29	£ 4,76
M211M	CHIVI-1014	1/4	€ 5,29	£ 4,76
M212M	CHIVI-1018	1/8	€ 5,29	£ 4,76

BOWED INSTRUMENTS

ACCESSORIES & PARTS

SHOULDER REST

VISR series - Shoulder Rest for violin

Shoulder Rest Ergonomic for children
This product is superior in material, portable and durable, comfortable in use for violin 1/2 - 1/4 and 1/8



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
S429S	VISR-1044	4/4 - 3/4	€ 8,92	£ 8,03
S430S	VISR-1012	1/2 - 1/4 - 1/8	€ 8,92	£ 8,03

String Adjuster

String Adjuster for violin ,
chromed steel.



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
S288S	V-105	3/4 - 4/4	€ 4,95	£ 4,46
S289S	V-104	1/2 - 1/8	€ 4,95	£ 4,46

Wooden Shoulder Rest for Violin

Mahogany finished wooden shoulder rest for violin. Ergonomic, easy to set, suitable for 4/4 and 3/4 violins.

- √ Material: wood
- √ Finitura: mahogany



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
U210U	SSR-01L	4/4 - 3/4	€ 15,22	£ 13,70
U211U	SSR-02L	1/2	€ 15,22	£ 13,70



FINGER GUIDE

FG-501 Finger Guide for Violin

A ground breaking idea to learn scales quickly and play songs easily with your violin. One piece clear cling vinyl, no adhesive required. Goes on and off in few seconds with no need to loosen or remove any string. Shows note locations providing a visual violin fingering chart of the notes.

- √ A ground breaking idea to learn scales quickly and play songs easily with your violin
- √ Easy set up in seconds with no need to loosen or remove your strings
- √ Built in vinyl

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
U212U	FG501-44	4/4	€ 1,86	£ 1,67
U213U	FG501-34	3/4	€ 1,86	£ 1,67
U214U	FG501-12	1/2	€ 1,86	£ 1,67
U215U	FG501-14	1/4	€ 1,86	£ 1,67
U216U	FG501-18	1/8	€ 1,86	£ 1,67



Bellow Instruments



ACCORDIONS



Soundsation introduces its new line of accordions: Infinito. The name Infinito takes its origin from our homeland: “le Marche” region in Italy. Our town has a long tradition in accordion manufacturing and made the accordion famous worldwide . Designed in Italy and built with Italian supervision and quality controls, the Infinito series brings entry-level instruments at a new level with unmatched value for money. The Infinito series features a wide range of model from 48 to 120 basses.

VOCE I - 2648



- √ Keys:26 Piano system
- √ Bass:48
- √ Switch right hand: 3
- √ Switch left hand: no
- √ Including padded gigbag with pocket and strap
- √ Accessories: Shoulder bag
- √ Dimensions (WxDxH) 35x18x40cm
- √ Weight:5,8Kg




CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
D766D	VOCE I 2648-RD	Pearl Red	€ 528,85	£ 475,97
D811D	VOCE I 2648-BK	Black	€ 528,85	£ 475,97

VOCE II - 3472



- √ Keys: 34 piano system
- √ Bass: 72
- √ Switch right hand: 5
- √ Switch left hand: no
- √ Including padded gigbag with pocket and strap
- √ Accessories: Shoulder bag
- √ Dimensions (WxDxH): 43x19x42 cm
- √ Weight:7,8Kg

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
D767D	VOCE II 3472-RD	Pearl Red	€ 699,25	£ 629,33
D812D	VOCE II 3472-BK	Black	€ 699,25	£ 629,33



ACCORDIONS



VOCE III - 3796



- √ Keys: 37 piano system
- √ Bass: 96
- √ Switch right hand: 7
- √ Switch left hand: 2
- √ Including padded gigbag with pocket and strap
- √ Accessories: Shoulder strap
- √ Dimensions (WxDxH): 51x19x42 cm
- √ Weight: 9,4Kg



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
D768D	VOCE III 3796-RD	Read Pearl	€ 919,60	£ 827,64
D813D	VOCE III 3796-BK	Black	€ 919,60	£ 827,64

VOCE IV A41120-BK



- √ Keys: 41 piano system
- √ Bass: 120
- √ Switch right hand: 7
- √ Switch left hand: 2
- √ Colours: Black
- √ Included hardcase
- √ Accessories: Shoulder strap
- √ Dimensions (WxDxH): 51x19x42cm - Weight: 9,8Kg

CODE	MSRP EUR	MSRP GBP
D769D	€ 1139,96	£ 1025,96

VOCE V B41120-BK



- √ Keys: 41 piano system
- √ Bass: 120
- √ Switch right hand: 11
- √ Switch left hand: 2
- √ Colours: Black
- √ Hardcase included
- √ Accessories: Shoulder strap
- √ Dimensions (WxDxH): 51x19x42cm - Weight: 10,6Kg

CODE	MSRP EUR	MSRP GBP
D770D	€ 1480,77	£ 1332,69

DIATONIC ACCORDIONS

8 Basses

SAC-2108GC-WD

- √ Treble registers: 1
- √ Key: C/G
- √ Buttons: 21
- √ Basses: 8
- √ Finish: natural wood
- √ Bag included

CODE **MSRP EUR** **MSRP GBP**
D584D € 733,43 £ 660,09

SAC-2108AD-WD

- √ Treble registers: 1
- √ Key: A/D
- √ Buttons: 21
- √ Basses: 8
- √ Finish: natural wood
- √ Bag included

CODE **MSRP EUR** **MSRP GBP**
D585D € 733,43 £ 660,09

SAC-2108FBb -WD

- √ Treble registers: 1
- √ Key: F/Bb
- √ Buttons: 21
- √ Basses: 8
- √ Finish: natural wood
- √ Bag included

CODE **MSRP EUR** **MSRP GBP**
D694D € 733,43 £ 660,09



SAC-2108CG-RD

- √ Treble registers: 1
- √ Key: C/G
- √ Buttons: 21
- √ Basses: 8
- √ Finish: Red
- √ Bag included

CODE **MSRP EUR** **MSRP GBP**
D752D € 700,47 £ 630,42

4 Basses

SAC-1304C-WD

- √ Key: C
- √ Buttons: 13
- √ Basses: 4
- √ Finish: natural wood
- √ Bag included

CODE **MSRP EUR** **MSRP GBP**
D545D € 576,86 £ 519,17

SAC-1304G-WD

- √ Key: G
- √ Buttons: 13
- √ Basses: 4
- √ Finish: natural wood
- √ Bag included

CODE **MSRP EUR** **MSRP GBP**
D546D € 576,86 £ 519,17

SAC-1304D-WD

- √ Key: D
- √ Buttons: 13
- √ Basses: 4
- √ Finish: natural wood
- √ Bag included

CODE **MSRP EUR** **MSRP GBP**
D547D € 576,86 £ 519,17



SAC-1304C-RD

- √ Key: C
- √ Buttons: 13
- √ Basses: 4
- √ Finish: perloid red
- √ Bag included



CODE **MSRP EUR** **MSRP GBP**
D510D € 552,14 £ 496,93

SAC-1304G-BL

- √ Key: C
- √ Buttons: 13
- √ Basses: 4
- √ Finish: perloid red
- √ Bag included



CODE **MSRP EUR** **MSRP GBP**
D511D € 552,14 £ 496,93

SAC-1304D-WH

- √ Key: D
- √ Buttons: 13
- √ Basses: 4
- √ Finish: perloid white
- √ Bag included



CODE **MSRP EUR** **MSRP GBP**
D512D € 552,14 £ 496,93

DIATONIC ACCORDIONS

2 basses

SAC-1202C-WD

- √ Key: C
- √ Buttons: 12
- √ Basses: 2
- √ Finish: natural wood
- √ Bag included

CODE	MSRP EUR	MSRP GBP
D542D	€ 516,43	£ 464,79

SAC-1202G-WD

- √ Key: G
- √ Buttons: 12
- √ Basses: 2
- √ Finish: natural wood
- √ Bag included

CODE	MSRP EUR	MSRP GBP
D543D	€ 516,43	£ 464,79

SAC-1202D-WD

- √ Key: D
- √ Buttons: 12
- √ Basses: 2
- √ Finish: natural wood
- √ Bag included

CODE	MSRP EUR	MSRP GBP
D544D	€ 516,43	£ 464,79



SAC-1202C-RD

- √ Key: C
- √ Buttons: 12
- √ Basses: 2
- √ Finish: perloid red
- √ Bag included

CODE	MSRP EUR	MSRP GBP
D507D	€ 472,47	£ 425,22

SAC-1202G-BL

- √ Key: G
- √ Buttons: 12
- √ Basses: 2
- √ Finish: perloid blue
- √ Bag included

CODE	MSRP EUR	MSRP GBP
D508D	€ 472,47	£ 425,22

SAC-1202D-WH

- √ Key: D
- √ Buttons: 13
- √ Basses: 4
- √ Finish: perloid white
- √ Bag included

CODE	MSRP EUR	MSRP GBP
D509D	€ 472,47	£ 425,22



Children Accordions

ST-178B

- √ Mini accordion (keys)
- √ Keys: 17
- √ Basses: 8
- √ Colour: blue



CODE	MSRP EUR	MSRP GBP
D540D	€ 68,08	£ 61,27

ST-178R

- √ Mini accordion (keys)
- √ Keys: 17
- √ Basses: 8
- √ Colour: red



CODE	MSRP EUR	MSRP GBP
D541D	€ 68,08	£ 61,27

ST-214B

- √ Children mini button accordion
- √ Buttons: 7
- √ Basses 2 (+1 for air release)
- √ Colour: blue



CODE	MSRP EUR	MSRP GBP
D355D	€ 35,23	£ 31,71

ST-214R

- √ Mini accordion (buttons)
- √ Buttons: 7
- √ Basses 2 (+1 for air release)
- √ Colour: red



CODE	MSRP EUR	MSRP GBP
D356D	€ 35,23	£ 31,71

ACCESSORIES AND PARTS

DAB-10 - Diatonic accordion carrying bag



- √ Shockproof internal padding
- √ Waterproof polyfoam coating
- √ Interior in black velvet
- √ Zip opening with security clamp
- √ Adjustable padded straps
- √ Front pocket with zip for accessories and sheets
- √ Inner dimensions (LxDxH): 28x15x28 cm
- √ Suitable for 2 or 4 basses diatonic accordions

CODE	MSRP EUR	MSRP GBP
14411	€ 25,15	£ 22,64

Accordion strap

- √ Accordion leather strap, padded, practical and comfortable, adjustable length.
- √ Width: 8cm



CODE	MODEL	WIDTH	WIDTH MAX	MATERIAL	MSRP EUR	MSRP GBP
S064S	T00048	8cm	104cm	Velvet	€ 75,77	£ 68,19
S065S	T00063	5,5cm	102cm	Sky	€ 39,88	£ 35,89
S066S	T00071	4,5cm	100cm	Sky	€ 35,56	£ 32,00

Bass Strap for accordion

- √ Leather bass strap for accordion
- √ length: 55cm

CODE	MODEL	SIZE	MATERIAL	MSRP EUR	MSRP GBP
S061S	T00270	8,5cm	Velvet	€ 27,70	£ 24,93
S062S	T00211	6cm	Sky	€ 17,63	£ 15,87



QS-10

Strap for diatonic accordion, built leather practical and comfortable, adjustable length



- √ Width: 2cm
- √ Max length: 110cm

CODE	MSRP EUR	MSRP GBP
S922S	€ 11,99	£ 10,79

T00341

Little strap for accordion leather adjustable length, ideal for joining of two strap



- √ Width: 2cm
- √ Max length: 50cm

CODE	MSRP EUR	MSRP GBP
S086S	€ 11,53	£ 10,38

Block Bellows

- √ Block bellows leather for accordion



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
S001S	T000331	41 keys 120 basses	€ 10,76	£ 9,68
S440S	37/80	37 keys 80 basses	€ 11,40	£ 10,26

0903 - Universal accordion stand

The accordion is an heavy instrument, specially in its 120 bass version. Playing for long time can be tiring and you may want to focus on your performance, specially during concerts. Or simply you want to show the accordion in your shop, giving chance to your visitors to test it. To both the issues, 0903 stand could be your solution. Stable and super strong, can hold the heaviest instruments and allow to play sitting or standing thanks so its adjustable height. Fits all kind of accordion and hold safely even the heaviest models

- √ Safely hold your accordion and allows to play without carrying it
- √ Height adjustment mechanism to play standing or sitting
- √ Holding frame can be adjusted to fit all kind of accordions of all dimensions
- √ Super heavy duty construction for maximum stability

CODE	MSRP EUR	MSRP GBP
S017S	€ 268,06	£ 241,25



Musical Instruments Stand



MUSICAL INSTRUMENTS STANDS

STRING INSTRUMENTS STANDS

SGS-100

- ✓ Made of light steel
- ✓ Anti-scratch rubber covered contact points
- ✓ Fits electric guitar and basses
- ✓ A style folding structure

CODE	MSRP EUR	MSRP GBP
D494D	€ 10,66	£ 9,59



SGS-110

- ✓ Made of light steel
- ✓ Anti-scratch rubber covered contact points
- ✓ Fits all guitar and basses
- ✓ A style folding structure

CODE	MSRP EUR	MSRP GBP
D495D	€ 10,66	£ 9,59



SGS-120

- ✓ Made of light steel
- ✓ Anti-scratch rubber covered contact points
- ✓ Fits acoustic/classic guitar and acoustic basses
- ✓ A style folding structure

CODE	MSRP EUR	MSRP GBP
D496D	€ 10,66	£ 9,59



SAGS-50

- ✓ Made of light steel
- ✓ Anti-scratch covered contact points
- ✓ Fits all guitar and basses
- ✓ A style folding structure

CODE	MSRP EUR	MSRP GBP
D885D	€ 9,40	£ 8,46



SGS-200

- ✓ Made of light steel
- ✓ Anti-scratch rubber covered contact points
- ✓ Fits all guitar and basses
- ✓ Safety strap on neck to prevent accidental fall
- ✓ Adjustable height

CODE	MSRP EUR	MSRP GBP
D498D	€ 6,12	£ 5,51



SGS-220

- ✓ Made of steel
- ✓ Anti-scratch rubber covered contact points
- ✓ Fits all guitar and basses
- ✓ Safety strap on neck to prevent accidental fall
- ✓ Adjustable height
- ✓ Top handle to move the stand conveniently

CODE	MSRP EUR	MSRP GBP
D500D	€ 18,45	£ 16,61



SGS-210

- ✓ Made of steel
- ✓ Anti-scratch rubber covered contact points
- ✓ Fits all guitar and basses
- ✓ Safety strap on neck to prevent accidental fall
- ✓ Adjustable height

CODE	MSRP EUR	MSRP GBP
D499D	€ 12,06	£ 10,85



FMS20-3

- ✓ Foldable metal frame (3 instruments)
- ✓ Soft rubber for instrument protection
- ✓ Light, compact, stable
- ✓ Finish: Matte Black

CODE	MSRP EUR	MSRP GBP
D763D	€ 27,02	£ 24,32



FMS20-5

- ✓ Foldable metal frame (5 instruments)
- ✓ Soft rubber for instrument protection
- ✓ Light, compact, stable
- ✓ Finish: Matte Black

CODE	MSRP EUR	MSRP GBP
D764D	€ 31,05	£ 27,95



FMS20-7

- ✓ Foldable metal frame (3 instruments)
- ✓ Soft rubber for instrument protection
- ✓ Light, compact, stable
- ✓ Finish: Matte Black

CODE	MSRP EUR	MSRP GBP
D765D	€ 34,93	£ 31,44



STRING INSTRUMENTS STANDS

SWGS-200

- ✓ Wood plate in mahogany finish
- ✓ Rubber cradle with deep design to prevent any scratches and any improper movement of the instrument
- ✓ Fits all kind of guitars and other instruments
- ✓ Mounting screws included



CODE	MSRP EUR	MSRP GBP
D505D	€ 8,23	£ 7,41

SWGS-110

- ✓ Straight cradle, fits all kind of guitars and other instruments
- ✓ Cradle in rubber to prevent scratches
- ✓ Metal black painted plate
- ✓ Mounting screws included



CODE	MSRP EUR	MSRP GBP
D503D	€ 3,93	£ 3,54

SWGS-120

- ✓ Rubber cradle with deep design to prevent any scratches and any improper movement of the instrument
- ✓ Fits all kind of guitars and other instruments
- ✓ Metal black painted plate



CODE	MSRP EUR	MSRP GBP
D504D	€ 3,93	£ 3,54

SWGS-100

- ✓ Suited to all type of guitars or other string instruments
- ✓ Suited for wall units installation
- ✓ Rubber cradle with deep design to prevent any scratches and any improper movement of the instrument
- ✓ Display direction can be adjusted thanks to the articulated cradle



CODE	MSRP EUR	MSRP GBP
D502D	€ 7,48	£ 6,73

SFS-100 Footrest

- ✓ Sturdy construction in metal
- ✓ Height adjustable in 5 different positions
- ✓ Antislip rubber foot board for best stability



CODE	MSRP EUR	MSRP GBP
D501D	€ 5,91	£ 5,32

SGTR-02 - American Bar guitar stool

- ✓ Structure in glossy chromed steel
- ✓ Padded seat in sky, glossy black finish
- ✓ Foot rest
- ✓ Perfect for acoustic guitarists



CODE	MSRP EUR	MSRP GBP
D689D	€ 105,00	£ 94,50

KEYBOARD STANDS

SPHERE Series

SPH-1200 - Expandable double frame keyboard stand

Expandable single frame keyboard stand. Sturdy construction, light and stable featuring an innovative adjusting sphere system. Epossidic painting ensures great durability. Max load: 50kg.

- √ Double 30x20mm steel frame and 28mm tubular arms
- √ Epossidic painting for great durability
- √ Innovative sphere system for quick and accurate setting
- √ Adjustable feet for maximum stability
- √ Expandable through SPH-500 arms
- √ Colour: black

CODE	MSRP EUR	MSRP GBP
D638D	€ 41,41	£ 37,27



SPH-1000 - Expandable single frame keyboard stand

Expandable single frame keyboard stand. Sturdy construction, light and stable featuring an innovative adjusting sphere system. Epossidic painting ensures great durability. Max load: 30kg.

- √ 30x20mm steel frame and 28mm tubular arms
- √ Epossidic painting for great durability
- √ Innovative sphere system for quick and accurate setting
- √ Adjustable feet for maximum stability
- √ Expandable through SPH-500 arms
- √ Colour: black

CODE	MSRP EUR	MSRP GBP
D637D	€ 29,79	£ 26,81



SPH-500 - Universal additional keyboard arms

Additional keyboard arms, created to add a second keyboard to your set up. Conceived for SPHERE series stands, this item is actual a universal expansion suitable for any kind of stand. Steel 30x20mm frame, 28mm tubular arms, innovative sphere mechanism for quick and accurate setting.

- √ Innovative sphere mechanism
- √ Frame: 30x20mm
- √ Tubular arms: 28mm
- √ Epossidic painting for great durability
- √ Colour: black



CODE	MSRP EUR	MSRP GBP
D639D	€ 25,43	£ 22,89

TSLK - Adjustable desk for keyboard/laptop

Turn your keyboard stand into a desk for your laptop, tablet, keyboard and much more. Built in solid metal, TSLK-100 is a universal smart tool combining stability, portability and flexibility. Material: metal Light and stable Finish: matte black



CODE	MODEL	DIMENSIONS	WEIGHT	MSRP EUR	MSRP GBP
D707D	TSLK-100	31.5x59.5 cm	1,4 kg	€ 30,25	£ 27,23
D708D	TSLK-200	39.5x73.5 cm	2,3 kg	€ 35,18	£ 31,66

KS Series

KS-10 - Single keyboard stand with adjustable height

- ✓ Built in steel, sturdy and stable
- ✓ Fits all kind of keyboard and small to medium size workstations
- ✓ Epoxy painted to ensure the best protection and durability
- ✓ Snap-in quick and easy height adjustment mechanism in 5 different position
- ✓ Colour: Black

- ✓ Maximum load: 20 Kg
- ✓ Frame size: 25x25 mm
- ✓ Arm length: 330 mm
- ✓ Arm diameter: 30 mm
- ✓ Height (min-max): 640-980 mm
- ✓ Weight: 2,7 Kg

CODE	MSRP EUR	MSRP GBP
M708M	€ 17,18	£ 14,46



KSC-10 - Keyboard stand for children

- ✓ Sturdy and safe material
- ✓ Adjustable height in 4 positions
- ✓ Suited for children up to 10 years old

- ✓ Height: 52,8 - 82 cm
- ✓ Width: 17,5 - 65 cm
- ✓ Arm Length: 30 cm
- ✓ Arm diameter: 25 mm
- ✓ Material: steel
- ✓ Finish: matte black
- ✓ Weight: 2,3 Kg

CODE	MSRP EUR	MSRP GBP
D739D	€ 16,15	£ 14,54



KS-15U - Single keyboard stand with easy adjust mechanism

- ✓ Built in steel, sturdy and stable
- ✓ Fits all kind of keyboard and small to medium size workstations
- ✓ Epoxy painted to ensure the best protection and durability
- ✓ "Easy Adjust" height adjustment mechanism. Quick and easy with several positions.
- ✓ Adjustable ovalized rubber feet for improved stability
- ✓ Easy to assemble
- ✓ Colour: Black

- ✓ Maximum load: 20 Kg
- ✓ Frame size: 30x15 mm
- ✓ Arm length: 400 mm
- ✓ Arm diameter: 28 mm
- ✓ Height (min-max): 560-980 mm - Weight: 2,15 Kg

CODE	MSRP EUR	MSRP GBP
D895D	€ 18,81	£ 16,93



KS-20U - Single keyboard stand with easy adjust mechanism

- ✓ Built in steel, sturdy and stable
- ✓ Fits all kind of keyboard and small to medium size workstations
- ✓ Epoxy painted to ensure the best protection and durability
- ✓ "Easy Adjust" height adjustment mechanism. Quick and easy with several positions.
- ✓ Adjustable ovalized rubber feet for improved stability
- ✓ Easy to assemble
- ✓ Colour: Black

- ✓ Maximum load: 20 Kg
- ✓ Frame size: 30x15 mm
- ✓ Arm length: 330 mm
- ✓ Arm diameter: 28 mm
- ✓ Height (min-max): 640-980 mm
- ✓ Weight: 2,5 Kg

CODE	MSRP EUR	MSRP GBP
D733D	€ 20,87	£ 18,78



KS-20 - Single keyboard stand with easy adjust mechanism

- ✓ Built in steel, sturdy and stable
- ✓ Fits all kind of keyboard and small to medium size workstations
- ✓ Epoxy painted to ensure the best protection and durability
- ✓ "Easy Adjust" height adjustment mechanism. Quick and easy with several positions.
- ✓ Adjustable ovalized rubber feet for improved stability
- ✓ Assembled version
- ✓ Colour: Black

- ✓ Maximum load: 50 Kg
- ✓ Frame size: 30x15 mm
- ✓ Arm length: 400 mm
- ✓ Arm diameter: 28 mm
- ✓ Height (min-max): 640-970 mm - Weight: 3,25 Kg

CODE	MSRP EUR	MSRP GBP
N099N	€ 22,47	£ 20,22




KEYBOARD STANDS

KS-20-4pack - Single keyboard stand with easy adjust mechanism - 4 pack

- √ Built in steel, sturdy and stable
- √ Fits all kind of keyboard and small to medium size workstations
- √ Epoxy painted to ensure the best protection and durability
- √ "Easy Adjust" height adjustment mechanism. Quick and easy with several positions.
- √ Adjustable ovalized rubber feet for improved stability
- √ Assembled version
- √ 4 pcs package
- √ Colour: Black
- √ Maximum load: 50 Kg
- √ Frame size: 30x15 mm
- √ Arm lenght: 400 mm
- √ Arm diameter: 28 mm
- √ Height (min-max): 640-970 mm - Weight: 3,25 Kg

CODE	MSRP EUR	MSRP GBP
D750D	€ 81,17	£ 73,05



KS-25 - Double frame keyboard stand with easy adjust mechanism

- √ Built in steel, sturdy and stable
- √ Fits all kind of keyboard and medium size workstations or digital pianos
- √ Epoxy painted to ensure the best protection and durability
- √ "Easy Adjust" height adjustment mechanism. Quick and easy with several positions.
- √ Adjustable ovalized rubber feet for improved stability
- √ Easy to assemble
- √ Colour: Black
- √ Maximum load: 70 Kg
- √ Frame size: 30x15 mm double frame
- √ Arm lenght: 400 mm
- √ Arm diameter: 28 mm
- √ Height (min-max): 640-970 mm
- √ Weight: 5,75 Kg



CODE	MSRP EUR	MSRP GBP
N135N	€ 25,83	£ 23,25

KS-60 - Digital piano stand with height and width adjustment

- √ Built in steel, with sturdy and stable construction
- √ Conceived to hold digital pianos and workstations
- √ Epoxy painted to ensure the best protection and durability
- √ Height adjustment mechanism on each leg
- √ Width adjustment mechanism to fit your instrument size
- √ Foldable design for convenient carrying
- √ Black finish
- √ Weight: 7.3 Kgs
- √ Load capacity: 80 Kg
- √ Height (min-max): 650-1100 mm
- √ Base width (min-max): 735-1300 mm
- √ Base depth: 240 mm
- √ Weight: 7,3 Kg



CODE	MSRP EUR	MSRP GBP
N237N	€ 56,55	£ 50,90

MSA-100

Additional music stand for rounded frame keyboard stands

- ✓ Material: metal
- ✓ Foldable - Rotating
- ✓ Adjustable height
- ✓ Stand height (Min-Max): 20cm - 37cm
- ✓ ABS cable holder
- ✓ Finish: black



CODE	MSRP EUR	MSRP GBP
D705D	€ 10,60	£ 9,54

MICA-100

Adjustable additional mic stand for rounded frame stands

- ✓ Material: metal
- ✓ Rotating - Adjustable height
- ✓ Adjustable arm length
- ✓ Stand height (Min-Max): 37cm - 64cm
- ✓ Arm length: (Min-Max): 8cm - 32cm
- ✓ ABS cable holder - Finish: black



CODE	MSRP EUR	MSRP GBP
D706D	€ 15,68	£ 14,11

KB-200

- ✓ Adjustable height with 3 positions
- ✓ Comfortable padded seat in black sky
- ✓ Frame in steel
- ✓ Anti-slip rubber feet



CODE	MSRP EUR	MSRP GBP
D814D	€ 21,46	£ 19,31

KT-200

- ✓ Adjustable stool for keyboard or drum
- ✓ Seat diameter: 330 mm
- ✓ Height (min-max): 600-890mm
- ✓ Maximum load: 100 Kg



CODE	MSRP EUR	MSRP GBP
D858D	€ 26,33	£ 23,70

SBH-100 Series

SBH-100P-BK

- ✓ Seat: black sky
- ✓ Finish: glossy black



CODE	MSRP EUR	MSRP GBP
S633S	€ 86,43	£ 77,79

SBH-100P-MH

- ✓ Seat: sky black
- ✓ Finish: glossy mahogany



CODE	MSRP EUR	MSRP GBP
S634S	€ 86,43	£ 77,79

SBH-100P-WA

- ✓ Seat: sky black
- ✓ Finish: glossy walnut



CODE	MSRP EUR	MSRP GBP
S635S	€ 86,43	£ 77,79

SBH-100P-WH

- ✓ Seat: white sky
- ✓ Finish: glossy white



CODE	MSRP EUR	MSRP GBP
S636S	€ 86,43	£ 77,79

SBH-100P-SRW

- ✓ Seat: black sky
- ✓ Finish: satin rosewood



CODE	MSRP EUR	MSRP GBP
S805S	€ 86,43	£ 77,79

SBH-100P-RW

- ✓ Seat: black sky
- ✓ Finish: glossy rosewood



CODE	MSRP EUR	MSRP GBP
S804S	€ 86,43	£ 77,79

MUSICAL INSTRUMENTS STANDS

PIANO BENCHES

SBH-100P-SBK

- ✓ Seat: black sky
- ✓ Finish: satin black



CODE **MSRP EUR** **MSRP GBP**
S687S € 86,43 £ 77,79

SBH-100P-SMH

- ✓ Seat: black sky
- ✓ Finish: satin mahogany



CODE **MSRP EUR** **MSRP GBP**
S688S € 86,43 £ 77,79

SBH-100P-SWA

- ✓ Seat: black sky
- ✓ Finish: satin walnut



CODE **MSRP EUR** **MSRP GBP**
S689S € 86,43 £ 77,79

SBH-100P-SWH

- ✓ Seat: white sky
- ✓ Finish: satin white



CODE **MSRP EUR** **MSRP GBP**
U191U € 86,43 £ 77,79

SBH-103V-BK

- ✓ Seat: black velvet
- ✓ Finish: glossy black



CODE **MSRP EUR** **MSRP GBP**
S637S € 86,43 £ 77,79

SBH-103V-MH

- ✓ Seat: brown velvet
- ✓ Finish: glossy mahogany



CODE **MSRP EUR** **MSRP GBP**
S638S € 86,43 £ 77,79

SBH-103V-WA

- ✓ Seat: brown velvet
- ✓ Finish: glossy walnut



CODE **MSRP EUR** **MSRP GBP**
S639S € 86,43 £ 77,79

SBH-103V-WH

- ✓ Seat: white velvet
- ✓ Finish: glossy white



CODE **MSRP EUR** **MSRP GBP**
S640S € 86,43 £ 77,79

SBH-103V-SBK

- ✓ Seat: black velvet
- ✓ Finish: satin black



CODE **MSRP EUR** **MSRP GBP**
S690S € 86,43 £ 77,79

SBH-103V-SMH

- ✓ Seat: brown velvet
- ✓ Finish: satin mahogany



CODE **MSRP EUR** **MSRP GBP**
S691S € 86,43 £ 77,79

SBH-103V-SWA

- ✓ Seat: brown velvet
- ✓ Finish: satin walnut



CODE **MSRP EUR** **MSRP GBP**
S692S € 86,43 £ 77,79

SBH-103V-SWH

- ✓ Seat: white velvet
- ✓ Finish: satin white



CODE **MSRP EUR** **MSRP GBP**
U150U € 86,43 £ 77,79

SBH-103V-SRW

- ✓ Seat: brown velvet
- ✓ Finish: satin rosewood



CODE **MSRP EUR** **MSRP GBP**
S807S € 86,43 £ 77,79

SBH-103V-RW

- ✓ Seat: brown velvet
- ✓ Finish: glossy rosewood



CODE **MSRP EUR** **MSRP GBP**
S806S € 86,43 £ 77,79

SBH-104V-BK

- ✓ Seat: red velvet
- ✓ Finish: glossy black



CODE **MSRP EUR** **MSRP GBP**
U166U € 86,43 £ 77,79

SBH-104V-RW

- ✓ Seat: red velvet
- ✓ Finish: glossy rosewood



CODE **MSRP EUR** **MSRP GBP**
U167U € 86,43 £ 77,79

SCLAS-10 - Clarinet stand with round base

- ✓ Built in sturdy and anti-scratch ABS
- ✓ Suited both for clarinet and flutes
- ✓ Simple and elegant design
- ✓ Height: 190 mm
- ✓ Base diameter: 130 mm
- ✓ Weight: 1,1 Kg



CODE	MSRP EUR	MSRP GBP
S764S	€ 9,12	£ 8,21

STRPS-10 - Trumpet stand with tripod base and height adjustment

- ✓ Built in sturdy metal with anti-scratch ABS contact points
- ✓ Tripod base for improved stability
- ✓ Suited for trumpets of most bell sizes
- ✓ Simple and elegant design with height adjustment
- ✓ Foldable legs for convenient carrying
- ✓ Height(min-max): 200-400 mm
- ✓ Weight: 0,7 Kg



CODE	MSRP EUR	MSRP GBP
S765S	€ 13,10	£ 11,79

SASXS-10 - Saxophone stand with tripod base

- ✓ Built in sturdy metal with anti-scratch material contact points
- ✓ Tripod base for improved stability
- ✓ Suited for all saxophone with curved design
- ✓ Foldable legs for easy carrying
- ✓ Height(min-max): 505-530 mm
- ✓ Weight: 1,1 Kg



CODE	MSRP EUR	MSRP GBP
S767S	€ 13,27	£ 11,94

SDSC-10 - Multiple stand for two clarinets or flutes and one saxophone

- ✓ Built in metal with anti-scratch material contact points
- ✓ Fitting two clarinets or two flutes and one saxophone
- ✓ Universal design, fits most clarinet, flutes and curved saxophones
- ✓ Height (min-max): 505-530 mm
- ✓ Weight: 0,9 Kg



CODE	MSRP EUR	MSRP GBP
S768S	€ 12,50	£ 11,25

SDSC-20 - Multiple stand for two clarinets or flutes and two saxophones

- ✓ Built in metal with anti-scratch material contact points
- ✓ Fitting two clarinets or two flutes and two saxophones
- ✓ Universal design, fits most clarinet, flutes and curved saxophones
- ✓ Height (min-max): 395-420 mm
- ✓ Weight: 1,8 Kg



CODE	MSRP EUR	MSRP GBP
S769S	€ 20,47	£ 18,42

MUSICAL INSTRUMENTS STANDS

BOWED INSTRUMENTS STANDS

SDBST100 - Doublebass stand with 3 setting points

- ✓ Sturdy metal construction
- ✓ Three setting points to fit different sizes and models
- ✓ Foldable design for easy carrying
- ✓ Anti-scratch cover material on contact points
- ✓ End pin rest

✓ Height: (min-max): 430-980 mm
 ✓ Base Dimensions (L x P min-max): 400 x 350-580 mm
 ✓ Weight: 3 Kg

CODE	MSRP EUR	MSRP GBP
D697D	€ 43,68	£ 39,31



SCEST100-BK - Cello stand with 3 setting points

- ✓ Sturdy metal construction
- ✓ Three setting points to fit different sizes and models
- ✓ Foldable design for easy carrying
- ✓ Anti-scratch cover material on contact points
- ✓ End pin rest

✓ Height: (min-max): 500-840 mm
 ✓ Base Dimensions (L x P min-max): 400 x 350-580 mm
 ✓ Weight: 2,6 Kg

CODE	MSRP EUR	MSRP GBP
D698D	€ 39,41	£ 35,47



SWVS-200 - Violin and viola wall stand with wood base and bow holder

- ✓ Stand for violin and viola
- ✓ Bow holder hook
- ✓ Rubber cradle with deep design to prevent any scratches and any improper movement of the instrument
- ✓ Plate in natural wood
- ✓ Mounting screws included

CODE	MSRP EUR	MSRP GBP
D740D	€ 5,41	£ 4,87



MUSIC STANDS

SMS-750-BK

- ✓ Professional foldable music stand with nylon bag
- ✓ Lyre classic design
- ✓ Built in steel material with zinc fittings
- ✓ Two height adjustment points and one for table angle
- ✓ Totally foldable
- ✓ Including carrying bag

✓ Height (min-max): 75 - 145 cm
 ✓ Table dimension (LxH): 465 x 230 mm
 ✓ Weight: 1,5 Kg
 ✓ Black painted finish

CODE	MSRP EUR	MSRP GBP
D719D	€ 16,00	£ 14,40



SMS-500-BK

- ✓ Student foldable music stand with 3 setting points
- ✓ Lyre classic design
- ✓ Built in steel material with zinc fittings
- ✓ Two height adjustment points and one for table angle
- ✓ Totally foldable
- ✓ Including carrying bag

✓ Height (min-max): 74 - 140 cm
 ✓ Table dimension (LxH): 46,5 x 23 cm
 ✓ Weight: 1,3 Kg
 ✓ Black painted finish

CODE	MSRP EUR	MSRP GBP
D488D	€ 12,24	£ 11,02



SMS-420

- ✓ Foldable music stand with nylon bag
- ✓ Classic design
- ✓ Built in steel material with nylon fittings
- ✓ Two height adjustment points and one for table angle
- ✓ Totally foldable
- ✓ Including carrying bag

✓ Height (min-max): 75 - 140 cm
 ✓ Table dimension (LxH): 465 x 230 mm - Weight: 1,5 Kg
 ✓ Black painted finish

CODE	MSRP EUR	MSRP GBP
R616R	€ 8,96	£ 8,06



TMS-100-BK

- ✓ Table music stand with bag
- ✓ Foldable table music stand
- ✓ Built in metal
- ✓ Bag with handle for easy transportation
- ✓ Light, compact, stable
- ✓ Colour: black

CODE	MSRP EUR	MSRP GBP
Q787Q	€ 9,41	£ 8,47



SPMS-200+BAG

- √ Bundle with orchestra music with removable perforated plate and bag
- √ Wide metal perforated plate
- √ Easy & quick plate insert/removal
- √ All metal construction
- √ Tripod base with nylon block
- √ Including carrying bag

- √ Height(min-max): 94 - 142 cm
- √ Plate dimensions: 47,5 x 34,5 cm - Weight 3 Kg
- √ Black painted finish

CODE	MSRP EUR	MSRP GBP
BUNDLE001	€ 27,57	£ 24,81



SWMS-100

- √ Orchestra music stand with removable wood plate and nylon bag
- √ Wood table brings a classic and elegant touch
- √ Steel structure
- √ Tripod base with foldable legs
- √ Base and joints in diecast steel
- √ Including carrying bag

- √ Height: 94 cm x 145 cm
- √ Table size: 55 x 37 cm - Weight 3,8 kg
- √ Black painted finish

CODE	MSRP EUR	MSRP GBP
D491D	€ 40,16	£ 36,14



SPMS-300

- √ Orchestra music stand with "bayonet style" removable perforated plate and nylon bag
- √ Wide metal perforated table 47,5 x 34,5 cm
- √ Easy & quick "Bayonet Style" table insert/removal
- √ All metal construction
- √ Tripod base with zinc block
- √ Including carrying bag

- √ Height(min-max): 94 - 142 cm
- √ Weight 4 Kg
- √ Black painted finish

CODE	MSRP EUR	MSRP GBP
D493D	€ 31,46	£ 28,31



STMS-200

- √ Orchestra music stand with "bayonet style" removable metal plate and nylon bag
- √ Wide metal table 47,5 x 34,5 cm
- √ Easy & quick "Bayonet Style" table insert/removal
- √ All metal construction
- √ Tripod base with zinc block
- √ Including carrying bag

- √ Height(min-max): 94 - 142 cm
- √ Weight 4 Kg
- √ Black painted finish

CODE	MSRP EUR	MSRP GBP
D492D	€ 31,46	£ 28,31



SPMS-200-BK

- √ Orchestra music with removable perforated plate
- √ Wide metal perforated plate
- √ Easy & quick plate insert/removal
- √ All metal construction
- √ Tripod base with nylon block

- √ Height(min-max): 94 - 142 cm
- √ Plate dimensions: 47,5 x 34,5 cm
- √ Weight 3 Kg
- √ Black painted finish

CODE	MSRP EUR	MSRP GBP
D762D	€ 22,05	£ 19,85



MUSICAL INSTRUMENTS STANDS

MUSIC STANDS & ACCESSORIES

MSL-4 - Double clip lamp for music stand (2x2 LED)

- ✓ Double tube for great flexibility of use
- ✓ 2x2 LED ensure optimal enlightenment
- ✓ Battery (3XAAA) or USB cable (included)
- ✓ Clip mounting system
- ✓ Material: PVC
- ✓ Colour: black
- ✓ USB cable length: 90cm



CODE	MSRP EUR	MSRP GBP
L648L	€ 9,39	£ 8,45

MSL-9 - 9 LED clip lamp for music stand

- ✓ Single tube with great flexibility
- ✓ 9 LED ensure optimal enlightenment
- ✓ Power supply: Battery (2XAA), USB cable (included) or DC 5V 500mA power supplier (included)
- ✓ Large clip mounting system for maximum stability
- ✓ Material: PVC
- ✓ Easy folding and ultra-compact for easy transportation
- ✓ Colour: black
- ✓ Cable length: 190cm

CODE	MSRP EUR	MSRP GBP
L649L	€ 26,10	£ 23,49



SBPMS-100 - Wide top music stand bag

SBPMS-100 carrying bag is designed for wide table music stands. The internal compartment allows to carry the music stand without scratching it.

- ✓ For wide table music stands, like Soundsation SPMS-200
- ✓ Internal compartment
- ✓ Dimension: 600x400 mm



CODE	MSRP EUR	MSRP GBP
D818D	€ 6,90	£ 6,21

P72 - Conductor baton

Built in plastic material, lightweight and resistant, it is equipped with a large teardrop handle for a perfect grip and hold.

- ✓ Total length: 38 cm
- ✓ Handle length: 6 cm
- ✓ Weight: 15 grams
- ✓ Color: black handle with white stick

CODE	MSRP EUR	MSRP GBP
B154B	€ 7,05	£ 6,35



TABSTAND-200 - Universal tablet holder with stand attachment clamp

Tablet and smartphones are extremely powerful and versatile tools which find many applications among the music players. Whether you need to read scores or play backing tracks, with TABSTAND-100 you can have your tablet at your fingertips. Designed for iPad and Mini iPad is compatible with most tablets of different sizes. The clamp allows to attach it to a microphone or music stand and thanks to the turnable junction it can be directed vertically or horizontally.

- ✓ ABS construction
- ✓ Universal stand, compatible with iPad, Mini iPad and most tablets of different sizes
- ✓ Tablet holder with adjustable height
- ✓ Holder with curved angles to hold the tablet safely
- ✓ Turnable joint for landscape or portrait use
- ✓ Adjustable clamp to attach with microphone or music stands
- ✓ iPad and Mini iPad are registered trademarks of Apple Inc.

✓ Tablet holder size: 191 x 248-283 mm - Arm length: 150 mm

CODE	MSRP EUR	MSRP GBP
D753D	€ 12,18	£ 10,96



Cases



STRING INSTRUMENTS CASES

SBG-30 series - 30 mm padding

- √ Adjustable straps
- √ Double handle
- √ Double front pocket + side pocket

- √ Colour: black and grey
- √ Padding: 30mm

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
B429B	SBG-30-CG	Classical Guitar 4/4	€ 40,19	£ 36,17
B430B	SBG-30-EB	Electric Bass Guitar	€ 40,19	£ 36,17
B431B	SBG-30-AG	Acoustic guitar	€ 40,19	£ 36,17
B432B	SBG-30-EG	Electric Guitar	€ 38,28	£ 34,45



PGB series - 10 mm padding

Carry and protect your gear with PGB-10 series bags, featuring 10mm padding, adjustable straps, handle and frontal pocket for notebook and accessories storage.

- √ Adjustable straps
- √ Ergonomic handle
- √ Wide front pocket
- √ Colour: black and grey
- √ Colour embroidered logo

PGB-10CG



PGB-10EG



PGB-10FLY



CODE	MODEL	INSTRUMENT	PADDING	INTERNAL DIMENSIONS	MSRP EUR	MSRP GBP
L418L	PGB-10CG	Classical guitar	10mm	108x42x13,5cm	€ 22,03	£ 19,83
L419L	PGB-10CG34	Classical guitar 3/4	10mm	100x41x13cm	€ 22,03	£ 19,83
L420L	PGB-10AG	Acoustic guitar	10mm	111x43x13cm	€ 22,03	£ 19,83
L422L	PGB-10EB	Electric bass guitar	10mm	123x36x9cm	€ 22,03	£ 19,83
L426L	PGB-10MA	Archtop mandolin	10mm	71x26x(19+9)cm	€ 14,69	£ 13,22
L421L	PGB-10EG	Electric guitar	10mm	106x39x9cm	€ 22,03	£ 19,83
L423L	PGB-10FLY	Flying V style	10mm	120x48x10cm	€ 23,06	£ 20,75
L424L	PGB-10BB	Banjo/Bouzouky	10mm	8x38x14cm	€ 19,99	£ 17,99
L425L	PGB-10UK	Ukulele/Fat Mandolin	10mm	73x30x12cm	€ 14,69	£ 13,22

STRING INSTRUMENTS CASES

PGB series - 5 mm padding

Carry and protect your gear with PGB-5 series bags, featuring 5mm padding, adjustable straps, handle and frontal pocket + superior pocket for notebook and accessories storage.

- √ Adjustable straps
- √ Padded handle
- √ Wide front pocket + upper pocket
- √ Colour: black and grey
- √ Colour embroidered logo



CODE	MODEL	INSTRUMENT	PADDING	INTERNAL DIMENSIONS	MSRP EUR	MSRP GBP
L427L	PGB-5CG	Classical guitar	5mm	108x42x13.5cm	€ 11,72	£ 10,55
L428L	PGB-5CG34	Classical guitar 3/4	5mm	100x41x13cm	€ 11,72	£ 10,55
L819L	PGB-5EG34	Electric guitar 3/4	5mm	93x31x7.5cm	€ 11,48	£ 10,33
L430L	PGB-5EG	Electric guitar	5mm	106x39x9cm	€ 11,72	£ 10,55
L431L	PGB-5EB	Bass guitar	5mm	123x36x9cm	€ 11,72	£ 10,55
L429L	PGB-5AG	Acoustic guitar	5mm	111x43x13cm	€ 11,72	£ 10,55

SBG-10 Gigbag

Carry and protect your gear with SBG-10 series bags, featuring adjustable straps, handle and frontal pocket for notebook and accessories storage.

- √ Adjustable straps
- √ Handle
- √ Front pocket
- √ Colour: black and grey



CODE	MODEL	INSTRUMENT	MSRP EUR	MSRP GBP
B419B	SBG-10-CG	Classical guitar 4/4	€ 8,48	£ 7,63
B420B	SBG-10CG34	Classical guitar 3/4	€ 8,48	£ 7,63
B421B	SBG-10-AG	Acoustic guitar	€ 8,48	£ 7,63
B422B	SBG-10-EG	Electric guitar	€ 8,48	£ 7,63
B423B	SBG-10-EB	Electric Bass guitar	€ 8,07	£ 7,26
B548B	SBG-10CG 1/2	Classical guitar 1/2	€ 8,48	£ 7,63

STRING INSTRUMENTS CASES

DHC-EG - Hard case for electric guitar teardrop shaped

Built in wood, featuring inner padding and pocket, DHC series hard cases are the best solution to protect and carry your gear with comfort and safety. The case is designed to fit several types of guitars, being Strat, Tele, LP, SG and more.

- √ Material: wood + outer PVC
- √ Inner padding
- √ Inner pocket
- √ Handle
- √ Metal lock (with key)
- √ Colour: black
- √ Suitable for several types of electric guitar being Strat, Tele, LP, SG
- √ Interior length: 101.5cm
- √ Interior width: 34cm
- √ Depth: 8.5cm
- √ Interior head width: 17.5cm
- √ Interior body length: 46.5cm



CODE	MSRP EUR	MSRP GBP
L694L	€ 74,82	£ 67,34

DHC-EB - Hard case for electric bass (drop shaped)

Built in wood, featuring inner padding and pocket, DHC series hard cases are the best solution to protect and carry your gear with comfort and safety. The case is designed to fit several types of basses, including Jazz, Precision, Musicman and more.

- √ Material: wood + outer PVC
- √ Inner padding
- √ Inner pocket
- √ Handle
- √ Metal lock (with key)
- √ Colour: black
- √ Suitable for several types of electric bass: Jazz, Precision, MusicMan and more
- √ Interior length: 119.5cm
- √ Interior width: 34.5cm
- √ Depth: 8.5cm
- √ Interior head width: 18cm
- √ Interior body length: 56.5cm



CODE	MSRP EUR	MSRP GBP
L695L	€ 74,82	£ 67,34

STRING INSTRUMENTS CASES

Hard case for Guitar and bass

Built in wood, featuring inner padding and pocket, SC series hard cases are the best solution to protect and carry your gear with comfort and safety.

- √ Material: wood + outer PVC
- √ Inner padding
- √ Inner pocket
- √ Handle
- √ Metal lock (with key)
- √ Colour: black



CODE	MODEL	INSTRUMENT	MSRP EUR	MSRP GBP
A490A	SCJG	Jumbo guitar	€ 76,41	£ 68,77
A491A	SCCG	Classical guitar	€ 74,82	£ 67,34
A492A	SCWG	Acoustic guitar	€ 74,82	£ 67,34
A493A	SCEB	Electric Bass guitar	€ 74,82	£ 67,34
A494A	SCEG	Electric guitar	€ 74,82	£ 67,34
A495A	SCEGR	Electric guitar	€ 74,82	£ 67,34
A496A	SCEBR	Electric Bass guitar	€ 74,82	£ 67,34
A498A	SCEA35	Hollow Body 335 stye	€ 74,82	£ 67,34
A499A	SCAB	Acoustic Bass guitar	€ 78,03	£ 70,23
A500A	SCLP	Les Paul style	€ 74,82	£ 67,34
A518A	SCEA75	Hollow Body 175 style	€ 76,41	£ 68,77
A958A	SCWG-BV	Acoustic guitar	€ 76,41	£ 68,77

Vintage style Hard Case for Ukulele

Built in wood, featuring inner padding and pocket, SC series hard cases are the best solution to protect and carry your gear with comfort and safety.

- √ Material: wood + outer PVC

- √ Inner padding
- √ Inner pocket
- √ Handle
- √ Metal lock (with key)
- √ Colour: brown vintage

CODE	MODEL	INSTRUMENT	MSRP EUR	MSRP GBP
A967A	SCSU	Soprano ukulele	€ 53,91	£ 48,52
A968A	SCCU	Concerto ukulele	€ 57,12	£ 51,41
A969A	SCTU	Tenor ukulele	€ 60,36	£ 54,32
A970A	SCBU	Baritone ukulele	€ 61,95	£ 55,76




STRING INSTRUMENTS CASES

TWEED DELUXE hardcases perfectly gather sturdiness, protection and visual appeal. Featuring soft yet protective interior, accessory compartment, heavy duty gold plated hardware, 3 golden latches with security keys and Tweed fabric covering.

TD100-A - Archtop hardcase for acoustic guitar in tweed covering


- ✓ 3-ply cross grained wood archtop protection
- ✓ Soft yet protective interior with accessories compartment
- ✓ Heavy duty gold plated hardware
- ✓ 3 gold finish latches with locking key
- ✓ Tweed fabric covering
- ✓ Instrument: acoustic guitar
- ✓ Total interior length: 107cm
- ✓ Body interior length: 61cm
- ✓ W1 interior width (see pic): 15.5cm
- ✓ W2 interior width (see pic): 32cm
- ✓ W3 interior width (see pic): 30cm
- ✓ W4 interior width (see pic): 41cm
- ✓ Interior height: 14.5cm



CODE	MSRP EUR	MSRP GBP
L709L	€ 83,30	£ 74,97

TD100-C - Archtop hardcase for classic guitar in tweed covering

- ✓ 3-ply cross grained wood archtop protection
- ✓ Soft yet protective interior with accessories compartment
- ✓ Heavy duty gold plated hardware
- ✓ 3 gold finish latches with locking key
- ✓ Tweed fabric covering
- ✓ Instrument: classic guitar
- ✓ Total interior length: 102cm
- ✓ Body interior length: 55.5cm
- ✓ W1 interior width (see pic): 14cm
- ✓ W2 interior width (see pic): 30cm
- ✓ W3 interior width (see pic): 27.5cm
- ✓ W4 interior width (see pic): 37.5cm
- ✓ Interior height: 13.5cm




CODE	MSRP EUR	MSRP GBP
L710L	€ 83,30	£ 74,97

STRING INSTRUMENTS CASES

SD200-A - Archtop hardcase for acoustic guitar in Snowflake covering


- √ 3-ply cross grained wood archtop protection
- √ Soft yet protective interior with accessories compartment
- √ Heavy duty vintage bronze hardware
- √ 4 vintage bronze finish latches with locking key
- √ Snowflake fabric covering
- √ 3 digits security locking system
- √ Straps and padded handle
- √ Instrument: acoustic guitar
- √ Total interior length: 107cm
- √ Body interior length: 61cm
- √ W1 interior width (see pic): 15.5cm
- √ W2 interior width (see pic): 32cm
- √ W3 interior width (see pic): 30cm
- √ W4 interior width (see pic): 41cm
- √ Interior height: 14.5cm



CODE	MSRP EUR	MSRP GBP
L711L	€ 105,32	£ 94,79

SD200-C - Archtop hardcase for classic guitar in Snowflake covering

- √ 3-ply cross grained wood archtop protection
- √ Soft yet protective interior with accessories compartment
- √ Heavy duty vintage bronze hardware
- √ 4 vintage bronze finish latches with locking key
- √ Snowflake fabric covering
- √ 3 digits security locking system
- √ Straps and padded handle
- √ Instrument: classic guitar
- √ Total interior length: 102cm
- √ Body interior length: 55.5cm
- √ W1 interior width (see pic): 14cm
- √ W2 interior width (see pic): 30cm
- √ W3 interior width (see pic): 27.5cm
- √ W4 interior width (see pic): 37.5cm
- √ Interior height: 13.5cm



CODE	MSRP EUR	MSRP GBP
L712L	€ 105,32	£ 94,79

DRUMS & PERCUSSIONS CASES

Carry and protect your percussion with SBG series bag, featuring 25mm padding, adjustable strap, handle and frontal pocket for notebook and accessories storage.

- √ Adjustable strap
- √ Handle
- √ Front pocket
- √ Colour: black and grey with embroidered logo

Bag for Bass Drum

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
B446B	SBG-22BD-10	22" 22"x20"	€ 45,82	£ 41,24
B563B	SBG-20BD-10	20" 20"x18"	€ 40,49	£ 36,44
B564B	SBG-18BD-10	18" 18"x16"	€ 38,16	£ 34,34



Bag for Floor Tom

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
B445B	SBG-16FTM-10	16" 16"x16"	€ 34,30	£ 30,87
B562B	SBG-14FTM-10	14" 14"x14"	€ 31,60	£ 28,44



Bag for Tom

CODE	MODEL	SIZE	MSRP EUR	MSRP GB
B442B	SBG-10TOM-10	10" 10"x10"	€ 18,11	£ 16,30
B443B	SBG-12TOM-10	12" 12"x12"	€ 20,08	£ 18,07
B444B	SBG-13TOM-10	13" 13"x13"	€ 23,32	£ 20,99



Bag for Snare Drum

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
B447B	SBG-14SNA-20	14" 14"x6"	€ 24,50	£ 22,05



DRUMS & PERCUSSIONS CASES

SBG-DJE-10

- ✓ 25mm padded bag for djembè
- ✓ Adjustable strap
- ✓ Handle
- ✓ Front pocket
- ✓ Colour: black and grey with embroidered logo



CODE	MSRP EUR	MSRP GBP
B441B	€ 18,96	£ 17,06

SCYB-10

- ✓ 10mm padding bag for cymbals featuring pocket
- ✓ Adjustable strap
- ✓ Padded handle
- ✓ Front pocket
- ✓ Internal compartment
- ✓ Colour: black
- ✓ Measurements: diameter 62cm/ height 8,5cm



CODE	MSRP EUR	MSRP GBP
B411B	€ 18,99	£ 17,09

SBG-BOG-10



- ✓ 25mm padded bag for bongos
- ✓ Adjustable strap
- ✓ Handle
- ✓ Front pocket
- ✓ Colour: black and grey with embroidered logo

CODE	MSRP EUR	MSRP GBP
B440B	€ 17,34	£ 15,61

SBG-TST-10



- ✓ Drumsticks bag featuring adjustable strap
- ✓ Adjustable strap
- ✓ Zip closure
- ✓ Colour: black with white logo

CODE	MSRP EUR	MSRP GBP
B438B	€ 5,06	£ 4,55

SBG-ST-10



- ✓ Padded drumsticks bag featuring adjustable strap and pocket
- ✓ Adjustable strap
- ✓ Zip closure
- ✓ Pocket
- ✓ Colour: black and grey with colour embroidered logo

CODE	MSRP EUR	MSRP GBP
B437B	€ 10,16	£ 9,14

KEYBOARD INSTRUMENT CASES

Padded keyboard bag with strap and pocket

Protect your keyboard with SB series bags, built in anti-snatch polyester featuring 10mm padding. Strap and wide pocket allow easy transportation and efficient storage, while grey binding and embroidered colour logo complete the stunning visual appeal.



CODE	MODEL	INTERNAL DIMENSIONS	MSRP EUR	MSRP GBP
B107B	SB10	48x18x6 cm	€ 15,66	£ 14,09
B157B	SB11	64x22x8 cm	€ 19,46	£ 17,51
B169B	SB12	74x30x9 cm	€ 19,26	£ 17,33
B170B	SB13	87x33x10 cm	€ 21,76	£ 19,58
B172B	SB14	93x33x11 cm	€ 23,20	£ 20,88
B106B	SB15	112x42x15 cm	€ 33,66	£ 30,29
B130B	SB16	115x42x20 cm	€ 35,60	£ 32,04
B184B	SB17	105x37x13 cm	€ 30,62	£ 27,56
B185B	SB19	122x42x16 cm	€ 35,86	£ 32,27
B551B	SB20	105.5x3 x12 cm	€ 30,39	£ 27,35
B552B	SB21	129.5x44.5x16.5 cm	€ 38,22	£ 34,40
I609I	SB22	133x40x16.5 cm	€ 38,22	£ 34,40

BBM - Keyboard bag for MEDELI MC37A with strap and pocket

BBM is specifically designed for MEDELI MC37A keyboard. Strap and wide pocket allow easy transportation and efficient storage.

- √ Anti-snatch polyester
- √ Strap
- √ Pocket
- √ Colour: black
- √ Inner sizes: 66x22.5x0.8cm

CODE	MSRP EUR	MSRP GBP
L820L	€ 9,98	£ 8,98



BBC - Keyboard bag fits CASIO SA with strap and pocket

BBC is specifically designed for CASIO SA keyboard. Strap and wide pocket allow easy transportation and efficient storage.

- √ Anti-snatch polyester
- √ Strap
- √ Pocket
- √ Colour: black
- √ Inner sizes: 48x20x0.6cm

CODE	MSRP EUR	MSRP GBP
L821L	€ 9,51	£ 8,56



BOWED INSTRUMENTS CASES

RS-105 - Shaped soft cases for violin

Built with resistant but lightweight materials, RS-105 case is protective but easy to carry. It features an accessory pocket and double bow holder. The internal lining in blue velvet prevent scratches and make sure you can carry your instrument safely.

- √ Shaped style built of wood material
- √ External fittings in black polyester
- √ Internal lining in blue velvet
- √ Accessories pocket and double bow holder
- √ Double zip closing



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
A296A	RS-105 44	4/4	€ 19,20	£ 17,28
A356A	RS-105 34	3/4	€ 19,20	£ 17,28

SBV- Carrying bag for cellos

Made with best material to ensure protection and durability, the SBV4 carrying bag is 20 mm padded to protect your cello. An handle and shoulder traps ensure a comfortable carrying in every situation.

- √ Made in polyester
- √ Black color
- √ Inner lining in polyester
- √ Accessory and books external pocket
- √ Bow pocket
- √ Zip closing



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
B247B	SBV4	4/4	€ 31,14	£ 28,03
B248B	SBV3	3/4	€ 31,14	£ 28,03


WIND INSTRUMENTS CASES

Bags and Cases for Wind instruments



CODE	MODEL	INSTRUMENTS	MSRP EUR	MSRP GBP
S981S	C-SFL10	Case for flute C	€ 13,63	£ 12,27
S982S	C-STP10	Case for Trumpet Bb	€ 25,57	£ 23,01
S983S	C-SCL10	Soft Case for clarinet Bb	€ 34,09	£ 30,68
S984S	C-SCL11	Case for Clarinet Eb	€ 17,04	£ 15,34
S985S	C-STB10	Case for trombone Bb	€ 85,22	£ 76,70

Digital Tuners and Metronomes



TUNERS AND METRONOMES

DIGITAL TUNERS

DTM-30 - Chromatic tuner with metronome function and earphones

An all-in-one tool for practicing and study sessions: chromatic tuner and metronome in your hand, in a compact, slight device. Auto/manual modes for tuner, wide rhythms and tempos selection, Tone Generator function. A very complete tool: jack input, built-in speaker and microphone, phone out and included earphones.

- √ Chromatic tuner and metronome with Tone Generator function
- √ Tuner: jack input, built-in microphone, auto/manual modes, 430-450 Hz, suitable for guitar, bass, violin, ukulele, wind instrument
- √ Metronome: wide rhythms and tempos selection, volume control, built-in speaker
- √ Earphone included
- √ Power supply: 2xAAA
- √ Colour: black
- √ Measurements: 106x65x92mm (LxWxH)
- √ Weight: 60gr



CODE	MSRP EUR	MSRP GBP
I888I	€ 16,57	£ 14,91

DT-20- Compact chromatic tuner

DT-20 is a chromatic ultra compact tuner featuring auto/manual modes, jack input and built-in speaker allowing easy tuning both for electric and acoustic gear. Suitable for guitar, bass, violin.

- √ Chromatic tuner
- √ Jack input
- √ Built-in microphone
- √ Auto/manual modes
- √ Suitable for guitar, bass, violin
- √ A4 range: 435-445 Hz
- √ Power supply: 2xAAA
- √ Colour: silver
- √ Measurements: 61x92x15mm (WxHxD)
- √ Weight: 70gr



CODE	MSRP EUR	MSRP GBP
I889I	€ 11,20	£ 10,08

MPT-20 - Chromatic mini pedal tuner

Ultra compact chromatic tuner in a mini stompbox format, spotting multicolour leds for perfect visibility in every situation. True bypass, metal chassis.

- √ True bypass
- √ Fast and accurate tuning in every situation
- √ Sturdy metal chassis
- √ Input and Output: 1/4" mono audio jack
- √ Power supply: 9V DC (center negative)
- √ Dimensions: 9x35x33mm
- √ Weight: 190 gr



CODE	MSRP EUR	MSRP GBP
L685L	€ 27,95	£ 25,16

BHCT-10 - Mini digital clip stuner

The ultimate mini clip tuner: hides behind your headstock, only you can see it! Higher accuracy and sensitivity, wide tuning range, green lcd display for maximum visibility on stage, rotating head. And last but not the least, you can leave it mounted on your instrument inside most of cases!



- √ Type: chromatic
- √ Invisible to the audience
- √ 360 degrees swivel
- √ Lcd green display for maximum visibility on stage
- √ Remains mounted on the instrument inside most cases
- √ Accurate and high sensitive
- √ A4 Freq: 410-450Hz
- √ Tuning range: 0A(27.5Hz)-8C(4186.01 Hz)

CODE	MSRP EUR	MSRP GBP
N803N	€ 10,58	£ 9,52

CCT-20 - Rotating chromatic clip tuner

A very smart tool: CCT-20 is a rotating chromatic tuner you can attach to your instrument's headstock via clip in an easy and quick way. It's back-lightened led screen allows perfect visibility on stage, and you can tune your instrument even if it is unplugged. 6 working modes: chromatic, guitar, bass, violin, ukelele C/D. Ultra compact, ultra reliable, visually captivating. Always in tune with CCT-20!



- √ Chromatic
- √ Anti-scratch clip
- √ Rotating
- √ Back-lightened led screen
- √ 6 working modes: chromatic, guitar, bass, violin, ukelele C/D
- √ Ultra compact and light
- √ A4 Freq: 440Hz
- √ Precision: +/- 1 cent
- √ Tuning range: 0A-8C
- √ Power supply: 1xCR2032
- √ Weight: 19gr

CODE	MSRP EUR	MSRP GBP
1890I	€ 5,45	£ 4,91

DIGITAL METRONOMES

DM-10 - Compact metronome featuring built-in speaker and phones output

DM-10 is a compact metronome featuring built-in speaker and phones output. Wide rhythm and velocity selection, double led (red/green) and belt clip for easy hanging. Compact, light, reliable: a fundamental tool for your practicing sessions.

- √ Compact and light
- √ Built-in speaker
- √ Phones output (phones not included)
- √ Double led (red/green)
- √ Rhythm and velocity selection
- √ Belt clip

CODE	MSRP EUR	MSRP GBP
N277N	€ 12,56	£ 11,30



TUNERS AND METRONOMES

MECHANIC METRONOMES

MM-10

Metronome is the basic tool for musicians: everyone knows the importance of timing. Precise and elegant, MM-10W is the ideal study-mate both for beginners and advanced players.

- √ Precise and reliable
- √ With bell



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
N278N	MM-10W	Mahogany wooden finish	€ 39,79	£ 35,81
N279N	MM-10P-B	ABS black finish	€ 33,66	£ 30,29
N280N	MM-10P-R	ABS red finish	€ 33,66	£ 30,29

PITCH PIPES

S-PI0

- √ Metal pitch pipe (A - 440 Hz)
- √ Metal onstruction
- √ Silver finish
- √ Pitch: A - 440 Hz



CODE	MSRP EUR	MSRP GBP
G489G	€ 1,71	£ 1,54

S-PP1P

- √ Plastic pitch pipe (6 pitches)
- √ PVC construction



CODE	MSRP EUR	MSRP GBP
G490G	€ 1,76	£ 1,58

S-PP13P

- √ Metal pitch pipe set (13 pcs)
- √ Metal onstruction
- √ Silver finish
- √ 13 blistered pieces



CODE	MSRP EUR	MSRP GBP
G492G	€ 2,68	£ 2,41

Speakers



ACTIVE SPEAKERS

Hyper series

HYPER series is the result of years of experience gathered by Soundsation in Portable Sound systems. This speaker line is built with a sturdy, lightweight and stylish polypropylene enclosure with full metal grille and acoustic foam to protect the transducers. The cutting-edge design, according to latest industry standard, offers both a great look and an optimal sound quality. All models are equipped with a Class D amp and switching power supply to deliver massive power with great efficiency and light weigh. (with the exception of the 6"). MIC and Line inputs to connect all major input sources, being microphones, mixers or media players. Featuring four M8 flying points distributed on each side, 1 handle on top and a standard D36mm pole mount hole it is ideal for both fixed installation or portable applications.

Common Features

- √ High resonance, sturdy and lightweight polypropylene cabinet with full metal grille and foam soundproof material
- √ Microphone/line inputs XLR + jack jack ¼", stereo RCA + stereo mini jack ideal to connect smartphones or tablets
- √ XLR output mix out
- √ Volume and equalization Hi/LOW controls
- √ Suited for stage monitor use at 30°/45°
- √ Top handle for easy carrying
- √ 36mm pole mount
- √ 4 M8 flying points, one each side

HYPER TOP 6A - 200W 6" Polypropylene active speaker

- √ 2-Way Active Speaker
- √ Class AB 200W amplifier
- √ 6" woofer and 1" driver

- √ Woofer: 6" with 1.2" voice coil
- √ Compression driver: 1" voice coil, 1" throat
- √ Horn: 90° x 60°, symmetric
- √ Frequency Response [- 10dB]: 67Hz - 19KHz
- √ Frequency Response [- 3dB]: 72Hz - 19KHz
- √ Max SPL: 108dB
- √ Sensitivity: 89dB
- √ Class AB amplifier
- √ Power (Peak/Rated): 200W/100W
- √ Crossover: 3.5KHz, 18dB/Oct
- √ EQ: High (2.5KHz, +/- 12 dB); Low (150Hz, +/- 12 dB)
- √ LEDs: Power On (Green), Clip (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 60W
- √ Power Connector: VDE with T1A-250V Fuse
- √ Dimensions (WxHxD): 217 x 367 x 209 mm
- √ Weight: 5,8 Kg



CODE	MSRP EUR	MSRP GBP
L474L	€ 136,94	£ 123,25

HYPER TOP 8A - 480W 8" Polypropylene bi-amped active speaker

- √ 2-Way bi-amped Active Speaker
- √ 2 Class D amplifiers 480W (432W+48W)
- √ 8" woofer and 1" driver

- √ Woofer: 8" with 1.5" voice coil
- √ Compression driver: 1" voice coil, 1" throat
- √ Horn: 90° x 60°, symmetric
- √ Frequency Response [- 10dB]: 56Hz - 19KHz
- √ Frequency Response [- 3dB]: 61Hz - 19KHz
- √ Max SPL: 111dB
- √ Sensitivity: 91dB
- √ 2 x Class D amplifier
- √ Power (Peak/Rated): 480W (432+48W) / 240W (216+24W)
- √ Crossover: 3.5KHz, 24dB/Oct.
- √ EQ: High (2.5KHz, +/- 12 dB); Low (150Hz, +/- 12 dB)
- √ LEDs: Power On (Green), Clip (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 120W
- √ Power Connector: VDE with T2A-250V Fuse
- √ Dimensions (WxHxD): 270 x 495 x 270 mm
- √ Weight: 7,2 Kg



CODE	MSRP EUR	MSRP GBP
L475L	€ 163,49	£ 147,14

HYPER TOP 10A - 500W 10" Polypropylene bi-amped active speaker

- √ 2-Way bi-amped Active Speaker
- √ 2 Class D amplifiers 500W (440W+60W)
- √ 10" woofer and 1" driver

- √ Woofer: 10" with 2" voice coil
- √ Compression driver: 1" voice coil, 1" throat
- √ Horn: 90° x 60°, symmetric
- √ Frequency Response [- 10dB]: 53Hz - 19KHz
- √ Frequency Response [- 3dB]: 58Hz - 19KHz
- √ Max SPL: 116dB
- √ Sensitivity: 93dB
- √ 2 x Class D amplifier
- √ Power (Peak/Rated): 500W (440+60W) / 250W (220+30W)
- √ Crossover: 3.2KHz, 24dB/Oct.
- √ EQ: High (2.5KHz, +/- 12 dB); Low (150Hz, +/- 12 dB)
- √ LEDs: Power On (Green), Clip (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 125W
- √ Power Connector: VDE with T2A-250V Fuse
- √ Dimensions (WxHxD): 300 x 528 x 306 mm
- √ Weight: 9 Kg



CODE **MSRP EUR** **MSRP GBP**
L476L **€ 195,21** **£ 175,69**

HYPER TOP 12A - 1000W 12" Polypropylene bi-amped active speaker

- √ 2-Way bi-amped Active Speaker
- √ Class D amplifier for Low-frequencies; Class-AB for High-frequencies. 1000W total power (800W+200W)
- √ 12" woofer and 1.35" driver

- √ Woofer: 12" with 2.5" voice coil
- √ Compression driver: 1.35" voice coil, 1" throat
- √ Horn: 90° x 60°, symmetric
- √ Frequency Response [- 10dB]: 48Hz - 19KHz
- √ Frequency Response [- 3dB]: 53Hz - 19KHz
- √ Max SPL: 119dB
- √ Sensitivity: 95dB
- √ Amplifiers: Class-D (Low freq.); Class-AB (High Freq.)
- √ Power (Peak/Rated): 1000W (800+200W) / 500W (400+100W)
- √ Crossover: 2.8KHz, 24dB/Oct.
- √ EQ: High (2.5KHz, +/- 12 dB); Low (150Hz, +/- 12 dB)
- √ LEDs: Power On (Green), Clip (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 250W
- √ Power Connector: VDE with T2A-250V Fuse
- √ Dimensions (WxHxD): 355 x 611 x 350 mm
- √ Weight: 14,6 Kg



CODE **MSRP EUR** **MSRP GBP**
L477L **€ 235,81** **£ 212,23**

HYPER TOP 15A - 1000W 15" Polypropylene bi-amped active speaker

- √ 2-Way bi-amped Active Speaker
- √ Class D amplifier for Low-frequencies; Class-AB for High-frequencies. 1000W total power (800W+200W)
- √ 15" woofer and 1.35" driver

- √ Woofer: 15" with 3" voice coil
- √ Compression driver: 1.35" voice coil, 1" throat
- √ Horn: 90° x 60°, symmetric
- √ Frequency Response [- 10dB]: 41Hz - 19KHz
- √ Frequency Response [- 3dB]: 46Hz - 19KHz
- √ Max SPL: 121dB
- √ Sensitivity: 96dB
- √ Amplifiers: Class-D (Low freq.); Class-AB (High Freq.)
- √ Power (Peak/Rated): 1000W (800+200W) / 500W (400+100W)
- √ Crossover: 2.6KHz, 24dB/Oct.
- √ EQ: High (2.5KHz, +/- 12 dB); Low (150Hz, +/- 12 dB)
- √ LEDs: Power On (Green), Clip (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 250W
- √ Power Connector: VDE with T2A-250V Fuse
- √ Dimensions (WxHxD): 420 x 697 x 383 mm
- √ Weight: 18 Kg



CODE **MSRP EUR** **MSRP GBP**
L478L **€ 261,21** **£ 235,09**

ACTIVE SPEAKERS

HYPER-PRO TOP 12A - 12" 1200W Peak 2-way Powered Loudspeakers with Easy Control DSP

- ✓ Bi-Amped Active Speaker
- ✓ 1200W Peak Power
- ✓ Amplifier: Class-D (low-frequencies); Class-AB (high-frequencies)
- ✓ 3-Band EQ
- ✓ 4-Preset DSP (Music, Live, Speech, DJ)
- ✓ Graphic back-lit display
- ✓ Sturdy and Lightweight Polypropylene Enclosure with black anti-scratch paint
- ✓ Standard D36mm tripod / pole hole
- ✓ 30° and 45° Stage Monitor Use Angles

- ✓ Frequency Response: 52Hz - 20kHz / -10dB
- ✓ Max SPL: 124 dB
- ✓ Low-freq. Transducer: 12" Woofer
- ✓ High-freq. Transducer: 1.35" Compression Driver
- ✓ Coverage: 90° x 60°
- ✓ Low-Frequency Amplifier: Class-D 300W RMS - 1000W Picco
- ✓ High-Frequency Amplifier: Class-AB 50W RMS - 200W Picco
- ✓ AC Mains: 220/240V - 50/60Hz
- ✓ Power Consumption: 365W
- ✓ Fuse: T3.15A-250V
- ✓ 3-Band EQ: High (10kHz, ±12dB), Mid (2kHz, ±12dB), Low (100Hz, ±12dB)
- ✓ Presets: Music, Live, Speech, DJ
- ✓ High-Pass Filter Cut: 80Hz / 100Hz / 120Hz / 150Hz
- ✓ Digital Master Level: -60dB / + 10dB (70 steps)
- ✓ Input Connections: 2 x COMBO (XLR + 1/4" Jack, balanced)
- ✓ Output Connections: 1 x XLR (Mix output, balanced)
- ✓ Housing material: Polypropylene
- ✓ 1.2mm Steel Grille
- ✓ Handles: 2 on sides; 1 on top
- ✓ Tripod/Pole Hole: Standard D36mm
- ✓ Stage Monitor Use Angle: 30° and 45°
- ✓ Speaker Size (WxHxD): 413 x 677 x 410 mm - Speaker Weight: 14.7 kg



CODE
L828L

MSRP EUR
€ 337,09

MSRP GBP
£ 303,38

HYPER-PRO TOP 15A - 15" 1200W Peak 2-way Powered Loudspeakers with Easy Control DSP

- ✓ Bi-Amped Active Speaker
- ✓ 1200W Peak Power
- ✓ Amplifier: Class-D (low-frequencies); Class-AB (high-frequencies)
- ✓ 3-Band EQ
- ✓ 4-Preset DSP (Music, Live, Speech, DJ)
- ✓ Graphic back-lit display
- ✓ Sturdy and Lightweight Polypropylene Enclosure with black anti-scratch paint
- ✓ Standard D36mm tripod / pole hole
- ✓ 30° and 45° Stage Monitor Use Angles

- ✓ Frequency Response: 45Hz - 20kHz / -10dB
- ✓ Max SPL: 130 dB
- ✓ Low-freq. Transducer: 15" Woofer
- ✓ High-freq. Transducer: 1.35" Compression Driver
- ✓ Coverage: 90° x 60°
- ✓ Low-Frequency Amplifier: Class-D 300W RMS - 1000W Picco
- ✓ High-Frequency Amplifier: Class-AB 50W RMS - 200W Picco
- ✓ AC Mains: 220/240V - 50/60Hz
- ✓ Power Consumption: 370W
- ✓ Fuse: T3.15A-250V
- ✓ 3-Band EQ: High (10kHz, ±12dB), Mid (2kHz, ±12dB), Low (100Hz, ±12dB)
- ✓ Presets: Music, Live, Speech, DJ
- ✓ High-Pass Filter Cut: 80Hz / 100Hz / 120Hz / 150Hz
- ✓ Digital Master Level: -60dB / + 10dB (70 steps)
- ✓ Input Connections: 2 x COMBO (XLR + 1/4" Jack, balanced)
- ✓ Output Connections: 1 x XLR (Mix output, balanced)
- ✓ Housing material: Polypropylene
- ✓ 1.2mm Steel Grille
- ✓ Handles: 2 on sides; 1 on top
- ✓ Tripod/Pole Hole: Standard D36mm
- ✓ Stage Monitor Use Angle: 30° and 45°
- ✓ Speaker Size (WxHxD): 480 x 762 x 437 mm - Speaker Weight: 20.0 kg



CODE
L829L

MSRP EUR
€ 367,18

MSRP GBP
£ 330,46




soundsation
Feel the Sound

Pro Audio

ACTIVE SPEAKERS

Go-Sound series

Go-Sound series is built with the user in mind. As a result of years of experience gathered by Soundsation in portable sound systems, we designed these versatile high-quality speakers with unmatched value and performances. Built in a polypropylene cabinet, sturdy yet compact and lightweight, these active speakers are equipped with Class AB amplifiers, which guarantee reliability and outstanding performances. Mic and line inputs are included to allow the user to connect various audio sources such as microphones, mixers as well as smartphones and tablets. Go-Sound series is an incredible value and the perfect solution in many situations such as parties, presentations, schools, conference and live music, delivering great sound quality, reliability and ease of use.

Common Features

- √ 2-Way Active Speaker
- √ Sturdy polypropylene enclosure yet compact and lightweight
- √ Balanced microphone/Line inputs XLR + ¼" Jack and line inputs Stereo RCA + Stereo Mini jack ideal to connect smartphones and tablets
- √ XLR line output
- √ Mic/line switch, volume and equalizer (Hi and Low) controls
- √ 36 mm standard pole mount
- √ 2 side handles for convenient carrying

GO-SOUND 8A - 320 Watt 8" Polypropylene Active Speaker

- √ 320 Watt class AB power amplifier
- √ 8" woofer with 1" compression driver
- √ Woofer: 8" with 1.2" voice coil
- √ Compression driver: 1" voice coil, 1" throat
- √ Directivity: 90° x 50°, asymmetric
- √ Frequency Response [- 3dB]: 80Hz - 18KHz
- √ Frequency Response [- 10dB]: 75Hz - 18KHz
- √ Max SPL(Peak): 110dB - Sensitivity: 91dB
- √ Power (Peak/Rated): 320W/160W
- √ Crossover: 3.5KHz, 18dB/Oct.
- √ EQ: High (2.5KHz, +/- 12 dB); Low (150Hz, +/- 12 dB)
- √ LEDs: Power On (Green), Clip (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 90W
- √ Power Connector: VDE with T1A-250V Fuse
- √ Speaker Dimension (WxHxD): 260 x 390 x 250 mm - Weight: 5 Kg



CODE	MSRP EUR	MSRP GBP
L479L	€ 101,13	£ 91,02

GO-SOUND 10A - 480 Watt 10" Polypropylene Active Speaker

- √ 480 Watt class AB power amplifier
- √ 10" woofer with 1" compression driver
- √ Woofer: 10" with 1.5" voice coil
- √ Compression driver: 1" voice coil, 1" throat
- √ Directivity: 90° x 50°, asymmetric
- √ Frequency Response [- 3dB]: 75Hz - 18KHz
- √ Frequency Response [- 10dB]: 70Hz - 18KHz
- √ Max SPL(Peak): 112 dB - Sensitivity: 93dB
- √ Power (Peak/Rated): 480W/240W
- √ Crossover: 3.2KHz, 18dB/Oct.
- √ EQ: High (2.5KHz, +/- 12 dB); Low (150Hz, +/- 12 dB)
- √ LEDs: Power On (Green), Clip (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 130W
- √ Power Connector: VDE with T1A-250V Fuse
- √ Speaker Dimension (WxHxD): 320 x 490 x 260 mm - Weight: 6,4 Kg



CODE	MSRP EUR	MSRP GBP
L480L	€ 137,54	£ 123,79

GO-SOUND 12A - 880 Watt 12" Polypropylene Active Speaker

- √ 880 Watt class AB power amplifier
- √ 12" woofer with 1.35" compression driver
- √ Woofer: 12" with 2" voice coil
- √ Compression driver: 1.35" voice coil, 1" throat
- √ Directivity: 90° x 50°, asymmetric
- √ Frequency Response [- 3dB]: 60Hz - 18KHz
- √ Frequency Response [- 10dB]: 55Hz - 18KHz
- √ Max SPL(Peak): 114dB - Sensitivity: 94dB
- √ Power (Peak/Rated): 880W/440W
- √ Crossover: 3KHz, 24dB/Oct.
- √ EQ: High (2.5KHz, +/- 12 dB); Low (150Hz, +/- 12 dB)
- √ LEDs: Power On (Green), Clip (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 230W
- √ Power Connector: VDE with T3.15A-250V Fuse
- √ Speaker Dimension (WxHxD): 375 x 588 x 320 mm - Weight: 12,2 Kg



CODE	MSRP EUR	MSRP GBP
L481L	€ 177,27	£ 159,54

GO-SOUND 15A - 880 Watt 15" Polypropylene Active Speaker

- √ 880 Watt class AB power amplifier
- √ 15" woofer with 1.35" compression driver
- √ Woofer: 15" with 2.5" voice coil
- √ Compression driver: 1.35" voice coil, 1" throat
- √ Directivity: 90° x 50°, asymmetric
- √ Frequency Response [- 3dB]: 55Hz - 18KHz
- √ Frequency Response [- 10dB]: 50Hz - 18KHz
- √ Max SPL(Peak): 116dB - Sensitivity: 95dB
- √ Power (Peak/Rated): 880W/440W
- √ Crossover: 2.7KHz, 24dB/Oct.
- √ EQ: High (2.5KHz, +/- 12 dB); Low (150Hz, +/- 12 dB)
- √ LEDs: Power On (Green), Clip (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 230W
- √ Power Connector: VDE with T3.15A-250V Fuse
- √ Speaker Dimension (WxHxD): 440 x 703 x 370 mm - Weight: 15 Kg



CODE	MSRP EUR	MSRP GBP
L482L	€ 198,94	£ 179,05

GO-SOUND 1ZAM - 880 Watt 12" Polypropylene Active Speaker with MP3/ Bluetooth™ player

- √ 880 Watt class AB power amplifier
- √ 12" woofer with 1.35" compression driver
- √ Large LCD display MP3 player with USB/SD input and Bluetooth™ and to play your favourites tunes
- √ Balanced Microphone/Line inputs XLR + ¼" Jack, line inputs Stereo RCA + XLR, line input stereo Mini jack ideal to connect smartphones and tablets
- √ XLR line output
- √ Mic/line switch, volume and equalizer (Hi and Low) controls
- √ 2-Way active speaker
- √ Woofer: 12" with 2" voice coil
- √ Compression driver: 1.35" voice coil, 1" throat
- √ Directivity: 90° x 50°, asymmetric
- √ Frequency Response [- 3dB]: 60Hz - 18KHz
- √ Frequency Response [- 10dB]: 55Hz - 18KHz
- √ Max SPL(Peak): 114dB
- √ Sensitivity: 94dB
- √ Power (Peak/Rated): 880W/440W
- √ Crossover: 3KHz, 24dB/Oct.
- √ EQ: High (2.5KHz, +/- 12 dB); Low (150Hz, +/- 12 dB)
- √ USB/SD input: compatible with memory stick/sd card up to 32 GB
- √ Media player formats: MP3 fino a 320kBs e Wav 16 bit 44.1 kHz
- √ LEDs: Power On (Green), Clip (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 230W
- √ Power Connector: VDE with T3.15A-250V Fuse
- √ Speaker Dimension (WxHxD): 375 x 588 x 320 mm
- √ Weight: 12,2 Kg



CODE	MSRP EUR	MSRP GBP
L483L	€ 201,35	£ 181,22

GO-SOUND 1SAM - 880 Watt 15" Polypropylene Active Speaker with MP3/ Bluetooth™ player

- √ 880 Watt class AB power amplifier
- √ 15" woofer with 1.35" compression driver
- √ 2-Way active speaker
- √ Woofer: 15" with 2.5" voice coil
- √ Compression driver: 1.35" voice coil, 1" throat
- √ Directivity: 90° x 50°, asymmetric
- √ Frequency Response [- 3dB]: 55Hz - 18KHz
- √ Frequency Response [- 10dB]: 50Hz - 18KHz
- √ Max SPL(Peak): 116dB
- √ Sensitivity: 95dB
- √ Power (Peak/Rated): 880W/440W
- √ Crossover: 2.7KHz, 24dB/Oct.
- √ EQ: High (2.5KHz, +/- 12 dB); Low (150Hz, +/- 12 dB)
- √ USB/SD input: compatible with memory stick/sd card up to 32 GB
- √ Media player formats: MP3 fino a 320kBs e Wav 16 bit 44.1 kHz
- √ LEDs: Power On (Green), Clip (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 230W
- √ Power Connector: VDE with T3.15A-250V Fuse
- √ Speaker Dimension (WxHxD): 440 x 703 x 370 mm
- √ Weight: 15 Kg



CODE	MSRP EUR	MSRP GBP
L484L	€ 223,02	£ 200,72



PASSIVE SPEAKERS

Hyper series

HYPER TOP Passive Series speakers are part of a wider range of SOUNDSATION Pro Audio product line. It offers 5 models, from 6.5" to 15". These speakers have been designed to be lightweight, reliable and offer high-level sound in both fixed installation and portable applications. Powers ranging from 320W to 1400W peak, selected transducers, advanced housing material and anti-scratch dark-gray paint are the ingredients wisely combined to offer the best to even the most demanding professionals. All speakers can be suspended through the M8 hanging points, or placed on a speaker stand by using the D36mm hole on the bottom.

HYPER TOP 6P - 2-way, 320W Peak Power, 6.5" Polypropylene Passive Speaker



- √ 2-Way Passive Speaker
- √ High resonance, Sturdy and Lightweight Propylene Cabinet with Full-metal Grille, Soundproof Fabric and Dark-Grey Finishing
- √ 80W RMS – 320W Peak Power @ 8ohms
- √ 6.5" Woofer and 1" Compression Driver
- √ 90° x 60° Symmetric Horn
- √ 2x 2-Poles Speakon Connectors
- √ 1x Handle on Top
- √ 36mm Pole Mount Hole
- √ 4x M8 Flying points

- √ Frequency Response: [- 10dB]: 72Hz-19.6KHz
- √ Max SPL(PEAK): 108dB
- √ Power: 80W RMS - 320W Peak
- √ Impedance: 8 ohms
- √ Low-Freq. Transducer: 6.5" Woofer
- √ High-Freq. Transducer: 1" Compression Driver (1" voice coil)
- √ Horn Type: symmetric, 90° x 60°
- √ Crossover Frequency: 3.5kHz
- √ Input/Output Connectors: two 2-Poles Speakon Connectors (+1 Positive, -1 Negative)
- √ Stage Monitor Use Angle: 30° and 45°
- √ Speaker Size (LxHxD): 22 x 36,8 x 21 cm
- √ Speaker Weight: 4.7 kg

CODE	MSRP EUR	MSRP GBP
L830L	€ 78,25	£ 70,43

HYPER TOP 8P - 2-way, 400W Peak Power, 8" Polypropylene Passive Speaker



- √ 2-Way Passive Speaker
- √ High resonance, Sturdy and Lightweight Propylene Cabinet with Full-metal Grille, Soundproof Fabric and Dark-Grey Finishing
- √ 100W RMS – 400W Peak Power @ 8ohms
- √ 8" Woofer and 1" Compression Driver
- √ 90° x 60° Symmetric Horn
- √ 2x 2-Poles Speakon Connectors
- √ 2 Handles (1 on each side)
- √ 36mm Pole Mount Hole
- √ 4x M8 Flying points

- √ Frequency Response: [- 10dB]: 61Hz-19.6KHz
- √ Power: 100W RMS - 400W Peak
- √ Impedance: 8 ohms
- √ Low-Freq. Transducer: 8" Woofer
- √ High-Freq. Transducer: 1" Compression Driver (1" voice coil)
- √ Horn Type: symmetric, 90° x 60°
- √ Crossover Frequency: 3.5kHz
- √ Input/Output Connectors: two 2-Poles Speakon Connectors (+1 Positive, -1 Negative)
- √ Stage Monitor Use Angle: 30° and 45°
- √ Speaker Size (LxHxD): 27.5 x 49.2 x 27.1 cm
- √ Speaker Weight: 7.4 kg

CODE	MSRP EUR	MSRP GBP
L831L	€ 87,28	£ 78,55

PASSIVE SPEAKERS

HYPER TOP 10P - 2-way, 880W Peak Power, 10" Polypropylene Passive Speaker



- √ 2-Way Passive Speaker
- √ High resonance, Sturdy and Lightweight Propylene Cabinet with Full-metal Grille, Soundproof Fabric and Dark-Grey Finishing
- √ 220W RMS – 880W Peak Power @ 8ohms
- √ 10" Woofer and 1" Compression Driver
- √ 90° x 60° Symmetric Horn
- √ 2x 2-Poles Speakon Connectors
- √ 3 Handles (1 on each side, 1 on top)
- √ 36mm Pole Mount Hole
- √ 4x M8 Flying points

- √ Frequency Response: [- 10dB]: 58Hz-19.6KHz
- √ Power: 220W RMS - 880W Peak
- √ Impedance: 8 ohms
- √ Low-Freq. Transducer: 10" Woofer
- √ High-Freq. Transducer: 1" Compression Driver (1" voice coil)
- √ Horn Type: symmetric, 90° x 60°
- √ Crossover Frequency: 3.2kHz
- √ Input/Output Connectors: two 2-Poles Speakon Connectors (+1 Positive, -1 Negative)
- √ Stage Monitor Use Angle: 30° and 45°
- √ Speaker Size (LxHxD): 30.2 x 52.9 x 31 cm
- √ Speaker Weight: 10.4 kg

CODE	MSRP EUR	MSRP GBP
L832L	€ 117,38	£ 105,64

HYPER TOP 12P - 2-way, 1200W Peak Power, 12" Polypropylene Passive Speaker



- √ 2-Way Passive Speaker
- √ High resonance, Sturdy and Lightweight Propylene Cabinet with Full-metal Grille, Soundproof Fabric and Dark-Grey Finishing
- √ 300W RMS – 1200W Peak Power @ 8ohms
- √ 12" Woofer and 1" Compression Driver (1.35" voice coil)
- √ 90° x 60° Symmetric Horn
- √ 2x 2-Poles Speakon Connectors
- √ 3 Handles (1 on each side, 1 on top)
- √ 36mm Pole Mount Hole
- √ 4x M8 Flying points

- √ Frequency Response: [- 10dB]: 53Hz-19.8KHz
- √ Power: 300W RMS - 1200W Peak
- √ Impedance: 8 ohms
- √ Low-Freq. Transducer: 12" Woofer
- √ High-Freq. Transducer: 1" Compression Driver (1.35" voice coil)
- √ Horn Type: symmetric, 90° x 60°
- √ Crossover Frequency: 2.8 kHz
- √ Input/Output Connectors: two 2-Poles Speakon Connectors (+1 Positive, -1 Negative)
- √ Stage Monitor Use Angle: 30° and 45°
- √ Speaker Size (LxHxD): 35.8 x 61.3 x 35.6 cm - Speaker Weight: 13.5 kg

CODE	MSRP EUR	MSRP GBP
L833L	€ 153,49	£ 138,14

HYPER TOP 15P - 2-way, 1400W Peak Power, 15" Polypropylene Passive Speaker



- √ 2-Way Passive Speaker
- √ High resonance, Sturdy and Lightweight Propylene Cabinet with Full-metal Grille, Soundproof Fabric and Dark-Grey Finishing
- √ 350W RMS – 1400W Peak Power @ 8ohms
- √ 15" Woofer and 1" Compression Driver (1.35" voice coil)
- √ 90° x 60° Symmetric Horn
- √ 2x 2-Poles Speakon Connectors
- √ 3 Handles (1 on each side, 1 on top)
- √ 36mm Pole Mount Hole
- √ 4x M8 Flying points

- √ Frequency Response: [- 10dB]: 45Hz-19.8KHz
- √ Power: 350W RMS - 1400W Peak
- √ Impedance: 8 ohms
- √ Low-Freq. Transducer: 15" Woofer
- √ High-Freq. Transducer: 1" Compression Driver (1.35" voice coil)
- √ Horn Type: symmetric, 90° x 60°
- √ Crossover Frequency: 2.6 kHz
- √ Input/Output Connectors: two 2-Poles Speakon Connectors (+1 Positive, -1 Negative)
- √ Stage Monitor Use Angle: 30° and 45°
- √ Speaker Size (LxHxD): 42.5 x 69.8 x 38.5 cm - Speaker Weight: 18.3 kg

CODE	MSRP EUR	MSRP GBP
L834L	€ 183,59	£ 165,23

ACTIVE SUBWOOFERS

Hyper series

Common Features

- √ Bass-reflex Active Subwoofer
- √ Integrated active crossover
- √ XLR L/R Balanced Line Inputs
- √ XLR L/R Balanced Filtered Outputs, XLR L/R Balanced Link Outputs
- √ Controls: Sub Level, 80-120Hz crossover switch, 0-180° Phase, Shape switch, Ground
- √ Lift On-Off
- √ RMS, Overload, Thermal limiter protection
- √ Multiplex Birch plywood enclosure with painted black finish
- √ 2 lateral recessed handles
- √ M20 type speaker pole mount to reduce vibrations

HYPER BASS 12A - 900 Watt Bass reflex active subwoofer



- √ 12" woofer
- √ 900 Watt class D amplifier

- √ Woofer: 12", 3" voice coil
- √ Amplifier: 900W Peak/ 450W RMS, Class-D
- √ Max SPL(Peak): 120dB
- √ Crossover Frequency: 120 Hz (24dB/Oct.)
- √ Frequency Response [- 10dB]: From 40 Hz to 150 Hz
- √ Frequency Response [- 3dB]: From 50 Hz to 120 Hz
- √ LEDs: Power On (Green), Signal (Green) / Limit (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 500W
- √ Power Connector: VDE with T5AL-250V Fuse
- √ Dimensions (LxHxW): 480 x 480 x 560 mm - Weight: 17 Kg

CODE	MSRP EUR	MSRP GBP
L485L	€ 451,45	£ 406,31

HYPER BASS 15A - 1200 Watt 15" Bass reflex active subwoofer



- √ 15" woofer
- √ 1200 Watt class D amplifier
- √ Predisposition for 4 wheels (not included)

- √ Woofer: 15", 4" voice coil
- √ Amplifier: 1200W Peak/ 600W RMS, Class-D
- √ Max SPL(Peak): 124dB
- √ Crossover Frequency: 120 Hz (24dB/Oct.)
- √ Frequency Response [- 10dB]: From 35 Hz to 150 Hz
- √ Frequency Response [- 3dB]: From 40 Hz to 120 Hz
- √ LEDs: Power On (Green), Signal (Green) / Limit (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 750W
- √ Power Connector: VDE with T5AL-250V Fuse
- √ Dimensions (LxHxW): 520 x 670 x 625 mm - Weight: 29 Kg

CODE	MSRP EUR	MSRP GBP
L486L	€ 511,65	£ 460,49

HYPER BASS 18A - 1200 Watt 18" Bass reflex active subwoofer



- √ 18" woofer
- √ 1200 Watt class D amplifier
- √ Predisposition for 4 wheels (not included)

- √ Woofer: 18", 4" voice coil
- √ Amplifier: 1200W Peak/ 600W RMS, Class-D
- √ Max SPL(Peak): 126dB
- √ Crossover Frequency: 120 Hz (24dB/Oct.)
- √ Frequency Response [- 10dB]: From 30 Hz to 150 Hz
- √ Frequency Response [- 3dB]: From 35 Hz to 120 Hz
- √ LEDs: Power On (Green), Signal (Green) / Limit (Red)
- √ Power Requirement: 230Vac - 50 Hz
- √ Minimum Power Consumption: 750W
- √ Power Connector: VDE with T5AL-250V Fuse
- √ Dimensions (LxHxW): 620 x 700x 740 mm - Weight: 37 Kg

CODE	MSRP EUR	MSRP GBP
L487L	€ 571,84	£ 514,66




soundsation
Feel the Sound

Pro Audio

INSTALLATION SPEAKERS

SPWM Series

Soundsation SPWM series represent a reliable and versatile solutions for your sound amplification needs. Polypropylene cabinet, compared to wood ones, is much lighter and also offers great performances both in terms of resistance and sound quality. SPWM-05V is suited in many applications. Working with 100V power supply and coming with a wall mount stand, it's suitable in fixed installations: schools, conferences, pubs, restaurants, home studios, small concerts or events. The versatile and reliable solution for your amplification needs.

SPWM-05 - 100W 2 way passive speaker pair with 5" woofer and wall mount stand included

- √ 2 way full range passive speaker pair
- √ Polypropylene cabinet
- √ Max Power: 50W per speaker, total 100W
- √ 5" speaker + 3/4" dome tweeter
- √ Impedance 8Ohm
- √ Possibility to install up to 4 speaker with a single 40Ohm power amp, up to 8 speaker with a single 20Ohm power amp
- √ Input binding post connectors
- √ Wall mount stand included with security cable



- √ Maximum power handling: 50W per speaker
- √ Woofer dimension: 5" (12,7 Cm)
- √ Tweeter dimension: dome 3/4" (1,905 Cm)
- √ Frequency response: 95Hz-20kHz
- √ Maximum SPL: 106dB
- √ Sensitivity(1m/1W): 88dB
- √ Crossover Frequency: 4kHz
- √ Impedance: 8Ohm
- √ Dimensions: (HxWxL): 226x152x130 mm - Weight: 3,2 Kg

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
N920N	SPWM-05P	Glossy Black	€ 106,40	£ 95,76
N921N	SPWM-05P-WH	Glossy Pure White	€ 115,86	£ 104,27

100 Volt Version

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
I573I	SPWM-05V	Glossy Black	€ 129,73	£ 116,76
I574I	SPWM-05V-WH	Glossy White	€ 135,69	£ 122,12

WSS-10B - Wall mount black speaker stand with omnibal system

- √ Fully built in metal material
- √ Two speaker fixing points
- √ 4 wall fixing point (screws not included)
- √ Omnibal system for 180° horizontal adjustment in all directions
- √ Load capacity: 18 Kg
- √ Directivity: 180° in all directions
- √ Horizontal distance of wall fixing holes: 79 mm
- √ Vertical distance of wall fixing holes: 81 mm
- √ Distance of speaker fixing holes : 60mm +-6mm
- √ Wall plate dimension (LxH): 99 x 99 mm
- √ Speaker plate dimension (LxH): 80 x 40mm
- √ Total lenght: 120 mm - Weight: 0,7 Kg



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
D865D	WSS-10B	Black	€ 8,48	£ 7,63
D866D	WSS-10W	White	€ 8,48	£ 7,63

INSTALLATION SPEAKERS

SPWM Series

SPWM-06P - 60W two way passive speaker with 6,5" woofer and wall mount stand included

- √ 2 way full range passive speaker
- √ Polypropylene cabinet
- √ 60 Watt maximum power
- √ 6,5" woofer + 1" dome tweeter
- √ Jack 6,35mm and binding post input
- √ Jack 6,35mm and binding post output to connect additional speakers
- √ Wall mount stand included

- √ Woofer: 6,5" (16,51 cm)
- √ Dome tweeter: 1" (2,54 cm)
- √ Power: 60W
- √ Impedance: 8 Ohm
- √ Frequency response: 80Hz - 20kHz
- √ Maximum SPL: 112 dB
- √ Dimensions HxDxW: 360x200x232 mm
- √ Weight: Kg 3,5



SPWM-08P - 80W two way passive speaker with 8" woofer and wall mount stand included (white version)

- √ 2 way full range passive speaker
- √ Polypropylene cabinet
- √ 80 Watt maximum power
- √ 8" woofer + 1" titanium tweeter
- √ Jack 6,35mm and binding post input
- √ Jack 6,35mm and binding post output to connect additional speakers
- √ Wall mount stand included

- √ Woofer: 8" (20,32 cm)
- √ Tweeter: 1" (2,54 cm) titanium
- √ Power: 80W
- √ Impedance: 8 Ohm
- √ Frequency response: 60Hz - 20kHz
- √ Maximum SPL: 115dB
- √ Dimensions HxDxW: 410x230x280 mm
- √ Net Weight: Kg 7



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
N524N	SPWM-06P	Black	€ 78,08	£ 70,27
N918N	SPWM-06P-WH	Pure White	€ 90,61	£ 81,55

CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
N523N	SPWM-08P	Black	€ 104,57	£ 94,11
N919N	SPWM-08P-WH	Pure White	€ 120,22	£ 108,20

INSTALLATION SPEAKERS

SPWM-A Series

Active loudspeakers offers significant advantages compared to their passive counterparts. Setup is Plug & Play and no engineering skills are required. The power amp is optimized to deliver the best possible sound quality. The SPWM series offer a simple, but reliable, Plug & Play solution. Polypropylene cabinet, compared to wooden one, is a much lighter material and at the same time offers great performance both in terms of resistance and sound quality. SPWM is coming with a wall mount stand, therefore is suited in many applications: schools, conferences, pubs, restaurants, home studios, small concerts or events.

SPWM-06A - 60W two way active speaker speaker with 6,5" woofer and wall mounting stand

- √ 2 way full range active speaker
- √ Polypropylene cabinet
- √ Maximum power 60 watt
- √ Woofer 6,5" + dome tweeter 1"
- √ Mic/line input TRS 6,35mm
- √ Line out TRS 6,35mm
- √ Volume, gain and tone controls
- √ Wall mounting stand included

- √ Woofer: 6,5"
- √ Tweeter: dome 1"
- √ Max power: 60 W
- √ Amplifier power: 50W RMS
- √ Impedance: 8 Ohm
- √ Frequency response: 80Hz - 20kHz
- √ Sensitivity: (1W@1m): 91 dB
- √ Maximum SPL: 112 dB
- √ Dimensions HxDxW: 360x200x232 mm
- √ Weight: Kg 4,5

CODE	MSRP EUR	MSRP GBP
N522N	€ 128,90	£ 116,01



SPWM-08A - 80W two way active speaker speaker with 8" woofer and wall mounting stand

- √ 2 way full range active speaker
- √ Polypropylene cabinet
- √ Maximum power 80 watt
- √ 8" Woofer + 1" titanium tweeter
- √ Mic/line input TRS 6,35mm with switch
- √ Line out TRS 6,35mm
- √ Volume, gain and tone controls
- √ Wall mounting stand included

- √ Woofer: 6,5" (20,32 cm)
- √ Tweeter: titanium 1" (2,54 cm)
- √ Max power: 80 W
- √ Amplifier power: 50W RMS
- √ Impedance: 8 Ohm
- √ Frequency response: 60Hz - 20kHz
- √ Sensitivity: (1W@1m): 93 dB
- √ Maximum SPL: 115 dB
- √ Dimensions HxDxW: 410x230x280 mm
- √ Weight: Kg 4,5

CODE	MSRP EUR	MSRP GBP
N521N	€ 188,23	£ 169,41



SSP-10 Series

SSP10-12P -180W 2 way passive speaker with 12" woofer

Soundsation SSP10 series represent a reliable and versatile solutions for your sound amplification needs. Polypropylene cabinet, compared to wood ones, is much lighter and also offers great performances both in terms of resistance and sound quality. SSP-10 is suited in many applications, both in fixed installation or mobile: schools, conferences, pubs, restaurants, home studios, small concerts or events. With a special cabinet design, it can be placed horizontally as a stage monitor too. SSP10 is the versatile and reliable solution for your amplification needs.

- √ 2 way full range passive speaker
- √ Polypropylene cabinet
- √ Max power 180 Watt
- √ 12" Woofer + 1,35" Tweeter

- √ Speakon input
- √ Speakon output for parallel connection
- √ 35 mm pole mount
- √ Including floor monitor usage stand

- √ Woofer: 12" (30 cm)
- √ Tweeter: 1,35" (3,4 cm)
- √ Power: 180 Watt
- √ Impedance: 8 Ohm
- √ Frequency response: 50Hz - 18kHz
- √ Sensitivity: 96dB (+/- 2dB)
- √ Dimension: (WxDxH) 42 x 31 x 58,50 cm - Weight: 16 Kg

CODE	MSRP EUR	MSRP GBP
N518N	€ 105,57	£ 95,01



Pa System



soundation
BLUEPORT
2x100W Portable PA System

- DIGITAL EFFECT LIST**
- | | |
|----------------|-------------------|
| 0. WARM HALL | 8. STEREO DELAY 1 |
| 1. BRIGHT HALL | 9. STEREO DELAY 2 |
| 2. WARM ROOM | A. REVERB-DELAY 1 |
| 3. BRIGHT ROOM | B. REVERB-DELAY 2 |
| 4. VOCAL 1 | C. REVERB-DELAY 3 |
| 5. VOCAL 2 | D. REV-DELAY 4 |
| 6. VOCAL 3 | E. REV-CHORUS 1 |
| 7. PLATE | F. REV-CHORUS 2 |

Bluetooth

GO

PREV VOL- VOL+ NEXT

MODE PLAY STOP PAUSE

CAUTION

CE

PORTABLE PA SYSTEMS

Hyper series

HYPER PLAY 6AMW - 6.5" Portable PA System with UHF Wireless MIC, MP3/Bluetooth, and Rechargeable Battery

HYPER PLAY 6AMW is a new battery-powered portable loudspeaker with 6,5" woofer. It features a 4-channel mixer, MP3 player, USB, SD-card, and Bluetooth™ connection and professional a UHF wireless microphones with handheld transmitter. HYPER PLAY 6AMW is AC or battery operated with about 5 hours battery life. The Built-in Class-D amplifiers delivers 150W Program Power. The stylish polypropylene enclosure is strong and lightweight, with metallic grille, and 36mm standard pole mount hole. Included in the package there is a padded cover with side pockets to hold microphone and mains adapter.

- √ Portable 2-Way Active Speaker with Rechargeable Battery
 - √ Sturdy polypropylene enclosure compact and lightweight
 - √ 300W Peak Power Class-D power amplifier (Peak Power, AC powered)
 - √ 6,5" woofer with 1" compression driver
 - √ MP3 player with USB, SD Card and Bluetooth™
 - √ UHF Handheld Wireless Microphone
 - √ 2 Microphone/Line inputs
 - √ 1 Stereo Input (Mini Jack /RCA)
 - √ 2-Band EQ
 - √ Lead Rechargeable Battery with 5-hour battery life
 - √ 36 mm standard pole mount
 - √ Handle on top
 - √ Padded Cover with side-pockets
-
- √ Frequency response: 80Hz-20kHz
 - √ Max. SPL: 110 dB (values referred to mains power)
 - √ LF: 6,5" / HF: 1" Compression Driver
 - √ Directivity (HxV): 90° x 60°, Symmetric
 - √ Crossover Frequency: 5.1 kHz
 - √ Amp Power (Program/Peak): 150W / 300W, Class-D (values referred to mains power)
 - √ Controls: 2xMic/Line level, UHF Mic Level, AUX/Bluetooth/MP3 level, AUX-MP3 Switch, Master level
 - √ 2-Band EQ (BASS/TREBLE): Bass 100Hz (+/- 12dB); Treble 10kHz (+/- 12dB)
 - √ Connections: 2xMic/Line Combo, AUX Stereo Mini Jack, Line In L&R RCA Jack
 - √ Indicators: Power, Clip, Wireless Mic On, RF Mic, Battery Charge
 - √ Media player: USB, SD-Card, Bluetooth™, LCD Display
 - √ Media player controls: Stop, Play/Pause, Next track, Previous track, Mode
 - √ Power Mains: 19V - 3,42A
 - √ Rechargeable Battery: 12V-2600 mAH Lead Battery (TP12-2.6 type)
 - √ Battery Size (WxHxD): 70mm x 47mm x 100mm
 - √ Battery Charge/Discharge Cycle: 2hours / 5hours
 - √ Wireless Microphone Frequency: UHF 863-865MHz
 - √ Frequency Response: 50Hz - 17kHz
 - √ Transmitter Power: 10mW
 - √ Modulation Type: FM
 - √ Battery Voltage: 3V (2x1.5V AA-Type Batteries) - Continuous use about 7 hours
 - √ Hand-held Mic. Size (W/DxH): Ø35 (min) - Ø52 (max) x 245 mm
 - √ Wireless Mic. Weight: 0.245 kg (batteries included)
 - √ Housing / Grille material: Polypropylene / 0-8mm Steel
 - √ 1 Handle on top + Padded Cover with side pockets
 - √ Pole Mount: Standard D36 mm
 - √ Speaker Dimension (WxHxD): 220 x 320 x 200 mm - Net Weight: 4.4 kg (Battery included)



CODE	MSRP EUR	MSRP GBP
E547E	€ 157,65	£ 141,89

GO-SOUND series

GO-SOUND family is now enhanced by a new battery-powered portable PA series with 12" and 15" woofers GO-SOUND 12AMW and 15AMW that, in addition to MP3 player, USB, SD-card, and Bluetooth™ connection of MULTIMEDIA version, integrates two VHF wireless microphones with handheld transmitters, an Echo effect for the two microphone inputs and the two wireless microphones, a useful 5-band graphic EQ and a handy trolley with wheels and telescopic handle on top. They are AC or battery operated; the latter with a duration of about 2.5 hours at maximum volume and full charge. Amplification, as well as for the previous GO-SOUND 12A and AM versions, is equipped with a Class-AB 800W (mains powered) peak-power module. The polypropylene enclosure is strong and lightweight, with metallic grille, 36mm standard pole mount hole, and acoustic foam to protect the woofer and give a pleasant look.

GO-SOUND 8AMW - Portable 2-Way Active Speaker with Rechargeable Battery

- √ Portable 2-Way Active Speaker with Rechargeable Battery
- √ Sturdy polypropylene enclosure yet compact and lightweight
- √ 250W* Class-D power amplifier
- √ 8" woofer with 1" compression driver
- √ MP3 player with USB, SD Card and Bluetooth™
- √ VHF Handheld Wireless Microphone
- √ Microphone/Line inputs
- √ 2-Band Graphic EQ
- √ Lithium Rechargeable Battery with 4-hour battery life
- √ 36 mm standard pole mount
- √ Handle on top
- √ *Peak power, mains powered

- √ Speaker Type: Portable 2-way active speaker with rechargeable battery
- √ Frequency response: 70Hz-19KHz
- √ Max. SPL: 107dB (Mains Powered)
- √ Transducers: 8" Woofer; 1" Compression Driver
- √ Directivity (HxV): 90° x 40° - 60°
- √ Horn Type: Asymmetric
- √ Amplifier: 125W* Program, 250W* Peak Class-D (*Mains Powered)
- √ Controls: Mic/Line level, VHF Mic Level, AUX/Bluetooth/MP3 level, AUX-MP3 Switch, Master level
- √ 2-Band Graphic EQ: 20-100 Hz, 9K-20KHz (+/- 15dB)
- √ Connections: Mic/Line Combo, AUX Stereo Mini Jack, Line Out L&R RCA Jack
- √ Indicators: Power, Clip, Wireless Mic On, RF Mic, Battery Charge
- √ Media player: USB, SD-Card, Bluetooth™, LCD Display
- √ Media player controls: Stop, Play/Pause, Next track, Previous track, Mode
- √ Mains Power: 15VDC - 1.5A
- √ External Power (no charge function): 12Vcc
- √ Rechargeable Battery: 11.1V-2200mAH Lithium Battery (HKD-22 type)
- √ Battery Life: 4 hours
- √ Battery Dimension (WxHxD): 56 x 19 x 71mm
- √ Housing material: Polypropylene
- √ Grille: 0.8mm, steel
- √ Handles: 1 on top
- √ Pole Mount: Standard D36 mm
- √ Speaker Dimension (WxHxD): 248 x 395 x 198 mm
- √ Net Weight: 4.6 kg



CODE	MSRP EUR	MSRP GBP
E384E	€ 110,64	£ 99,58

PORTABLE PA SYSTEMS

Go-Sound series

GO-SOUND 10AMW - Portable 2-Way Active Speaker with Trolley and Rechargeable Battery

- √ Portable 2-Way Active Speaker with Trolley and Rechargeable Battery
- √ Sturdy polypropylene enclosure yet compact and lightweight
- √ 360W* Class-D power amplifier
- √ 10" woofer with 1" compression driver
- √ MP3 player with USB, SD Card and Bluetooth™
- √ VHF Handheld Wireless Microphone
- √ Microphone/Line inputs
- √ 2-Band Graphic EQ
- √ Rechargeable Battery with 4-hour battery life
- √ 36 mm standard pole mount
- √ Trolley system with wheels and one telescopic handle on top + 2 side handles
- √ *Peak power, mains powered

- √ Speaker Type: Portable 2-way active speaker with trolley and rechargeable battery
- √ Frequency response: 65Hz-19KHz
- √ Max. SPL: 109dB (Mains Powered)
- √ Transducers: 10" Woofer; 1" Compression Driver
- √ Directivity (HxV): 90° x 40° - 60°
- √ Horn Type: Asymmetric
- √ Amplifier: 180W* Program, 360W* Peak Class-D (*Mains Powered)
- √ Controls: Mic/Line level, VHF Mic Level, AUX/Bluetooth/MP3 level, AUX-MP3 Switch, Master level
- √ 2-Band Graphic EQ: 20-100 Hz, 9K-20KHz (+/- 15dB)
- √ Connections: Mic/Line Combo, AUX Stereo Mini Jack, Line Out L&R RCA Jack
- √ Indicators: Power, Clip, Wireless Mic On, RF Mic, Battery Charge
- √ Media player: USB, SD-Card, Bluetooth™, LCD Display
- √ Media player controls: Stop, Play/Pause, Next track, Previous track, Mode
- √ Mains Power: 15VDC - 1.5A
- √ External Power (no charge function): 12Vcc
- √ Rechargeable Battery: 12V-4500mAH Lead Battery (6FM4.5 type)
- √ Battery Life: 4 hours
- √ Battery Dimension (WxHxD): 90.5 x 70 x 102mm
- √ Housing material: Polypropylene
- √ Grille: 0.8mm, steel
- √ Handles: 1 telescopic on top, 2 on sides
- √ Trolley: 2 Wheels and 1 Telescopic Handle, 31 cm max. extension
- √ Pole Mount: Standard D36 mm
- √ Speaker Dimension (WxHxD): 308 x 493 x 250 mm
- √ Net Weight: 6.4 kg



CODE	MSRP EUR	MSRP GBP
E385E	€ 133,29	£ 119,96

Go-Sound series

GO-SOUND 15AMW- Battery-Powered Portable 2-Way Active Speaker with Trolley and MP3/Bluetooth™ player

- √ Sturdy polypropylene enclosure yet compact and lightweight
- √ 800W Class-AB power amplifier (Peak power, mains powered)
- √ 15" woofer, 1" compression driver
- √ MP3 player with USB, SD Card and Bluetooth™
- √ Dual VHF Handheld Wireless Microphone
- √ Echo Effect
- √ Balanced Microphone/Line inputs
- √ 5-Band Graphic EQ
- √ Rechargeable Battery with 2.5-hour battery life
- √ 36 mm standard pole mount
- √ Trolley system with wheels and one telescopic handle on top + 2 side handles

- √ Speaker Type: Portable 2-way active speaker with rechargeable battery
- √ Frequency response: 60Hz-19KHz
- √ Max. SPL: 114dB (Mains Powered)
- √ Transducers: 15" Woofer; 1" Compression Driver
- √ Directivity (HxV): 90° x 40° - 60°
- √ Horn Type: Asymmetric
- √ Amplifier: 400W* Program, 800W* Peak Class AB (*Mains Powered)
- √ Controls: Mic1&2 level, Line level, Echo level, Bluetooth/MP3 level, Master level, Wireless Mics On, W. Mic1 level, W. Mic2 level
- √ 5-Band Graphic EQ: 100Hz, 330Hz, 1KHz, 3,3KHz, 10KHz (+/- 12dB)
- √ Connections: Mic 1&2 6.3mm TS Jack, Line In L&R RCA Jack, Line Out L&R RCA Jack
- √ Indicators: Power, Clip, Wireless Mic On, RF Mic1, RF Mic2, Battery Charge
- √ Media player: USB, SD-Card, Bluetooth™, 2x16 LCD Display
- √ Media player controls: Stop, Play/Pause, Next track, Previous track, Mode
- √ Mains Power: 230VAC-50Hz
- √ Fuse: T1A-250V
- √ External Power (no charge function): 12Vcc
- √ External Add. Fuse: T10A-250V
- √ Rechargeable Battery: 12V-7AH Lead Battery (TC12-7.0 type)
- √ Battery Dimension (WxHxD): 151 x 100 (poles Included) x 65 mm
- √ Housing material: Polypropylene
- √ Grille: 0.8mm, steel
- √ Handles: 2 on sides; 1 telescopic on top
- √ Trolley: 2 Wheels and 1 Telescopic Handle, 31 cm max. extension
- √ Pole Mount: Standard D36 mm
- √ Speaker Dimension (WxHxD): 440 x 703 x 370 mm
- √ Net Weight: 14.0 kg



CODE
L756L

MSRP EUR
€ 246,79

MSRP GBP
£ 222,11

PORTABLE PA SYSTEMS

Go-Sound series

GO-SOUND 12AMW - Battery-Powered Portable 2-Way Active Speaker with Trolley and MP3/Bluetooth™ player

- ✓ Sturdy polypropylene enclosure yet compact and lightweight
- ✓ 800W Class-AB power amplifier (Peak power, mains powered)
- ✓ 12" woofer, 1" compression driver
- ✓ MP3 player with USB, SD Card and Bluetooth™
- ✓ Dual VHF Handheld Wireless Microphone
- ✓ Echo Effect
- ✓ Balanced Microphone/Line inputs
- ✓ 5-Band Graphic EQ
- ✓ Rechargeable Battery with 2.5-hour battery life
- ✓ 36 mm standard pole mount
- ✓ Trolley system with wheels and one telescopic handle on top + 2 side handles

- ✓ Speaker Type: Portable 2-way active speaker with rechargeable battery
- ✓ Frequency response: 68Hz-19KHz
- ✓ Max. SPL: 112dB (Mains Powered)
- ✓ Transducers: 12" Woofer; 1" Compression Driver
- ✓ Directivity (HxV): 90° x 40° - 60°
- ✓ Horn Type: Asymmetric
- ✓ Amplifier: 400W* Program, 800W* Peak Class AB (*Mains Powered)
- ✓ Controls: Mic1&2 level, Line level, Echo level, Bluetooth/MP3 level, Master level, Wireless Mics On, W. Mic1 level, W. Mic2 level
- ✓ 5-Band Graphic EQ: 100Hz, 330Hz, 1KHz, 3,3KHz, 10KHz (+/- 12dB)
- ✓ Connections: Mic 1&2 6.3mm TS Jack, Line In L&R RCA Jack, Line Out L&R RCA Jack
- ✓ Indicators: Power, Clip, Wireless Mic On, RF Mic1, RF Mic2, Battery Charge
- ✓ Media player: USB, SD-Card, Bluetooth™, 2x16 LCD Display
- ✓ Media player controls: Stop, Play/Pause, Next track, Previous track, Mode
- ✓ Mains Power: 230VAC-50Hz
- ✓ Fuse: T1A-250V
- ✓ External Power (no charge function): 12Vcc
- ✓ External Add. Fuse: T10A-250V
- ✓ Rechargeable Battery: 12V-7AH Lead Battery (TC12-7.0 type)
- ✓ Battery Dimension (WxHxD): 151 x 100 (poles Included) x 65 mm
- ✓ Housing material: Polypropylene
- ✓ Grille: 0.8mm, steel
- ✓ Handles: 2 on sides; 1 telescopic on top
- ✓ Trolley: 2 Wheels and 1 Telescopic Handle, 31 cm max. extension
- ✓ Pole Mount: Standard D36 mm
- ✓ Speaker Dimension (WxHxD): 375 x 588 x 320 mm
- ✓ Net Weight: 13.4 kg



CODE
L755L

MSRP EUR
€ 216,70

MSRP GBP
£ 195,03

POCKETLIVE U16HBT

Portable Amplifier with UHF 16-channel wireless system, MP3 and Bluetooth™



Dedicated to all those who need maximum portability and are always "on the road", the POCKETLIVE U16HBT is a 35W battery-powered PA system with 16-channel UHF wireless microphone system, MP3 player with Bluetooth™, line and microphone inputs, and more. Its weight of about 3kg (batteries included), the strap and the carrying bag make it suitable for almost any situation where you need to play loud but there isn't even any electrical outlet: in classroom, sport contexts, ceremonies, tourism and more. The internal battery lasts more than five hours (continuous use at maximum volume). The UHF 16-channel wireless microphone operates in ISM band (863-865MHz), can be used even in high interference environments and does not require any special authorization within the European Community. The MP3 player with Bluetooth™, the SD-Card and USB lets you play your playlists and can also be operated via a handy remote control. The bag, which features a shoulder strap and a large side pocket, has an opening with zipper and net on speaker side, and allows the use of POCKETLIVE U16 also inside the bag. Finally, under the amplifier is a hole that, by mounting the supplied adapter, allows the use on a standard microphone stand.

- √ SMT integrated technology with surface mount components designed for maximum energy-efficiency and environmental friendliness
- √ Designed for use in schools, sport events, coaching, religious contexts, etc.
- √ 35 Watt High-quality power amplifier with 6" full-range speaker
- √ Lithium battery pack with over 5 hours operation (maximum volume with full-charged batteries)
- √ Professional 16-channel UHF wireless with IR setup system
- √ ISM-Europe Band operation (863-865MHz); it doesn't need any special license in Europe
- √ Handheld microphone with cardioid dynamic capsule
- √ MP3 player with Bluetooth™, USB, SD-Card e IR remote controller
- √ Built-in Echo effect on wired/wireless microphones
- √ Bag with shoulder strap, side pocket and opening with zipper and net on speaker side, which allows the use of POCKETLIVE U16 also inside the bag
- √ 5V DC USB charger out (max 500mA) for smartphones and other external devices
- √ Microphone stand adapter



- √ Power Amplifier: 35W
- √ Input / Output Connections: 1x Wired Mic, 2x Line In (one on the MP3 player), 1x Line Out
- √ Speaker size: 6" full-range
- √ Dynamic range: >95dB
- √ Total Harmonic Distortion: < 0.8%
- √ frequency Response: 40Hz-15KHz ±3dB
- √ Battery: Rechargeable Lithium Battery Pack 14.8V - 4000mA
- √ External Power Supply: Input 100-240Vac, 50/60Hz - Output 19Vcc, 3.42A (70W Max)
- √ Dimensions (WxHxD): 296 x 180 x 175 mm
- √ Net Weight: 2.6kg (batteries included)
- √ Receiving Band: UHF 863-865MHz
- √ Receiver Total Harmonic Distortion: < 0.4%
- √ Receiver Frequency Response: 40Hz-15KHz ±3dB
- √ Receiver Signal/Noise Ratio: > 95dB
- √ Receiving Sensibility: > 7dBuV (SINAD=30dB)
- √ De-Emphasis: 75uS
- √ Transmission Power: 10mW
- √ Transmitter Maximum Deviation: ±20KHz
- √ Handhel Mic. Batteries: 2x 1.5V AA-Type
- √ Handhel Mic. Battery Life: 5 hours
- √ Handhel Mic. Dimensions (W/DxH): Ø50 x 232 mm
- √ Handhel Mic. Net Weight: 0.26kg (batteries included)
- √ MP3 Player Audio Formats: MP3, WMA, WMW
- √ IR remote controller
- √ USB and SD-Card slots



CODE	MSRP EUR	MSRP GBP
L216L	€ 237,91	£ 214,12

POCKETLIVE U16P-KIT - Professional Headset Microphone + Pocket Transmitter Kit for POCKETLIVE U16

The kit consists of a 16-channel UHF Pocket Transmitter and a professional headset microphone for SOUNDSATION POCKETLIVE U16H-BT.

CODE	MSRP EUR	MSRP GBP
A702A	€ 46,51	£ 41,86



PORTABLE PA SYSTEMS

BLACKPORT-80BTRW - Battery Powered PA System with trolley, UHF wireless microphone, Bluetooth™, MP3 player and reverb

Dedicated to all those who need maximum portability and are constantly "on the road", the BLACKPORT-80BTRW is a battery-powered 80W max. PA system, featuring built-in 4-channel mixer, UHF wireless microphone, reverb, Bluetooth™ and MP3 player with SD-Card and USB slots. Battery life is 6 hours at full volume and with fully charged batteries. Its lightweight and rugged construction combined with the extremely useful trolley, make it an ideal tool in all "on the fly" situations such as parties, one-man band gigs and small PA needs, without risks of damage but with good performance in terms of power and audio quality.

- √ Portable battery-powered PA system 80W
- √ Built-in 4-channel mixer
- √ UHF wireless microphone
- √ Mic input with Combo connector (XLR + 1/4" Jack)
- √ Instrument/Mic input with 1/4" jack connector
- √ RCA a mini-jack stereo line inputs
- √ 2-Band EQ
- √ MP3 player with Bluetooth™, USB and SD-Card slots
- √ Rechargeable batteries with LED charge level display and 6-hour battery life
- √ Rugged enclosure in MDF with aluminum corners
- √ Trolley system with telescopic handle and wheels
- √ Remote control for MP3 player
- √ D36mm pole-mount



- √ 2-way active speaker with bass-reflex port
- √ Frequency Response: 70Hz – 20kHz +/- 3dB
- √ LF: 8" woofer
- √ HF: 1" dome tweeter
- √ Peak Power: 80W
- √ PRG Power: 40W
- √ UHF wireless operating band: 863 MHz
- √ Transmission Output Power: 10mW max.
- √ Operating distance: 30m without direct obstacles
- √ Input Voltage: 220-240V/50Hz
- √ Fuse: T1.6A/250V
- √ Battery: 6FM17-Type Rechargeable Lead Battery 12V-7AH/20HR
- √ Battery life: Over 6 hours (at full volume of the system when fully charged)
- √ Battery size (WxHxD): 150 x 100 (including poles) x 65mm
- √ Product size: 390 x 300 x 485mm
- √ Net Weight: 17.5 kg



CODE	MSRP EUR	MSRP GBP
L738L	€ 246,02	£ 221,42

LIVEMAKER SERIES

LIVEMAKER 1521 MIX - 1500W 2.1 Portable PA System with 8-Ch Mixer, Effect, and Bluetooth

The LIVEMAKER 1521 MIX, 1500W 2.1 PA system, is designed as a compact system for live and educational purposes. It integrates an 8-channel mixer with Digital Effects and Bluetooth, three Class-D amplifiers with switching power supply for 1500W total peak power, a generous 15" subwoofer and two satellites with a 8" woofer and 1.4" HF driver. It represents the perfect answer to those who need a professional sound system, but have problems of space, move with not very big cars or vans, and have a lot of audio sources to be connected. Not only, but they also need a professional reverb and, if necessary, want to connect a mobile phone, a tablet or a computer to play their play-lists. Both the subwoofer and the two tops are equipped with 36mm hole for pole or tripod. The reinforced MDF cabinets are robust, lightweight and finished with anti-scratch paint, to make them resistant to the rigors of the stage.

- √ 2.1 Compact PA System with 2 passive satellites and 1 active subwoofer
- √ 2 passive Tops with reinforced MDF cabinet, featuring 8" and 1.44" Titanium dome driver
- √ Active bass-reflex subwoofer with reinforced MDF enclosure, featuring a 15" woofer for up to 128dB sound pressure
- √ 8 Channel mixer with 4 MIC Inputs, 1 Stereo Line Input, 1 Stereo Bluetooth Input
- √ 2-Band EQ, 16 Digital Effects (Mic channels only)
- √ 1500W Peak power class-D amplifier with high-efficiency, low-heat dissipation switching power supply
- √ Balanced MIC/Line Inputs and Balanced Outputs
- √ Standard D36mm pole mount adapter over the subwoofer top and under the two satellites
- √ 2 handles on subwoofer (1 on each side)
- √ 1 Rear handle on each top

- √ System Max SPL: 129 dB
- √ System Frequency Response: 40 Hz-20 kHz
- √ Satellite Power RMS / Peak: 300W / 600W (each)
- √ Satellite Frequency Response: 80 Hz-20 kHz
- √ Satellite Sensitivity (1W@1m): 97 dB
- √ Satellite Max. SPL (@1m): 122 dB
- √ Satellite nominal Impedance: 8 ohms
- √ Satellites Input Connectors: 2 x Speakon
- √ Satellite LF: 1 x 8" with 2" voice coil
- √ Satellite HF: 1 x 1.4" voice coil, titanium dome
- √ Satellite Crossover Frequency: 3 kHz, 12 dB/octave
- √ Speaker Pole Adapter: Ø36mm
- √ Satellite Size (WxHxD): 614x510x334 mm (2pcs carton); 270x450x245 mm (one speaker)
- √ Satellite Weight: Net weight 9.2kg; Gross weight 20kgs (2pcs carton)
- √ Inputs: MIC XLR, 6.3mm jack, RCA
- √ EQ Control: Low: +/-15dB; High: +/-15dB
- √ Bluetooth connection distance: >6m
- √ Subwoofer amplifier: 1 x 500W RMS @ 4ohms
- √ Satellites amplifier: 2x 250W RMS @ 8ohms
- √ Sub LF driver: 15" with 3" voice coil.
- √ Sub Frequency response: 40 Hz-150 Hz
- √ Sub Sensitivity (1m/1W): 98 dB
- √ Sub Max. SPL (@1m): 128 dB
- √ Mains: AC 230V 50Hz (Fuse: T8A/250V)
- √ Subwoofer Size (WxHxD): 810x725x580 mm (Packing); 465x620x650 mm (sub)
- √ Subwoofer Net Weight: net weight 31.4kg; packing 35kg
- √ Housing material: MDF + Anti-scratch Printing (Black finish)
- √ Handles: 2 on subwoofer (1 on each side); 1 on rear side of each top
- √ Pole Mount Adapter: Standard ;20



CODE	MSRP EUR	MSRP GBP
L935L	€ 852,83	£ 767,55

COMPLETE SETS

LIVEMAKER SERIES

LIVEMAKER 1211 NEO - 1200W Portable Column PA System

LIVEMAKER 1211 NEO is designed as a compact system for live use, especially when portability has to be combined with power. It surprises for its sound quality, the extremely wide coverage and the high sound pressure. The very low weight of the active subwoofer (less than 20kg) and the practical bag with strap, which houses top speaker and connection unit (a little over 5kg in total), make this system the ideal partner for your gigs with which you cannot do without. The LIVEMAKER 1211 NEO is composed of a passive top unit, an intermediate support unit with a profile identical to the top but only equipped with internal electrical connections, and a subwoofer enclosure containing amplifiers, crossover and input section. The output connections are made via the robust and extremely reliable slide mounting system, which attach the subwoofer top to the middle unit bottom and the middle unit top to the column speaker bottom. The assembly / disassembly operations are therefore extremely fast and efficient, always guaranteeing the perfect positioning of all elements in a few seconds. The top consists of 8x 2.75" full-range drivers with Neodymium magnets arranged in vertical array. The X-shaped one-by-one horizontal position of the drivers assures a coverage approximately close to 180°. The vented subwoofer houses a 12" woofer that surprises for the high sound pressure in spite of the small dimensions.

- √ System Type: Active compact column PA System with slide mounting system
- √ Column speaker in plywood featuring 8 full-range 2.75" Neodymium drivers with alternating X-arrangement for a horizontal coverage of about 180°
- √ Intermediate unit with internal electrical connection between subwoofer and top column
- √ Active bass-reflex subwoofer in plywood with 12" high-performance woofer
- √ 1200W Peak power class-D amplifier with high- efficiency, low-heat dissipation switching power supply
- √ Balanced Line Inputs and Outputs
- √ Built-in signal, thermal, overload limiter for maximum safety even at high levels
- √ Reinforced plywood enclosures with black scratch-resistant paint and steel grill
- √ Fast and reliable connection system with internal audio routing between subwoofer and middle unit, and between central unit and upper column
- √ Handy padded bag with strap housing column speaker and support unit of a little more than 5kg in total
- √ Recessed handle of top of subwoofer for easy transport

- √ Column power handling: 250W RMS / 500W Peak
- √ Subwoofer power handling: 350W RMS / 900W Peak
- √ Column Frequency Response: 160-20000Hz
- √ Column Max SPL: 120dB
- √ Column Transducers: 2.75" full-range drivers with Neodymium magnets
- √ Directivity (HxV): 176° x 45°
- √ Crossover Frequency: 150Hz (24dB/Oct.)
- √ Column Impedance: 4ohm
- √ Subwoofer Power Handling: 350W RMS / 700W Peak
- √ Subwoofer Frequency Response: 45-150Hz
- √ Subwoofer Max SPL: 120dB
- √ Subwoofer transducer: 12" high excursion woofer, 2,5" v.c.
- √ Amplifier: 350W + 250W RMS (700W + 500W Peak), Class-D with switching power supply
- √ Power Consumption: 650W, 1200W Peak
- √ Connections: Combo(XLR + 1/4" Jack) Balanced Line Left/Right Inputs; XLR Balanced Not-filtered Left/Right Outputs
- √ Controls: Column level knob, Subwoofer level knob, 0° - 180° Phase switch, Peak/Limit LED
- √ Mains power: 100-120Vac/60Hz; 200-240Vac/50Hz with voltage selector
- √ Fuse: T8A/250V for 100-120Vac; T4A/250V for 200-240Vac
- √ Housing: reinforced plywood with scratchproof painting; 1.2mm steel grille (sub), 1mm (column)
- √ Handles: 1 recessed on subwoofer top
- √ Column and connection unit dimension (WxHxD): 140 x 709 x 100 mm
- √ Subwoofer Dimension (WxHxD): 370 x 615 x 500 mm
- √ Column and connection unit packing dimension (WxHxD): 240 x 740 x 120 mm (1 carton contains both units)
- √ Column net weight: 3.0kg
- √ Connection unit net weight: 1.6kg
- √ Subwoofer net weight: 19.6kg
- √ Bag net weight: 0.8kg
- √ Column + connection unit + bag net weight: 6kg



CODE	MSRP EUR	MSRP GBP
L683L	€ 935,59	£ 842,03

LIVEMAKER SERIES

LIVEMAKER 1221 DSP - 1000W 2.1 Portable PA System with DSP

LIVEMAKER 1221 DSP 2.1 audio system is designed as a portable system for both live and educational purposes. It surprises for sound quality and power, despite its compact size and light weight. The on-board DSP control offers a wide frequency response designed to improve all sound components, whether in case of a small acoustic trio or a rock band with very distorted sounds, whether in case of a disco gig with high sound pressure. The integrated limiter ensures maximum safety even at high levels, without affecting dynamics and maintaining maximum transparency. The user interface is very simple and intuitive; this allows to fully exploit the potential of the system without great efforts.

- √ System Type: 2.1 Compact PA System
- √ Tops: 2 passive Tops with reinforced MDF cabinet, featuring a 6.5" high excursion woofer and a 1" Titanium compression driver
- √ Active bass-reflex subwoofer with reinforced MDF enclosure, featuring a 12" woofer able to produce up to 125dB sound pressure
- √ 1000W Peak power class-D amplifier with high- efficiency, low-heat dissipation switching power supply
- √ Balanced Line Inputs and Outputs
- √ Built-in DSP with LCD display and simple and intuitive user interface
- √ Built-in signal, thermal, overload limiter for maximum safety even at high levels
- √ Reinforced MDF enclosure with black scratch-resistant paint and steel grill with acoustic fabric to protect the transducers
- √ Standard D36mm pole mount adapter
- √ 2 handles on subwoofer (1 on each side); 1 Rear handle on top ciacun
- √ Speaker Stands NOT included

- √ Speaker Type: 2.1 System with active subwoofer and two 2-way passive tops
- √ Top power handling: 150W RMS / 300W Peak
- √ Top Frequency Response [- 10dB]: 80-19500 Hz
- √ Top Frequency Response [- 3dB]: 85-18000 Hz
- √ Top Sensitivity (1W/1m): 93dB
- √ Top Max SPL (Peak): 116dB
- √ Top LF driver: 6.5" high excursion woofer with 1.5" v.c.
- √ Top HF driver: 1" titanium compression driver with 1" v.c.
- √ Directivity (HxV): 90° x 60°
- √ Crossover Frequency: 3500Hz (12dB/Oct.)
- √ Top Impedance: 8ohm
- √ Subwoofer Power Handling: 450W RMS / 900W Peak
- √ Subwoofer Frequency Response: 42-1000 Hz
- √ Subwoofer Sensitivity (1W@1m): 97dB
- √ Subwoofer Max SPL (Peak): 125dB
- √ Subwoofer transducer: 12" high excursion woofer, 2.5" v.c., 4ohm
- √ Amplifier: 300W + 2x100W RMS (600W + 2x200W Peak), Class-D with switching power supply
- √ Power Consumption: 450W + 150W; 1000W Peak
- √ Connections: XLR Balanced Line Left/Right Inputs; XLR Balanced Not-filtered Left/Right Outputs; Speakon Left/Right Top Power Outputs
- √ DSP connections and controls: 2x16 characters LCD display, data-entry encoder + switch, B-Type USB plug for service purposes
- √ Housing: MDF + scratchproof painting; 1.5mm steel grille, black painted
- √ Satellite handles: 1 on rear side
- √ Subwoofer handles: 2 (1 on each side)
- √ Pole mount: Standard D36mm on subwoofer top and on top's bottom
- √ Top Dimension (WxHxD): 204 x 370 x 190 mm (1 top)
- √ Subwoofer Dimension (WxHxD): 400 x 455 x 540 mm
- √ Tops / Sub Net Weight: 12.5kg / 24.5kg



CODE
L679L

MSRP EUR
€ 511,52

MSRP GBP
£ 460,37



sound*sation*

LIVEMAKER 1211 NEO

Compact Column PA System
with Quick Slide Mounting System

- ▶ 1200W Power Potter
- ▶ 8x2.75" full-range Neodynamic Driver
- ▶ 12" High-excursion Subwoofer



LIVEMAKER SERIES

LIVEMAKER 1021 MIX - 900W 2.1 Portable PA System with 8-Ch Mixer, Effect and Bluetooth

The LIVEMAKER 1021 MIX, 900W 2.1 PA system, is designed as a compact system for live and educational purposes. It integrates an 8-channel mixer with Digital Effects and Bluetooth, three Class-D amplifiers with switching power supply, for 900W total peak power, a generous 10" subwoofer and two satellites with a 6.5" woofer and 1" compression driver. It represents the perfect answer to those who need a professional sound system, but have problems of space, move with not very big cars or vans, and have a lot of audio sources to be connected. Not only, but they also need a professional reverb and, if necessary, want to connect a mobile phone, a tablet or a computer to play their play-lists. Both the subwoofer and the two tops are equipped with 36mm hole for pole or tripod. The reinforced MDF cabinets are robust, lightweight and finished with anti-scratch paint, to make them resistant to the rigors of the stage.

- √ 2.1 Compact PA System with 2 passive satellites and 1 active subwoofer
- √ 2 passive Tops with reinforced MDF cabinet, featuring 6.5" and 1" silk cloth dome driver
- √ Active bass-reflex subwoofer with reinforced MDF enclosure, featuring a 10" woofer for up to 123dB sound pressure
- √ 8 Channel mixer with 4 MIC Inputs, 1 Stereo Line Input, 1 Stereo Bluetooth Input
- √ 2-Band EQ, 16 Digital Effects (Mic channels only)
- √ 900W Peak power class-D amplifier with high-efficiency, low-heat dissipation switching power supply
- √ Balanced MIC/Line Inputs and Balanced Outputs
- √ Standard M20mm pole mount adapter over the sub top and D36mm under the two satellites
- √ 2 handles on subwoofer (1 on each side)
- √ 1 Rear handle on each top



- √ System Max SPL: 124 dB
- √ System Frequency Response: 45 Hz-20 kHz
- √ Satellite Power RMS / Peak: 150W / 300W (each)
- √ Satellite Frequency Response: 90 Hz-20 kHz
- √ Satellite Sensitivity (1W@1m): 90 dB
- √ Satellite Max. SPL (@1m): 111 dB
- √ Satellite nominal Impedance: 8 ohms
- √ Satellites Input Connectors: 2 x Speakon
- √ Satellite LF: 1 x 6.5" with 1.5" voice coil
- √ Satellite HF: 1 x 1" voice silk cloth dome
- √ Satellite Crossover Frequency: 3 kHz, 12 dB/octave
- √ Speaker Pole Adapter: Ø36mm
- √ Satellite Size (WxHxD): 225 x 346 x 215 mm
- √ Satellite Weight: 6.4 kg
- √ Inputs: MIC XLR, 6.3mm jack, RCA
- √ EQ Control: Low: +/-15dB; High: +/-15dB
- √ Bluetooth connection distance: >6m
- √ Subwoofer amplifier: 1 x 300W RMS @ 4ohms
- √ Satellites amplifier: 2x 150W RMS @ 8ohms
- √ LF driver: 10" with 2.5" voice coil
- √ Sub Frequency response: 45 Hz-150 Hz
- √ Sub Sensitivity (1m/1W): 90 dB
- √ Sub Max. SPL (@1m): 123 dB
- √ Mains: AC 230V 50Hz (Fuse: T3.15A/250V)
- √ Subwoofer Size (WxHxD): 340 x 429 x 460 mm
- √ Subwoofer Net Weight: 22 kg
- √ Housing material: MDF + Anti-scratch Printing (Black finish)
- √ Handles: 2 on subwoofer (1 on each side); 1 on rear side of each top
- √ Pole Mount Adapter: Standard M20



CODE	MSRP EUR	MSRP GBP
L911L	€ 583,92	£ 525,53

COMPLETE SETS

BLUEPORT LIGHT - Portable stereo PA system with media player and Bluetooth

BluePort Light is an extremely portable and full featured PA system. The mixer can be attached and detached with the speaker for maximum ease of carrying and use. Equipped with switching power supplier and Class D amplification technology, it provides 4 mono mic/line channels, 2 stereo channels and Reverber effect. Not enough? BluePort has more to offer. Connect your smartphone via Bluetooth, plug your mass storage device (USB or Sd cards) or simply connect your external player via RCA to have your playlists at your fingertips. A remote control is included for your convenience. With crystal clear and powerful sound, extreme portability, use of most modern amplification technologies and advanced connectivity, the BluePort is the perfect solution in many applications: live bands, parties, small bars, school, conferences and more!

- √ 300W Class D powered mixer with switching power supply
- √ 2 x Bass Reflex High Efficiency polypropylene enclosures with 10" woofers
- √ Powerful and crystal clear sound
- √ Attach and remove mixer and storage box with the speaker cabinet
- √ 4 mic/line inputs with phantom power, 2 stereo inputs jack or RCA
- √ High quality reverber effect on the 4 microphone channels with individual control
- √ 2 band equalizer, volume control and effect amount for each mono channel
- √ Monitor section with Jack or RCA outputs and mini-jack headphone output
- √ Bluetooth module to connect latest devices such as smartphones or tablets
- √ Media player with mass storage devices input (USB or Sd cards) and LCD backlight display
- √ Remote control for Mp3 player functions
- √ Mixer to speaker connection cables included

- √ Amplifier: Class D, 2 x 75W RMS stereo
- √ Maximum SPL Out: 124dB
- √ Peak LED: Green=signal present, Red=input overload
- √ Phantom power: 15-48V
- √ Frequency Range: 50Hz to 20KHz
- √ Woofer: 10" LF
- √ Tweeter: 1" HF
- √ 35mm pole mount socket
- √ Power: AC Input 120-240 V – 50/60Hz - Fuse T2A
- √ Speaker dimension: (L x W x H) : 320 x 320 x 480 mm
- √ Mixer dimension: (L x W x H): 420 x 245 x 90 mm
- √ Total system weight: 20,2 Kg



CODE	MSRP EUR	MSRP GBP
D840D	€ 330,00	£ 297,00

PA-120MKII - 200 W PA System with integrated Mp3 player

The PA-120 MK2 system is designed to be a powerful resource for live and educational purpose. The friendly user interface is one of the best features of this product and this allow you to configure your sound device in a fast and easy way. The 6 Channel Active Mixer let you plug all the microphones or instrument you need for the entertainment thanks to the XLR inputs, the RCA and the mini-jack interface on Ch5/6 that allows you to plug a computer (Win or Mac), a smartphone or a portable MP3 player. To increase the quality and get a great response the Mixer features Dual Band EQ on each Channel and a Trial Band EQ on the Master Section. This helps to improve the Sound Quality as well as removing some possible disturb on the input signal. To reach the best performance PA-120 MK2 is equipped with a Reverb+Delay 24BIT DSP FX to add to your MIC inputs choosing the amount for each Channel with the related knob integrated in every Channel Strip. In the FX section you can adjust the General Level, the Time and the Repeat of the effect. To let the PA-120 MK2 be an advanced Multimedia device SOUNDSATION introduced in this system the USB input to plug an USB Mass Storage as well as an SD Slot Card allowing you to reproduce all your music tracks in the best way. The bundle is completed by a Dynamic Microphone supplied with its own cable.

- √ 200 W Multimedia PA System
- √ 6 Channels Active Mixer with FX DSP
- √ Dynamic Microphone with his cable included
- √ Mp3 player with USB/SD input, adjustable Volume and EQ
- √ Dual Band EQ on single Channel and Trial Band on Master Out
- √ Wood Speakers and Mixer with ultra-rugged wrap
- √ Easy to transport



- √ 2 x 100 W Active Mixer
- √ 2 x Bass Reflex 150 W Passive Speakers
- √ 6 Audio Channel Inputs (4 x Mono /Line – 1 x Stereo Line)
- √ Stereo Monitor Out
- √ 24 BIT DSP FX with Adjustable Level, Time and Repeat
- √ USB/SSD Inputs up to 32 GB capacity
- √ Supported file formats: Mp3, Wav, Wma
- √ Dual Band EQ (Bass- Treble) for each Channel
- √ Trial Band EQ (Bass- Mid- Treble) for Master Section
- √ 1 x 10" LF Speaker
- √ 1 x Piezo Tweeter
- √ Frequency Range: 65Hz to 20KHz
- √ AC Input 230 V – 50Hz - Fuse T2A 250V
- √ 35mm pole mount
- √ Amplifier dimensions (WxHxD): 475x120x227mm - 18.70x4.72x8.94 in
- √ Speaker dimensions (WxHxD): 334(235 rear)x512x294 - 13.15(9.25 rear) x20.16x11.57in
- √ System net weight: 28kg - 61.73lbs.
- √ Amplifier net weight: 7.2kg - 15.87lbs.
- √ Speaker net weight: 9kg - 19.84lbs.

CODE	MSRP EUR	MSRP GBP
N955N	€ 314,65	£ 283,19

Mixers



PASSIVE MIXERS

NEOMIX Series

NEOMIX-802UFX -10 channels High quality compact mixer with noiseless preamp, FX processor, USB I/O soundcard

Neomix 802UFX is a 10 channels mixer for live and studio application, with a total of 16 inputs. 8 noiseless mic preamps are equipped with +48V phantom power and 3-band eq. 2 additional stereo channels w/eq and RCA stereo input offer enough room for your instruments or external sources. High quality channels faders grant precise control. 24-bit digital effects module offers 100 programs with delays, chorus, flangers, reverbers. But we offer more: a low latency USB I/O soundcard and a digital/ optical interface for computer recording. Built with quality components, the Neomix 802UFX is the perfect tool for live gigs and studio recording

- √ 16 total inputs
- √ 8 mono channel, 2 stereo channels, 1 stereo aux in
- √ 8 noiseless Mic preamp with +48v phantom power, gain control and low cut filter
- √ Balanced inputs for low noise and signal integrity
- √ Stereo aux return
- √ 3 band Eq on all channels
- √ 24 bit digital Multi Effect Processor with 100 programs
- √ 2 aux send per channel, 1 switchable pre/post fader
- √ Headphone monitor out with level control
- √ XLR main out, RCA aux out, stereo effect send stereo out, ALT 3-4 out, monitor out
- √ Clip Led indicator and mute/solo function on each channel
- √ Low latency USB I/O soundcard with USB input assignable to channel
- √ Switchable Optical/coaxial digital input and coaxial digital output for ultimate recording flexibility
- √ Rugged metal case
- √ High quality and precise potentiometers and 60 mm faders
- √ Recording software included for PC and MAC
- √ Mains voltage: 100 -240 V~, 50/60 Hz
- √ Power consumption: 40 W
- √ Fuse: 100 -240 V~, T 1.6 A H 250V
- √ Mains connection: Standard IEC receptacle
- √ Dimensions (H x W x D): 90mm x 380mm x 330 mm - weight: 2.5 Kg



CODE	MSRP EUR	MSRP GBP
N729N	€ 303,99	£ 273,59

NEOMIX-202FX - 4 channels high quality super compact mixer with noiseless preamp and 24-Bit FX processor

Neomix 202FX is a super compact 4 channels mixer with a total of 8 inputs, equipped with all the features you need for your solo gig or personal studio mixer. 2 mic channels are equipped with +48V phantom power and 3-band eq. 2 additional stereo channels w/eq and RCA stereo input offer enough room for your instruments or external sources. 24-bit digital effects module offers 100 programs with delays, chorus, flangers, reverbers. Built with quality components, compact dimension and light weight make the Neomix 202FX the perfect portable audio tool

- √ 8 total inputs
- √ 2 mono channel, 2 stereo channels, 1 aux in
- √ 2 noiseless Mic preamp with +48v phantom power and gain control
- √ Balanced inputs for low noise and signal integrity
- √ 3 band Eq on mono all channels
- √ 24 bit digital Multi Effect Processor with 100 programs
- √ Headphone monitor out with level control
- √ TRS main out, RCA aux out stereo effect send stereo out
- √ Peak led indicator
- √ Rugged metal case
- √ High quality and precise potentiometers
- √ Super compact dimensions and weight for extreme portability
- √ Power consumption: 15W
- √ Voltage: Europe 230V 230 V~, 50 Hz
- √ Dimension (H x W x D): 46mm / 28mm x 230mm x 210mm - Weight: 1,8 Kg



CODE	MSRP EUR	MSRP GBP
N727N	€ 121,28	£ 109,15

NEOMIX Series

NEOMIX-202 - 4 channels high quality super compact mixer with noiseless preamp and phantom power

Neomix 202 is a super compact 4 channels mixer with a total of 8 inputs, equipped with all the features you need for your solo gig or personal studio mixer. 2 mic channels are equipped with +48V phantom power and 3-band eq. 2 additional stereo channels w/eq and RCA stereo input offer enough room for your instruments or external sources. Built with quality components, compact dimension and light weight make the Neomix 202 the perfect portable audio tool

- √ 8 total inputs
- √ 2 mono channel, 2 stereo channels, 1 aux in
- √ 2 noiseless Mic preamp with +48v phantom power and gain control
- √ Balanced inputs for low noise and signal integrity
- √ 3 band Eq on all channels
- √ Headphone monitor out with level control
- √ TRS main out, RCA aux out, stereo effect return out
- √ Peak led indicator
- √ Rugged metal case
- √ High quality and precise potentiometers
- √ Super compact dimensions and weight for extreme portability

- √ Power consumption: 15W
- √ Voltage: Europe 230 V~, 50 Hz
- √ Dimensions (WxDxH): 190x230x27/40mm - Weight: 1,8 Kg

CODE	MSRP EUR	MSRP GBP
N726N	€ 82,39	£ 74,15



NEOMIX-102 - 3 channels high quality super compact mixer with noiseless preamp and phantom power

Neomix 102 is a super compact 3 channels mixer with a total of 7 inputs, equipped with all the features you need for your solo gig or personal studio mixer. The mic channel is equipped with +48V phantom power and 3-band eq. 2 additional stereo channels and RCA stereo input offer enough room for your instruments or external sources. Built with quality components, compact dimension and light weight make the Neomix 102 the perfect portable audio tool

- √ 7 total inputs
- √ 1 mono channel, 2 stereo channels, 1 aux in
- √ 1 noiseless Mic preamp with +48v phantom power
- √ Balanced inputs for low noise and signal integrity
- √ 3 band Eq on mono channel
- √ Headphone monitor out with level control
- √ TRS main out and RCA aux out
- √ Peak led indicator
- √ Rugged metal case
- √ High quality and precise potentiometers
- √ Super compact dimensions and weight for extreme portability

- √ Power consumption: 13W
- √ Main Voltage: 230V - 50Hz
- √ For more detailed specification, please refer to the User Manual
- √ Dimensions (WxDxH): 145x185x42/28mm - Weight: 1,5 Kg

CODE	MSRP EUR	MSRP GBP
N725N	€ 60,57	£ 54,51



PASSIVE MIXERS

VIVO Series

VIVO-24UFX MKII - 24 channels High quality Professional mixer with Ambient Pro® FX processor and USB I/O soundcard

VIVO 24 MKII is a professional mixing console studied both for Live and Studio. The new MKII version is equipped with Ambient Pro® high quality DSP. The 24 inputs cover a wide range of application and their noise-less pre-amp ensure an excellent S/N ratio. All the components are top quality starting from the 80mm channel faders that prevents any possible noise during the volume regulation. VIVO features 4 AUX sends with relative RETURNS as well as 4 SUB-Groups useful for the routing of more channels to an external device or to the MAIN. The Master section has a 12 segment VU Meter with Clip indicator and 2 knobs to adjust the levels of the Headphone Out and the Control Room out. The ultra-rugged construction allows to use this workstation in the open air with any weather condition. Using the 2.0 USB Out is possible to record in real time in any DAW becoming a powerful resource in Recording Studio.

- √ 24 total inputs
- √ 16 mono channel, 4 stereo channels, 4 Sub-groups
- √ 18 noiseless Mic preamp with +48v phantom power, gain control and lo-cut filter
- √ Balanced inputs for low noise and signal integrity
- √ 2 AUX Sends (Pre or Post) and 2 FX sends (4 total independent sends)
- √ 3 band Eq with parametric filter on Mid Frequencies
- √ 24 bit digital Multi Effect Ambient Pro® Processor with 100 programs
- √ 2 Track-in assignable to MAIN
- √ Adjustable Headphone monitor out and Control Room Out
- √ 9 band Graphic Eq on Master Out
- √ Clip Led indicator and mute/solo function on each channel, 12 segment VU Meter on Master Out
- √ Low latency USB I/O soundcard with USB input assignable to channel
- √ Routing of each channel on MAIN, SUB 1-2, SUB 3-4 or SOLO mode
- √ Rugged metal case for Live shows in the open air
- √ High quality and precise 80 mm faders



- √ Power Supply: 100 -240 V~, 50/60 Hz
- √ Mains connection: Standard IEC receptacle
- √ Fuse: 100 -240 V~, T 1.6 A L 250V
- √ Frequency response: 10Hz - 55 kHz +/- 3 dB
- √ THD+N: 0.0005% @ +4dBu, 1 kHz
- √ S/N Ratio: 115 dB
- √ Sensitivity range: from +15 dBu to -35 dBu
- √ DSP effect: A/D and D/A with 24 bit sample ratio
- √ MIC input impedance: 1,4 KOhm
- √ INSERT impedance: 2,5 KOhm
- √ All other inputs impedance: >10KOhm
- √ LO-CUT filter: 75 Hz, 18 dB/oct.
- √ HI filter: +/- 15 dB @ 12KHz
- √ MID filter: +/- 15 dB frequency response 100Hz-8kHz
- √ LO filter: +/- 15 dB @ 80 Hz
- √ HI-MID and LO-MID filter (Stereo Channels): +/- 15 dB @3kHz and +/- 15 dB @ 500 Hz
- √ Dimensions (H x W x D): 105mm x 755mm x 445 mm - Weight: 10,4 Kg

CODE

L332L

MSRP EUR

€ 693,16

MSRP GBP

£ 623,84



VIVO Series

VIVO-20UFX MKII - 20 channels High quality Professional mixer with Ambient Pro® FX processor and USB I/O soundcard

VIVO 20 MKII is a professional mixing console studied both for Live and Studio. The new MKII version is equipped with Ambient Pro® high quality DSP. The 20 inputs cover a wide range of application and their noise-less pre-amp ensure an excellent S/N ratio. All the components are top quality starting from the 80mm channel faders that prevents any possible noise during the volume regulation. VIVO features 4 AUX sends with relative RETURNS as well as 4 SUB-Groups useful for the routing of more channels to an external device or to the MAIN. The Master section has a 12 segment VU Meter with Clip indicator and 2 knobs to adjust the levels of the Headphone Out and the Control Room out. The ultra-rugged construction allows to use this workstation in the open air with any weather condition. Using the 2.0 USB Out is possible to record in real time in any DAW becoming a powerful resource in Recording Studio.

- √ 20 total inputs
- √ 12 mono channel, 4 stereo channels, 4 Sub-groups
- √ 14 noiseless Mic preamp with +48v phantom power, gain control and lo-cut filter
- √ Balanced inputs for low noise and signal integrity
- √ 2 AUX Sends (Pre or Post) and 2 FX sends (4 total independent sends)
- √ 3 band Eq with parametric filter on Mid Frequencies
- √ 24 bit digital Multi Effect Ambient Pro® Processor with 100 programs
- √ 2 Track-in assignable to MAIN
- √ Adjustable Headphone monitor out and Control Room Out
- √ 9 band Graphic Eq on Master Out
- √ Clip Led indicator and mute/solo function on each channel, 12 segment VU Meter on Master Out
- √ Low latency USB I/O soundcard with USB input assignable to channel
- √ Routing of each channel on MAIN, SUB 1-2, SUB 3-4 or SOLO mode
- √ Rugged metal case for Live shows in the open air
- √ High quality and precise 80 mm faders



- √ Power Supply: 100 -240 V~, 50/60 Hz
- √ Mains connection: Standard IEC receptacle
- √ Fuse: 100 -240 V~, T 1.6 A L 250V
- √ Frequency response: 10Hz - 55 kHz +/- 3 dB
- √ THD+N: 0.0005% @ +4dBu, 1 kHz
- √ S/N Ratio: 115 dB
- √ Sensitivity range: from +15 dBu to -35 dBu
- √ DSP effect: A/D and D/A with 24 bit sample ratio
- √ MIC input impedance: 1,4 KOhm
- √ INSERT impedance: 2,5 KOhm
- √ All other inputs impedance: >10KOhm
- √ LO-CUT filter: 75 Hz, 18 dB/oct.
- √ HI filter: +/- 15 dB @ 12KHz
- √ MID filter: +/- 15 dB frequency response 100Hz-8kHz
- √ LO filter: +/- 15 dB @ 80 Hz
- √ HI-MID and LO-MID filter (Stereo Channels): +/- 15 dB @3kHz and +/- 15 dB @ 500 Hz
- √ Dimensions (H x W x D): 105mm x 645mm x 445 mm - Weight: 8,8 Kg

CODE	MSRP EUR	MSRP GBP
L331L	€ 613,07	£ 551,76

POWERED MIXERS

PMX Series

PMX-8UBT - 8-channels 300W max. powered mixer with Bluetooth™, effects and MP3 player

PMX-8UBT is the ideal tool for all those small bands or musicians who need a mixer with quality Mic. preamps with +48V phantom power, a digital processor with 16 useful effects, an MP3 player with USB port and a dual amplification line for both FOH and stage monitoring with a 7-band EQ for each of them. Its size and lightweight combined with robust construction makes it extremely portable and stage-resistant.

- √ 300+300W peak power amplification
- √ 8-channel mixer with 2-band EQ, FX send, Gain, Pan and Level for each channel
- √ Premium Mic. Preamps with Low-impedance XLR and High-impedance 1/4" Jack connectors
- √ +48V Phantom Power switchable on all XLR inputs for the use with condenser microphones
- √ Digital effect with 16 among most used presets
- √ Stereo TAPE In/Out for recording or playing audio to/from recorders, sound cards or other equipment
- √ Two 7-band graphic EQ for respectively main and monitor outputs
- √ MP3 player with wide LCD display and USB input for mass storage devices up to 32GB
- √ Bluetooth™ connection for stereo playback of smartphones, tablets, etc.
- √ Lightweight and impact-resistant ABS enclosure with practical handle on one side for easy transport



- √ Peak Power: 300+300W @ 4ohm
- √ RMS Power: 150+150W @ 4ohm
- √ HI-Z/LIne Input Impedance: 2.2Kohm
- √ LO-Z Input Impedance/Mic: 600ohm
- √ Frequency Response: 20Hz - 20KHz, +1dB/-3dB @ 1W
- √ EQ HIGH: +/- 12 dB @ 12 kHz
- √ EQ LOW: +/-12 dB @ 80 Hz
- √ 7-Band Graphic EQ: +/- 12 dB @ 60, 120, 360, 1k, 2,5k, 7k, 16kHz
- √ Harmonic Distortion (THD): <0.3% 20Hz - 20KHz @ 100W
- √ PAD Attenuation: -20dB
- √ Output Impedance: 4ohm min.
- √ Phantom Power: +48Vcc
- √ Mains Voltage: AC 220-230 Vac / 50 Hz
- √ Dimensions (WxHxD): 440 x 255 x 240 mm - 17.32 x 10.04 x .45 in
- √ Weight: 9.0 kg - 19.84 lbs.



CODE	MSRP EUR	MSRP GBP
D738D	€ 260,84	£ 234,76

PMX Series

PMX-4MKII - 6-Channel powered mixer with effect and MP3 player

PMX-4 MKII is designed to be a powerful resource for live and educational purposes. The friendly user interface is one of the best features of this product and allows you to configure your sound device in a fast and easy way. The 6-Channel Active Mixer lets you plug microphones, instruments or any other audio equipment thanks to the XLR inputs on CH1-4, the 1/4" Jack inputs on CH1-3, the stereo RCA inputs on CH4 and the 3mm jack input on Ch5/6 that allows you to plug a computer, a smartphone, a portable MP3 player etc.

- √ 6-Channel 200+200W powered mixer with effect and multimedia player
- √ 4 Mic/Line channel (CH1-4) with independent 2-band EQ and FX send bus with adjustable level
- √ 1 stereo channel (CH5-6) with 3mm Jack connector for tablets, computers and other multimedia devices
- √ 3-Band EQ on Master outputs
- √ 24bit digital Reverb/Delay with Level, Delay Time and Repeat adjustment
- √ RCA Stereo TAPE In/Out for an external recorder/player
- √ MP3 player with A-Type USB and SD-Card slot for 8GB max mass storage devices
- √ 200+200W @ 4ohm amplification

- √ System Type: Active Mixer with MP3 Player
- √ Rated Power: 100+100W @ 4ohm
- √ Peak Power: 200+200W @ 4ohm
- √ Frequency Range: 20Hz - 20KHz +1/-3dB @ 1W Output to 8ohm speakers
- √ Mixer: 6-Channel Inputs (4 x Mono /Line, 1 x Stereo Line)
- √ Input Impedance: Mic - 2Kohm (balanced) / 1kohm (unbalanced); Line - 10kohm; Tape IN - 47Kohm
- √ Input Channel EQ: HIGH +/-15dB @ 12kHz; LOW +/-15dB @ 80Hz
- √ 3-Band EQ: Bass - Mid- Treble for Master Section
- √ Stereo Monitor Out: 1/4" Jack (TRS)
- √ Speaker Outputs: 2x 1/4" Jack mono
- √ DSP: 24-bit Delay/Reverb with Adjustable Level, Time and Repeat
- √ Digital Delay: Time 140 - 342ms
- √ Digital Player: USB A-Type (max 8Gb); SSD slot (max 8Gb)
- √ AC Input: 230 V - 50Hz
- √ Fuse: T2A 250V
- √ Dimensions (WxHxD): 475x120x227mm - 18.70x4.74x8.94in
- √ Weight: 7.2 Kg - 18.87 lbs.



CODE	MSRP EUR	MSRP GBP
D737D	€ 146,19	£ 131,57

AUDIO TOOLS

POCKET-MIX - 4 channel mini mixer with power supplier

- √ 4 channel mini mixer with noiseless premps
- √ Ultra compact size 110 x 57x 31 mm
- √ Works with line or microphone inputs
- √ 4 mono inputs TRS 6,3mm
- √ Mono output TRS 6,3 mm
- √ 12V DC power supplier included



CODE	MSRP EUR	MSRP GBP
1516I	€ 30,96	£ 27,86

ADX-500 - Ultra low noise active DI Box

- √ Converts unbalanced input signal in balanced output signal
- √ Input jack 6,3mm unbalanced
- √ Output XLR F unbalanced
- √ Monitor out/link out 6,3mm
- √ Pad 0dB - 20 dB
- √ Output XLR M balanced
- √ Ground lift switch

- √ Frequency response : 30Hz-20KHz
- √ Maximum input level: 0 ±20dB
- √ Noise level : = 105 dBu
- √ Power Requirement: AC 20~48V
- √ Battery : 9V blockcell 6LR91
- √ Dimension : 145X125X59mm
- √ Weight : 700 g



CODE	MSRP EUR	MSRP GBP
D699D	€ 53,69	£ 48,32

MIXER ACCESSORIES

LLMX-XLR - Mixing console LED lamp with XLR connector

With Soundsatin LED lamp you can easily enlight your mixing console in situations of poor visibility, plugging into a microphone channel of your mixer. The flexible body allow to direct the light easily and effectively on your working zone. The lamp is powered by the phantom power of your console. LED tecnology ensures best enlightenment and low consumption.

- √ Easy and quick installation via XLR connection
- √ Powered by your mixer phantom power
- √ Easy to direct the light thanks to the flexible body
- √ LED lighting technology

- √ Diameter: 8 mm
- √ Lenght: 412 mm
- √ Power supply: DC 12V phantom power
- √ LED lamp technology



CODE	MSRP EUR	MSRP GBP
N756N	€ 19,35	£ 17,42

LLMX-BNC - Mixing console LED lamp with BNC connector

With Soundsatin LED lamp you can easily enlight your mixing console in situations of poor visibility, plugging into the BNC connector. The flexible body allow to direct the light easily and effectively on your working zone. The lamp is powered by the phantom power of your console. LED tecnology ensures best enlightenment and low consumption.

- √ Easy and quick installation via BNC connection
- √ Powered by your mixer BNC connector. No need to t
- √ Easy to direct the light thanks to the flexible body
- √ LED lighting technology

- √ Diameter: 8 mm
- √ Lenght: 415 mm
- √ Power supply: DC 12V BNC
- √ LED lamp technology



CODE	MSRP EUR	MSRP GBP
N757N	€ 19,35	£ 17,42

Power Amplifiers



2 CHANNELS POWER AMPLIFIERS

ZEUS-D Series

The new digital power amp range represents a big step-ahead in the SOUNDSATION Audio catalogue. thanks to S.P.S.M. technology it's possible to get amazing power while keeping the size and weight significantly reduced compared to conventional models in class A / B. The build quality and meticulous choice of components ensure best performance and extreme reliability even in the case of extraordinary stress.

D3600 - 3600 W Class D 2 Channels Power Amplifier



- √ 3600 W Max Power (bridge 8 Ohm)
- √ Forced Air Cooling with variable speed adjustment
- √ Balanced XLR
- √ 4-poles Speakon Outputs
- √ Protection: Thermal, Overload, DC output and Broken component
- √ LED indicators: Power, Error, Mute, Clip, Signal
- √ Configuration: Stereo, Bridge
- √ Class D Switching Power Supply
- √ 2 Channels
- √ Power Out: 1 x 3600 W (bridge 8 ohm) - 2 x 1000 W (stereo 8 ohm) - 2 x 1700 W (stereo 4 ohm)
- √ Frequency Response: 20Hz-20KHz +/- 1dB
- √ Singla to noise Ratio (a-w-rms): >95dBA
- √ THD+N: <0,1% (1KHz)
- √ Balanced Input Impedance: 20KOhm
- √ Unbalanced Input Impedance: 10KOhm
- √ Damping Factor: >250 (5Hz-1KHz)
- √ Slew Rate: 20V/μs
- √ Cooling: forced cycle with adjustable speed Fan
- √ Power Supply: 90÷240 VAC 50/60Hz
- √ Power consumption: 1040W
- √ Dimension: 483 x 170 x 45 mm - 1U Rack - Weight: 2 Kg



CODE	MSRP EUR	MSRP GBP
N950N	€ 749,00	£ 674,10

D1800 - 1800 W Class D 2 Channels Power Amplifier



- √ 1800 W Max Power (bridge 8 Ohm)
- √ Forced Air Cooling with variable speed adjustment
- √ Balanced XLR
- √ 4-poles Speakon Outputs
- √ Protection: Thermal, Overload, DC output and Broken component
- √ LED indicators: Power, Error, Mute, Clip, Signal
- √ Configuration: Stereo, Bridge
- √ Class D Switching Power Supply
- √ 2 Channels
- √ Power Out: Potenza: 1 x 1800 W (bridge 8 ohm) - 2 x 600 W (stereo 8 ohm) - 2 x 900 W (stereo 4 ohm)
- √ Frequency Response: 20Hz-20KHz +/- 1dB
- √ Singla to noise Ratio (a-w-rms): >95dBA
- √ THD+N: <0,1% (1KHz)
- √ Balanced Input Impedance: 20KOhm
- √ Unbalanced Input Impedance: 10KOhm
- √ Damping Factor: >250 (5Hz-1KHz)
- √ Slew Rate: 20V/μs
- √ Cooling: forced cycle with adjustable speed Fan
- √ Power Supply: 90÷240 VAC 50/60Hz
- √ Power consumption: 640W
- √ Dimension: 483 x 170 x 45 mm - 1U Rack - Weight: 2 Kg



CODE	MSRP EUR	MSRP GBP
N949N	€ 689,00	£ 620,10

ZEUS-D Series

D300 - 300 W Class D 2 Channels Power Amplifier

- √ 300 W Max Power (bridge 8 Ohm)
- √ Forced Air Cooling with variable speed adjustment
- √ Balanced XLR and TRS Jack Inputs
- √ 4-poles Speakon and 5 way binding Outputs
- √ Protection: Thermal, Overload and DC output
- √ LED indicators: Power, Signal, Clip
- √ Configuration: Stereo, Bridge

- √ Class D Switching Power Supply
- √ 2 Channels
- √ Power Out: 1 x 300 W (bridge 8 ohm) - 2 x 100 W (stereo 8 ohm) - 2 x 200 W (stereo 4 ohm)
- √ Frequency Response: 20Hz-20KHz +/- 0,5dB
- √ Singla to noise Ratio (a-w-rms): >100dBA
- √ THD+N: <0,1% (1KHz)
- √ Balanced Input Impedance: 20KOhm
- √ Unbalanced Input Impedance: 10KOhm
- √ Damping Factor: >200 (5Hz-1KHz)
- √ Slew Rate: 20V/μs
- √ Cooling: forced cycle with adjustable speed Fan
- √ Power Supply: 110/230 VAC 50/60Hz
- √ Power consumption: 100W
- √ Dimension: 483 x 170 x 45 mm - 1U Rack
- √ Weight: 2 Kg



CODE	MSRP EUR	MSRP GBP
N947N	€ 224,14	£ 201,73

2 CHANNELS POWER AMPLIFIERS

ZEUS-ONE Series

ZEUS ONE is an extremely musical power amp series that is able to handle a variety of different loads and supporting the most common speakers available on the market. This 2 channel amplifier series is the perfect solution for your applications and you can easily select the model that matches your case starting from very soft use to very loud performance. The 2U standard rack design allows a quick installation even if you need to use an array of amps.

ZEUSI-2500MKII - 2000 Watt power amplifier



- ✓ 2 x 750 Watt into 4 Ohm, 2 x 500 Watt into 8 Ohm
- ✓ Stereo, bridge or parallel mode operations
- ✓ Power supply protection, thermal cut off, up/down transient, slow start and short circuit protection for full safety use
- ✓ Rack 2U format for convenient installation
- ✓ Variable speed cooling fan
- ✓ Level control on each channel
- ✓ Jack TRS or XLR input
- ✓ Speakon and TRS Jacks
- ✓ LED indicators for power (blue), protection (blue), clip (red)
- ✓ Extremely rugged, all steel case and front panel
- ✓ Power in stereo mode: 2 x 750 Watt into 4 Ohm, 2 x 500 Watt into 8 Ohm
- ✓ Power in bridge mode: 2000W into 4 Ohm, 1500W into 8 Ohm
- ✓ Frequency response: 20Hz-20KHz -1,5 dB
- ✓ Input sensitivity: 0,77V/26 dB 1,4V
- ✓ Maximum input level: 21dB/9V
- ✓ Input impedance: 20 KOhm
- ✓ Signal/noise ratio: > 95 dB
- ✓ Damping factor: > 105dB
- ✓ Power supply: AC 117/230V 50-60Hz
- ✓ Dimensions WxDxH: 482x400x88 mm - Weight: 17,5 Kg



CODE	MSRP EUR	MSRP GBP
N952N	€ 368,00	£ 331,20

ZEUSI-1400 - 1400 Watt power amplifier



- ✓ 2 x 700 Watt into 2 Ohm, 2 x 500 Watt into 4 Ohm, 2 x 300 Watt into 8 Ohm
- ✓ Stereo or bridge mode operations
- ✓ Power supply protection, thermal cut off, up/down transient, slow start and short circuit protection for full safety use
- ✓ Limiter with on/off switch
- ✓ Variable speed cooling fan
- ✓ Level control on each channel
- ✓ Jack TRS or XLR input
- ✓ Speakon and binding post outputs
- ✓ LED indicators for power (white), bridge/stereo mode (white), protection (yellow), clip (red)
- ✓ Extremely rugged, all steel case and front panel
- ✓ Rack 2U format for convenient installation
- ✓ Power in stereo mode: 2 x 700 Watt into 2 Ohm, 2 x 500 Watt into 4 Ohm, 2 x 300 Watt into 8 Ohm
- ✓ Power in bridge mode: 1400W into 4 Ohm, 1000W into 8 Ohm
- ✓ Frequency response: 10Hz-50KHz - 1,5 dB
- ✓ Input sensitivity: 0,77V/26 dB 1,4V
- ✓ Maximum input level: 21dB/9V
- ✓ Input impedance: 20 KOhm
- ✓ Signal/noise ratio: > 90 dB
- ✓ Damping factor: > 105dB
- ✓ Power supply: AC230V/50-60Hz
- ✓ Dimensions WxDxH: 482x400x88 mm - Weight: 18 Kg



CODE	MSRP EUR	MSRP GBP
N719N	€ 275,00	£ 247,50

ZEUS-H Series

H5000 - 5000 W Class H 4 Channels Power Amplifier

Thanks to the H class amplification technology this amplifier deliver super high power even if cased in a 2 rack unit. Equipped with 4 Channels it's possible to switch 3 different mode (Stereo, Bridge, Parallel). To give the possibility to drive Sub-Woofer units efficiently and conveniently, Zeus H5000 come with a variable high-pass filter 30 to 150 Hz, perfect in case of 2 ways speaker configuration. Definetely the most versatile and powerful amp among the Zeus line.

- √ 5000 W Max Power
- √ Forced Air Cooling with variable speed adjustment
- √ Balanced XLR
- √ 4-poles Speakon Outputs
- √ Protection: Thermal, Overload,DC output and Broken component
- √ LED indicators: Power, Clip, Signal, Protect
- √ Configuration: Stero, Bridge, Parallel
- √ Crossover filter for sub-woofers 30-150Hz



- √ Class H Switching Power Supply
- √ 4 Channels
- √ Power Out: 2 x 2100 W (bridge 8 ohm) - 4 x 800 W (stereo 8 ohm) - 4 x 1050 W (stereo 4 ohm)
- √ Frequency Response: 20Hz-20KHz +/- 1dB (ByPass On) - 30-150Hz +/- 1dB (Low Cut On)
- √ Singla to noise Ratio (a-w-rms): >950dBA
- √ THD+N: <0,1% (1KHz)
- √ Balanced Input Impedance: 20KOhm
- √ Unbalanced Input Impedance: 10KOhm
- √ Damping Factor: >250 (5Hz-1KHz)
- √ Slew Rate: 20V/μs
- √ Cooling: forced cycle with adjustable speed Fan
- √ Power Supply: 230 VAC 50/60Hz
- √ Power consumption: 1500W
- √ Dimension: 483 x 340 x 90 mm - 2U Rack - Weight: 16 Kg



CODE	MSRP EUR	MSRP GBP
N951N	€ 669,00	£ 602,10

COSTANT VOLTAGE AMPLIFIERS

V120 - Constant voltage power amplifier

Zeus V120 has been conceived to offer a complete and versatile solution to fit installation needs. Featuring both 70/100V and 4/8/16 ohm outputs, allow to install several speakers conveniently. Coming with combo inputs, is a an easy solution for installation in restaurant, shopping centers, supermarkets, parks.

- √ Power amplifier with 200W max output power
- √ 70/100V and 4/8/16 ohm outputs
- √ Chime function to broadcast announcements
- √ 2 band equalization
- √ Pre output to connect another device
- √ 4 combo input mic/line
- √ 24V DC phantom power with individual switch for each channel
- √ Output level LED meter

- √ Power supply: AC 110/120V 60Hz o AC 220/230V 60Hz
- √ Frequency response: 100Hz - 17 kHz
- √ Input sensitivity Mic/Line : -50dB +- 2 dB/ -4dB +- 1 DB
- √ Input sensitivity Aux : -20dB +- 2 dB
- √ S/N ratio: MIC > 65dB, AUX > 70dB
- √ Distortion THD: <1% (rated power output)
- √ Equalization: Bass 100Hz +-10dB, High 10kHz +- 10 dB
- √ Protections: DC/over temperature/over load
- √ Phantom power: 24V DC
- √ Power output: 120W
- √ Power consumption: 200W
- √ Dimensions (LxDxH): 430 x 380 x 88,80 mm
- √ Weight: 10,5 Kg
- √ -



CODE	MSRP EUR	MSRP GBP
D751D	€ 386,85	£ 348,17

Audio Processors



MULTIEFFECTS AND FEEDBACK DESTROYERS

DIGITAL Series

DFX2448 - 24 bit Multieffect Processor 1U Rack

The DFX-2448 is a digital effects processor packaged within a 19 inch rackmount 1U housing. The user interface has been carefully designed to be user friendly and consists of a central rotary encoder for navigation purposes, a potentiometer for parameter settings, with three further potentiometers to control INPUT, OUTPUT and MIX levels. The DFX-2448 has a 2 x 20 LCD alphanumeric display for easy access and set up, as well as LED indication on CLIP, MUTE and aTAP time LED. The unit can be connected via MIDI as well as USB for external control and two way movements of data. There are also rear jack connections for foot pedal control of effects BYPASS and the setting of TAP DELAY externally. TAP DELAY can also be varied by a front panel switch. The 16 preset can be modified directly via the Unit Panel or via the supplied PC Software Manager.



- √ 24 bit Processor with 24 bit DELTA-SIGMA converters
- √ Built-in Effects : REVERB, DELAY, CHORUS, ROTARY, PITCH SHIFTER and combined FX (CHR/FLG+REVERB, DELAY+REVERB, CHR/FLG+DELAY)
- √ Advanced MIX system: (INPUT-OUTPUT-MIX)
- √ Wide LCD screen for an optimal check of the status of the unit
- √ Ultra-rugged construction allowing to use the unit in Live performances
- √ Software manager for remote unit controlling included

- √ 24 Bit ProcessIngressi:
- √ Converters: 24-Bit Delta-Sigma, 128-times oversampling
- √ Sampling Rate: 48 KHz
- √ Inputs: Balanced XLR & JACK TRS
- √ Input Max Level: +15 dBu
- √ Input impedance: approx. 30 KOhm
- √ Outputs: Balanced XLR & JACK TRS
- √ Output Max Level: +21 dBu
- √ Output Impedance: approx. 150 Ohm
- √ Foot Switch Input: TS Jack
- √ MIDI connection: 2 x DIN 5 pin
- √ USB connection: USB Connector type "A"
- √ Frequency Response: 10 Hz to 22 kHz, -3 dB
- √ Dynamic range: 103 dB, 10 Hz to 22 kHz A-Weighted
- √ THD: 0,01 % typ. @ 0 dBFS
- √ Crosstalk: -75 dB @ 1 kHz
- √ Signal-to-noise Ratio: 10 Hz to 22 kHz >100 dB @ 0 dBu, A-weighted
- √ Power consumption: approx. 15 W



CODE
N843N

MSRP EUR
€ 209,20

MSRP GBP
£ 188,28


DFE1224 - Digital Feedback Eliminator

The DFE-1224 is a feedback detection device that can be used in dual channel or mono mode. The feedback system analyzes all frequencies in the signal path, determines the cause of the Larsen effect and cancels it by implementing the 12 real-time high precision notch filters that have -45dB attenuation. The system is adjustable in 15 steps, allowing the user to change the DFE-1224 sensitivity to audio feedback according to your situation requirements. The parameter settings of the 12 notch filters per channel remain in RAM memory, but if it is required to keep them as a setting for future reference they must be saved in a user memory preset. If you switch off the DFE-1224 before saving any changed settings to a memory, these will be lost and on power up the unit will default to the last saved memory settings. The unit has 20 memories available, with 4 factory presets and 16 user memory presets. The DFE-1224 has a bypass system that has been designed within the analog domain and the unit can be connected via MIDI as well as USB for external control and two way movements of data.



- √ 24 bit Audio Processor with 12 Real-time Notch filters
- √ Professional 24 bit AD/DA Converters
- √ Adjustable parameter for each effect and MIX between input and output signal
- √ User-friendly panel interface thanks to the rotative knob "Navigation" that allows to get all the parameter
- √ Wide LCD screen for an optimal check of the status of the unit
- √ Ultra-rugged construction allowing to use the unit in Live performances
- √ Software manager for remote unit controlling included

- √ 24 bit Audio Processor for filters and professional AD/DA converters
- √ Inputs: Balanced XLR-F & Jack
- √ Outputs: Balanced XLR-M & Jack
- √ Converters: AD/DA 24 bit
- √ User Memories: 16
- √ Recall Memories: 20
- √ S/N Ratio: > 90 dBA
- √ THD+N: < 0.01% @ -6 dBFS
- √ Input Max Level: 9 dBu
- √ Output Max Level: 9 dBu
- √ Frequency Response: 20Hz - 20kHz +/- 0.5dB
- √ LCD Display: Graphic 2x20 characters
- √ Additional outputs: USB, MIDI
- √ Dimension: 1U Rack - Weight : 3 Kg



CODE
N844N

MSRP EUR
€ 204,55

MSRP GBP
£ 184,10

DIGITAL Series

DFX16 - 16 effects 24 bit processor

DFX 16 is the ultra-compact solution for the musician who want to include a Professional FX Processor to his setup. The unit is equipped with up to 16 Effects like Reverb, Chorus, Delay, Flanger, Phaser and a realistic Rotary simulation. The friendly user interface easily allows to select the desired effect as well as edit the FX and mix it to the input signal. Connecting a foot switch it's possible to let the "Bypass" function be remote even if you can get it pressing the related switch on the front panel.

- √ Last generation 24 BIT DSP with built-in 16 Effects optimized for Live, Studio and Podcast
- √ Ultra-compact design with user-friendly parameters
- √ Accurately IN-OUT Mixing with dedicated pots
- √ Foot-switch input for remote controlling of the unit
- √ LED indicators for TAP/FX Select, Bypass and Clip
- √ Ultra-rugged construction to ensure best performance both for Live and Studio

- √ Processor: DSP - 24 BIT resolution
- √ Input: Unbalanced TRS Jack
- √ Outputs: 2 x Unbalanced TRS Jack
- √ Input MAX Level: 9 dBu
- √ Output MAX Level: 9 dBu
- √ THD+N: < 0.01% @ -6 dBFS
- √ S/N Ratio: > 90 dBA
- √ Frequency Response: 20Hz - 20kHz +/- 0.5dB
- √ A/D and D/A Resolution: 20 bit
- √ Led indicators: TAP/FX Select, Bypass and Clip
- √ Dimension: 19/3 inch Rackmount x 0.5U
- √ Peso: 0,5 Kg



CODE	MSRP EUR	MSRP GBP
N845N	€ 116,88	£ 105,19

Microphones



DYNAMIC MICROPHONES



#Icon 50's - Vintage Style dynamic microphone

SOUNDSATION microphones line is inspired to the needs of musicians and music lovers. Sound excellence, comfort, design and product innovation come first. #Icon 50's microphone is designed to add performances and style to your vocal stage. A very stylish vintage design and a rugged construction together with an accurate dynamic capsule. A must-have for every singer or showman.

- ✓ Classic vintage style design
- ✓ Quality and durable classic chromed finishing
- ✓ Dynamic vocal microphone with smooth mid-frequency presence rise for excellent voice projection
- ✓ Ultra-wide frequency response for crystal and clear sound
- ✓ Extremely high signal output lets your voice cut through
- ✓ Cardioid polar pattern minimizes ambient noise and feedback
- ✓ Effective built-in pop noise filter
- ✓ On/off switch for on-stage easy control
- ✓ Including carrying case

- ✓ Type: Dynamic
- ✓ Directivity: Cardioid
- ✓ Frequency Response: 60Hz-16kHz
- ✓ Sensitivity: -54dB±3dB (0dB=1V/Pa at 1kHz)
- ✓ Output Impedance: 250Ω±30% (at 1kHz)
- ✓ Net Weight: 655g

CODE	MSRP EUR	MSRP GBP
18671	€ 63,70	£ 57,33



DM99 - Pro Dynamic Vocal Microphone

SOUNDSATION microphones line is inspired to the needs of musicians and music lovers. Sound excellence, comfort, design and product innovation come first. DM99 is the SOUNDSATION flagship in dynamic technology based vocal microphones. It is a cardioid dynamic mic. Designed for best performance of skilled singers. Rugged construction, warm and clear vocal reproduction will donate the user a unique experience in every live event small clubs or large venues.

- ✓ Dynamic vocal microphone with smooth mid-frequency presence rise for excellent voice projection
- ✓ Cardioid polar pattern minimizes ambient noise and feedback
- ✓ Ultra-wide frequency response for crystal and clear sound
- ✓ Extremely high signal output lets your voice cut through
- ✓ Clear and bright vocal reproduction
- ✓ High-quality components and rugged construction
- ✓ Microphone stand adapter for easy stand placement
- ✓ Comes with 3 mt XLR M - XLR F professional cable
- ✓ Comes with carrying bag

- ✓ Transducer principle: Dynamic
- ✓ Polar Pattern : Cardioid
- ✓ Frequency Response: 50Hz-16kHz
- ✓ Sensitivity -55dB±3dB(0dB=1V/Pa at 1kHz)
- ✓ Output Impedance: 400 Ohm ±30%
- ✓ Net weight: gr 320

CODE	MSRP EUR	MSRP GBP
M274M	€ 53,90	£ 48,51



PRO30 - Pro vocal dynamic microphone

SOUNDSATION microphone line is inspired to the needs of musicians and music lovers. Sound excellence, comfort, design and product innovation come first. PRO30 microphone is designed for best vocal performance whatever your application. Durable and stylish design will donate the user a unique experience in every pro application but also in his all other kind of performances.

- ✓ Dynamic vocal microphone with smooth mid-frequency presence rise for excellent voice projection
- ✓ Ultra-wide frequency response for crystal and clear sound
- ✓ Extremely high signal output lets your voice cut through
- ✓ Cardioid polar pattern minimizes ambient noise and feedback
- ✓ High-quality components and exceptionally rugged construction
- ✓ XLR M / XLR F cable included

- ✓ Directivity : cardioid
- ✓ Element: Dynamic
- ✓ Polar Pattern: Uni-directional
- ✓ Frequency Response: 60Hz-16kHz
- ✓ Sensitivity: -55dB±3dB(0dB=1V/Pa at 1kHz)
- ✓ Output Impedance: 300Ω±30%(at 1kHz)

CODE	MSRP EUR	MSRP GBP
M312M	€ 28,76	£ 25,88



VOCAL Series

VOCAL 300 PRO - Professional Cardioid Dynamic Microphone

SOUNDSATION VOCAL series of microphones is the perfect answer to all those users who require rugged and reliable tools, able to improve the range of frequencies typical of male and female voices, and wink at its own wallet. The VOCAL 300 PRO is a professional dynamic microphone with cardioid polar pattern, high sensitivity, wide frequency response, and high sound pressure capability. It belongs to VOCAL series, but it actually is a great microphone for vocal and instrument miking, both in live and studio application.

- √ Dynamic vocal microphone with smooth mid-frequency presence rise for excellent voice reproduction
- √ Wide frequency response for crystal yet clear sound
- √ High signal output, lets your voice cut through
- √ Cardioid polar pattern minimizes ambient noise and feedback
- √ On/off switch
- √ 5m XLR Female - XLR Male cable included
- √ High-quality components and exceptionally rugged construction

- √ Type: Dynamic
- √ Directivity: Cardioid
- √ Polar Pattern: Uni-Directional
- √ Frequency Response: 68Hz - 17.2kHz (±3dB)
- √ Sensitivity: -60dB ±3dB (0dB=1V/Pa @ 1kHz)
- √ Output impedance: 300ohms, ±15%
- √ Microphone Size (HxDiameter): 29,5 x D50,5 max. x D22,5 min. cm
- √ Carton Size (LxHxD): 23,3 x 6,7 x 14 cm
- √ Microphone Weight: 0,29kg
- √ Carton Weight: 0,725kg



CODE	MSRP EUR	MSRP GBP
L805L	€ 15,91	£ 14,32

VOCAL 100 - Cardioid Dynamic Microphone


SOUNDSATION VOCAL series of microphones is the perfect answer to all those users who require rugged and reliable tools, able to improve the range of frequencies typical of male and female voices, and wink at its own wallet. The VOCAL 100 is a dynamic microphone with cardioid polar pattern whose sensitivity and frequency response will impress when compared to other models of same price range. Although it's been designed for live vocal use, the VOCAL 100 is a great transducer even for acoustic instruments and percussions.

- √ Specifically designed for Singers
- √ Ready for KARAOKE applications
- √ Rugged construction
- √ On/off switch
- √ Cardioid polar pattern minimizes ambient noise and feedback
- √ Quality components
- √ 5m XLR Female - 6.3mm (1.4") TS jack cable included

- √ Type: Dynamic
- √ Directivity: Cardioid
- √ Polar Pattern: Uni-Directional
- √ Frequency Response: 70Hz - 16kHz (±3dB)
- √ Sensitivity: -57dB ±3dB (0dB=1V/Pa @ 1kHz)
- √ Output impedance: 300ohms, ±15%
- √ Microphone Size (HxD):
- √ Carton Box Size (LxHxD): 23,7 x 6,5 x 10,5 cm
- √ Microphone Weight: 0,152kg
- √ Carton Box Weight: 0.43kg



CODE	MSRP EUR	MSRP GBP
L804L	€ 9,23	£ 8,31



SoundSation



#Icon 50's
Vintage Special

Percussions Mics

TA-8340 - Percussions dynamic microphone

SOUNDSATION TA8340 is a microphone designed for bass drum applications. Excellent end deep bass frequency response make this microphone the most trustable solution the for drummers playing every rhythmic style

- √ Extreme high grade capsule
- √ High volume level without distortion
- √ Extended response range at low frequencies
- √ Elegant and durable titanium gold finishing
- √ Rugged metal construction

- √ Transducer Principle: Dynamic
- √ Directivity Characteristic: Cardioid
- √ Frequency Response: 30Hz-15kHz
- √ Sensitivity: -65dB±3dB (0dB=1V/Pa at 1kHz)
- √ Output Impedance: 1500±30% (at 1kHz)



CODE	MSRP EUR	MSRP GBP
N170N	€ 60,99	£ 54,89

TA-8280S - Snare Drum Dynamic Microphone

SOUNDSATION TA8280 is a microphone designed to mike snare drums. Tailored frequency response make this microphone the most trustable solution the for drummers playing every rhythmic style assuring the player and the sound engineer a distinct and clear sound reproduction.

- √ Extremely high grade capsule
- √ Tailored frequency response for snare drum miking
- √ High volume level without distortion
- √ Elegant and durable titanium gold finishing
- √ Rugged metal construction
- √ Application: drum snare drums and other percussions of similar nature

- √ Transducer Principle: Dynamic
- √ Directivity Characteristic: Cardioid
- √ Frequency Response: 80Hz-16kHz
- √ Sensitivity: -52dB±3dB (0dB=1V/Pa at 1kHz)
- √ Output Impedance: 2500±30% (at 1kHz)



CODE	MSRP EUR	MSRP GBP
L441L	€ 32,89	£ 29,60

TA-8280 - Percussions Dynamic Microphone

SOUNDSATION TA8280 is a microphone designed to mike percussions of any kind. Percussion-tailored frequency response make this microphone the most trustable solution the for drummers playing every rhythmic style assuring the player and the sound engineer a distinct and clear sound reproduction.

- √ Extremely high grade capsule
- √ Tailored frequency response for percussions miking
- √ High volume level without distortion
- √ Extended response range at low frequencies
- √ Elegant and durable titanium gold finishing
- √ Rugged metal construction
- √ Application: any kind of percussion. In drumset miking is optimal for use on toms and snare drums.

- √ Transducer Principle: Dynamic
- √ Directivity Characteristic: Cardioid
- √ Frequency Response: 60Hz-18kHz
- √ Sensitivity: -55dB±3dB (0dB=1V/Pa at 1kHz)
- √ Output Impedance: 2500±30% (at 1kHz)



CODE	MSRP EUR	MSRP GBP
N171N	€ 30,21	£ 27,19

WIRELESS MICROPHONES



WF-D290 SYSTEM - UHF Dual Digital Wireless Microphone System

SOUNDSATION WF-D290 adopts a brand-new digital transmission technology and hardware encryption of audio data that enable superior audio quality (compared to analog UHF systems), very-low latency (better than 2.4GHz systems) and maximum security due to the cryptographic hardware. The unique 16bit digital ID pilot technology avoids interferences even on same frequency, and allows continuous exchange of data between transmitters and receiver, such as battery level, transmission power, squelch operation, etc. The system is equipped with automatic frequency scanning and frequency spectrum display, which allow the user to select the less disturbed frequencies in every environment it operates. It features 90 frequencies for each transmitter, divided into 10 groups, each of which contains 9 channels. The user interface is very simple and intuitive, thanks to the TFT color display on the receiver and the simplicity of its setup menus. The handheld transmitter and the bodypack (in case of WF-D290HP), however, are equipped with LCD display with auto-off function, to save battery. The handheld microphone is also equipped with rechargeable lithium battery that can be recharged via the USB port on the back of the receiver. Finally, there are two optional kit for rack mounting of 1 or 2 receivers, respectively, on 1 or 2 standard 19" rack units.

Common Features

- √ UHF E-Band operation (823-832 MHz)
- √ Digital audio transmission technology
- √ Unique digital 16-bit ID pilot technology
- √ Transmitter AF-level, Audio-level and Battery-Low monitoring on the Receiver
- √ Double antenna diversity technology
- √ No crosstalk disturbance even on same frequency
- √ Ultra-short audio latency
- √ 30Hz-20kHz frequency response
- √ Colorful TFT display and menu settings on receiver
- √ Auto frequency scanning and spectrum display
- √ 50m Ideal Distance (without obstacles)
- √ Infrared Tx-Rx synchronization system for quick system setting
- √ Professional Handheld Microphone with Professional Dynamic Cardioid Capsule and rechargeable Lithium Battery
- √ Rack-Mount Kit for 1 or 2 receiver units to 1x or 2x 19" rack unit (optional)

Common Specs

- √ Carrier Frequency: UHF823-832 MHz
- √ Bandwidth: 9 MHz
- √ Channel Bandwidth: 100 kHz
- √ Preset Group/Channel: 10 groups, 9 frequencies in each group
- √ Dynamic Range: >98 dB
- √ Total Harmonic Distortion: <0.1%
- √ Frequency Response: 30 Hz-20 kHz/±2 dB
- √ Audio Output Level: Balanced 400mV; Unbalanced 400mV
- √ Receiver Power Supply: DC 12V/1000 mA
- √ Receiver Consume Power: 5 W
- √ Signal/Noise Ratio: >98 dBm
- √ Receiving Sensitivity: -95 dBm
- √ Transmission Delay: <3 ms
- √ Receiver Dimensions (WxHxD): 210x45x118 mm (antennas not incl.)
- √ Receiver Antenna: 255 mm (not bent)
- √ Net Weight: 0.4 kg
- √ Transmitter Power: 10 mW (Max)
- √ Modulation Type: DQPSK
- √ Battery Voltage Handheld Transmitter: 1x3.7 V - 1200 mAh Lithium Rechargeable Battery (type 18500)
- √ Continuous Using: 5 hours (HI Trans. power); 7 hours (LO Trans. power)
- √ Battery Charge Time: About 3,5 hours
- √ Hand-held Mic. Dimensions (W/DxH): Ø35(min)-Ø46(max)x240 mm
- √ Hand-held Mic. Net Weight: 0.26 kg (batteries included)

Other specs for WF-D290HP

- √ Hand-held Mic. Net Weight: 0.26 kg (batteries included)
- √ Pocket Transmitter Dimensions (WxHxD): 62x103x30 mm
- √ Bodypack Antenna (W/DxH): Ø3x9 mm
- √ Pocket Transmitter Net Weight: 0.132 kg (batteries included)



CODE	MODEL	PACK	MSRP EUR	MSRP GBP
E077E	WF-D290HH	2 handl-held mics	€ 162,80	£ 146,52
E078E	WF-D290HP	1 hand-held mic+1 pocket transmitter	€ 165,53	£ 148,98

WIRELESS MICROPHONES



WF-D190 SYSTEM

WF-D190 adopts a brand-new digital transmission technology and hardware encryption of audio data that enable superior audio quality compared to analog UHF systems, very-low latency (better than 2.4GHz systems) and maximum security due to the cryptographic hardware. The unique 16bit digital ID pilot technology avoids interferences even on same frequency, and allows continuous exchange of data between transmitter and receiver, such as battery level, transmission power, squelch operation, etc. The system is also equipped with automatic frequency scanning and frequency spectrum display, which allow the user to select the less disturbed frequencies in every environment it operates. It features 90 frequencies, divided into 15 groups, each of which contains 6 channels. The user interface is very simple and intuitive, thanks to the TFT color display on the receiver and the simplicity of its setup menus. The handheld transmitter and the bodypack, however, are equipped with LCD display with auto-off function, to save battery consumption. The handheld microphone is also equipped with rechargeable lithium battery that can be recharged via the USB port on the back of the receiver. Finally, two 19" rack mount kit are available to install 1 or 2 receivers, respectively, in 1 or 2 rack units.

Common Features

- √ UHF E-Band operation (823-832 MHz)
- √ Digital audio transmission technology
- √ Unique digital 16-bit ID pilot technology
- √ Transmitter AF-level, Audio-level and Battery-Low monitoring on the Receiver
- √ Double antenna diversity technology
- √ No crosstalk disturbance even on same frequency
- √ Ultra-short audio latency
- √ 48kHz sampling frequency
- √ 30-20kHz frequency response
- √ Colorful TFT display and menu settings on receiver
- √ Auto frequency scanning and spectrum display
- √ 50m Ideal Distance (without obstacles)
- √ Infrared Tx-Rx synchronization system for quick system setting
- √ Professional Handheld Microphone with Professional Dynamic Cardioid Capsule and rechargeable Lithium Battery
- √ Rack-Mount Kit for 1 or 2 receiver units to 1x or 2x 19" rack unit (optional)

Common Specs

- √ System Carrier Frequency: UHF823-832MHz
- √ System Bandwidth: 9MHz
- √ System Channel Bandwidth: 100kHz
- √ Preset Group/Channel: 10 groups, 9 frequencies in each group
- √ Dynamic Range: >98dB
- √ Total Harmonic Distortion: <0.1%
- √ Frequency Response: 30Hz-20kHz / ±2dB
- √ Audio Output Level: Balanced 400mV; Unbalanced 400mV
- √ System Packing Dimensions (WxHxD): 436 x 104 x 324 mm
- √ System Packing Gross Weight: 2.5 kg
- √ Power Supply: DC 12V / 1000mA
- √ Receiver Consume Power: 5W
- √ Receiver Signal/Noise Ratio: >98dB
- √ Receiving Sensitivity: -95dBm
- √ Transmission Delay: <3ms
- √ Receiver Dimensions (WxHxD): 210 x 45 x 118 mm (antennas not incl.)
- √ Receiver Antennas: 255 mm (not bent)
- √ Receiver Net Weight: 0.4 kg
- √ Transmitter Power: 10mW (Max)
- √ Modulation Type: DQPSK
- √ Transmitter Continuous Using: 5 hours (HI Trans. power); 7 hours (LO Trans. power)

WF-D190H - 90-channel UHF Digital Wireless Hand-held Microphone System

- √ Battery Voltage Handheld Transmitter: 1x 3.7V - 1200mAh Lithium Rechargeable Battery (type 18500)
- √ Battery Charge Time: About 3,5 hours
- √ Hand-held Mic. Dimensions (W/DxH): Ø35 (min) - Ø46 (max) x 240 mm
- √ Hand-held Mic. Net Weight: 0.26 kg (batteries included)



CODE	MSRP EUR	MSRP GBP
L921L	€ 129,96	£ 116,96

WF-D190P - 90-channel UHF Digital Wireless System with Bodypack and Headset Microphone

- √ Battery Voltage Bodypack Transmitter: 3V (2x1.5V AA Battery)
- √ Pocket Transmitter Dimensions (WxHxD): 62 x 103 x 30 mm
- √ Antenna (W/DxH): Ø3 x 9 mm
- √ Pocket Transmitter Net Weight: 0.132 kg (batteries included)



CODE	MSRP EUR	MSRP GBP
L922L	€ 131,33	£ 118,20


WIRELESS MICROPHONES

WM-V11 - VHF Plug and Play Handheld Wireless Microphone or Bodypack and headset

WF-V11 is the answer to all those who need a reliable, high-quality sound, and easy to use wireless microphone system. Ideal in educational, Portable Sound, Public Address, and DJ contexts, the WF-V11 impresses with its brilliant and warm sound, thanks to the quality of components and the capsule designed for all application.

- √ VHF Transmission with SMD Technology
- √ 4 available Frequencies in VHF Band
- √ Simple user Interface for plug and play setup
- √ 30m ideal distance (without obstacles)
- √ Handheld microphone with high-quality dynamic cardioid capsule
- √ Professional and Lightweight Headset with high-sensibility dynamic cardioid capsule

- √ Carrier Frequency: VHF 200 - 215.3 MHz
- √ Frequency Stabilization: Automatic calibration
- √ Dynamic Range: > 90dB
- √ Total Harmonic Distortion: < 0.5%
- √ Frequency Response: 40Hz - 16kHz / ±3dB
- √ Receiver Power Supply: DC12V, 400mA
- √ Receiver Consumption: < 2W
- √ Signal/Noise Ratio: > 95dB
- √ Receiving Sensitivity: 10dBuV
- √ De-Emphasis: 75uS
- √ Audio Output Level: Balanced 400mV; Unbalanced 400mV
- √ Receiver Size (WxHxD): 211 x 43 x 115 mm (antennas not incl.)
- √ Antenna Length: 110 mm (min.) 430 mm (max.)
- √ Net Weight: 0.295 kg
- √ Transmitter Power: 10mW
- √ Modulation Type: FM
- √ Deviation: 37KHz
- √ Battery Voltage: 3V (2x1.5V AA-Type Batteries)
- √ Continuous Using: 7 hours



Handheld Mic

- √ Hand-held Mic. Size (W/DxH): Ø33 (min) - Ø48 (max) x 240 mm
- √ Hand-held Mic. Net Weight: 0.218 kg (batteries included)

Pocket Transmitter

- √ Pocket Trans. Dimensions (WxHxD): 62 x 103 x 30 mm
- √ Antenna (W/DxH): Ø3 x 9 mm
- √ Pocket Transmitter Net Weight: 0.132 kg (batteries included)


CODE	MODEL	OP. FREQUENCY	MSRP EUR	MSRP GBP	CODE	MODEL	OP. FREQUENCY	MSRP EUR	MSRP GBP
E450E	WM-V11HA	213.0 MHz	€ 49,25	£ 44,33	E454E	WM-V11PA	213.0 MHz	€ 50,62	£ 45,56
E451E	WM-V11HB	215.5 MHz	€ 49,25	£ 44,33	E455E	WM-V11PB	215.5 MHz	€ 50,62	£ 45,56
E452E	WM-V11HC	205.75 MHz	€ 49,25	£ 44,33	E456E	WM-V11PC	205.75 MHz	€ 50,62	£ 45,56
E453E	WM-V11HD	209.8 MHz	€ 49,25	£ 44,33	E457E	WM-V11PD	209.8 MHz	€ 50,62	£ 45,56

WM-V21 - Dual VHF Plug and Play Wireless Microphone with 2 Handheld Mics or Bodypack and headset

WF-V21 is the answer to all those who need a reliable, high-quality sound, and easy to use set of wireless microphones. Ideal in educational, Portable Sound, Public Address, and DJ contexts, the WF-V21 impresses with its brilliant and warm sound, thanks to the quality of components and the capsule designed for all application.

- √ VHF Transmission with SMD Technology
- √ 2 available Pairs of Frequencies in VHF Band
- √ Simple user Interface for plug and play setup
- √ 30m ideal distance (without obstacles)
- √ 2 Handheld microphones with high-quality dynamic cardioid capsules
- √ Professional and Lightweight Headsets with high-sensibility dynamic cardioid capsules

- √ Carrier Frequency: VHF 200 - 215.3 MHz
- √ Frequency Stabilization: Automatic calibration
- √ Dynamic Range: > 90dB
- √ Total Harmonic Distortion: < 0.5%
- √ Frequency Response: 40Hz - 16kHz / ±3dB
- √ Receiver Power Supply: DC12V, 400mA
- √ Receiver Consumption: < 4W
- √ Signal/Noise Ratio: > 95dB
- √ Receiving Sensitivity: 10dBuV
- √ De-Emphasis: 75uS
- √ Audio Output Level: Balanced 400mV; Unbalanced 400mV
- √ Receiver Size (WxHxD): 211 x 43 x 115 mm (antennas not incl.)
- √ Antenna Length: 110 mm (min.) 430 mm (max.)
- √ Net Weight: 0.295 kg
- √ Transmitter Power: 10mW
- √ Modulation Type: FM
- √ Deviation: 37KHz
- √ Battery Voltage: 3V (2x1.5V AA-Type Batteries)
- √ Continuous Using: 7 hours



Handheld Mic

- √ Hand-held Mic. Size (W/DxH): Ø33 (min) - Ø48 (max) x 240 mm
- √ Hand-held Mic. Net Weight: 0.218 kg (batteries included)

Pocket Transmitter

- √ Pocket Trans. Dimensions (WxHxD): 62 x 103 x 30 mm
- √ Antenna (W/DxH): Ø3 x 9 mm
- √ Pocket Transmitter Net Weight: 0.132 kg (batteries included)

CODE	MODEL	OP. FREQUENCY	MSRP EUR	MSRP GBP	CODE	MODEL	OP. FREQUENCY	MSRP EUR	MSRP GBP
E458E	WM-V21HHA	213.0 MHz - 215.5 MHz	€ 65,67	£ 59,10	E460E	WM-V21PPA	213.0 MHz - 215.5 MHz	€ 68,40	£ 61,56
E459E	WM-V21HHB	205.75 MHz - 208.8 MHz	€ 65,67	£ 59,10	E461E	WM-V21PPB	205.75 MHz - 208.8 MHz	€ 68,40	£ 61,56

WIRELESS MICROPHONES

WF-U99 INEAR - UHF 99-Channel Stereo In-Ear Monitor System

WF-U99 INEAR monitoring system is for all those professionals who need maximum mobility on stage without losing a reliable stereo monitoring system and high-quality audio. Rugged, reliable, easy to transport and install, the WF-U99 INEAR features independent Stereo/Mono modulation functions, PLL technology, and 99 channels. The pocket receiver is equipped with illuminated LCD and is absolutely easy to set up. It is supplied with earphones that provide an optimal reproduction of the entire audio spectrum. In the package, you can also find various ear-fitting pads for an individual fit. The half-rack receiver unit is provided with a 19" standard rack mount kit. All connections are balanced and assure maximum audio standards.

- √ UHF Phase Lock circuit, stable and low harmonic radiation
- √ 99-Channels in 10 Groups with frequencies arranged in order to avoid interferences
- √ 823-832MHz + ISM Europe (863-865MHz) Carrier Wave Frequency Range
- √ User-friendly interface with a wide illuminated LCD Display
- √ Independent Mono/Stereo Modulation Function between Transmitter and Receiver
- √ Excellent circuit design to achieve the best signal/noise ratio
- √ Supplied with High-Dynamics Earphones in soft Case
- √ Compact and robust Receiver Configuration Design
- √ 19" Standard Rack Mount Transmitter with Mounting Kit
- √ Balanced/Unbalanced Inputs with Combo Connectors

- √ Carrier Frequency: UHF 823-832 + 863-865 MHz
- √ Modulation: FM Stereo
- √ Output Power: 10mW
- √ Effective Working Distance: 80 meters (without obstacles)
- √ Oscillation Mode: PLL phase-locked frequency synthesizer
- √ Maximum Deviation: ±68KHz
- √ Comprehensive S/N ratio: >105dB
- √ Comprehensive T.H.D: <0.4% @1 KHz
- √ Audio Input: 2x Line-Inputs with Combo Connectors (XLR and jack 6.3mm)
- √ Transmitter Audio Output: 6.3mm Stereo Jack (Headphones)
- √ Transmitter Size (WxHxD): 210 x 43 x 182 mm
- √ Transmitter Weight: 1.06 kg
- √ Frequency Response: 40Hz-16KHz±3dB
- √ Stereo Separation: =45dB @1 KHz
- √ Receiver Output socket: 3.5mm stereo headphone jack
- √ Receiver Output Power: 2x150mW (THD3%)
- √ Battery: 2x AA-Type Batteries
- √ Receiver Current consumption: 185mA (typical)
- √ Battery Current/life: About 7 hours
- √ Receiver Size (WxHxD): 66 x 111 x 26 mm (antenna excluded)
- √ Receiver Antenna Size (W/DxH): Ø4 x 105 mm
- √ Receiver Weight: 143 g (batteries included)



CODE	MSRP EUR	MSRP GBP
R220R	€ 261,62	£ 235,46

WF-U99 RX - Additional Receiver and stereo earphone set for WF-U99 INEAR In-Ear Monitor System

WF-U99 RX is a kit for SOUNDSATION WF-U99 INEAR systems that provides additional receivers and earphones to bands or groups of people who share same audio contents on the stage or in other monitoring applications. Rugged, reliable, easy setup, the WF-U99 RX features independent Stereo/Mono audio monitoring, PLL technology, and 99 channels. It is equipped with illuminated LCD and is absolutely easy to set up. It is even supplied with earphones that provide an optimal reproduction of the entire audio spectrum. In the package, you can also find various ear-fitting pads for an individual fit.

- √ Receiver Size (HxWxD): 111 x 66 x 26 mm (antenna excluded)
- √ Receiver Antenna Size (W/DxH): Ø4 x 105 mm
- √ Receiver Weight: 143 g (batteries included)

CODE	MSRP EUR	MSRP GBP
R221R	€ 143,32	£ 128,99



WF-U2600 SYSTEM - Dual UHF True Diversity Multi-Channel Wireless Microphone System

WF-U2600 is a dual UHF True Diversity professional wireless microphone with 240 channels for each microphone, and a simple and intuitive user interface. "True Diversity" means that the receiving system is equipped with two antennas, two receiving circuits and a device capable of continuously choose the stronger and interference-free signal. The WF-U2600 is built with leading technology that allows the integration of many of the major functions - such as amplification section, digital signal processing, PLL (Phase-Locked Loop) frequency synthesis, and more - into a few CHiPs. This allows us to offer highly professional performance yet cost-effective products. The WF-U2600 is also equipped with the automatic frequency search system and IR sync system for channel synchronization between receiver and transmitter in a quick way. Furthermore, the Digital Pilot Technology not only allows to monitor reception level and battery charge, but even to operate up to 200 sets multiple systems without problems. Finally, the receiver comes with a kit for mounting in 1 standard 19" rack unit. The kit is composed by two L-shape adapters and four screws to mount them on both receiver sides. WF-U2600HH system is composed by two Hand Transmitter with Professional Dynamic Cardioid Capsule and one Dual UHF True Diversity Receiver.

Common Features

- √ UHF True Diversity Technology to Avert Interferences
- √ 240 Preset Channels for each microphone
- √ IR Matching System for Quick Setup
- √ 630-660MHz UHF Band
- √ Simple and Outright User Interface
- √ LCD display on Transmitters and TFT color displays on Receiver
- √ Digital Pilot Technology to allow up to 200 systems operation simultaneously without interferences
- √ Transmitter AF-level and Battery-Low Monitoring directly on the Receiver
- √ Automatic mute function on microphones
- √ 80m Ideal Distance (without obstacles)
- √ Professional Hand held Microphone with Dynamic Cardioid Capsule
- √ 19" Rack-Mount adapter kit included

Common Specs

- √ Carrier Frequency: UHF630-660MHz
- √ Frequency Stabilization: $< \pm 30\text{ppm}$
- √ Dynamic Range: $> 100\text{dB}$
- √ Total Harmonic Distortion: $< 0.5\%$
- √ Frequency Response: $40\text{Hz}-15\text{KHz} \pm 3\text{dB}$
- √ Audio Output Level: Balanced 400mV; Unbalanced 400mV
- √ Receiver Power Supply: DC 13.5V / 1.5A
- √ Receiver Power Consumption: 5W
- √ Signal/Noise Ratio: $> 95\text{dB}$
- √ Receiving Sensitivity: 5dBuV
- √ De-Emphasis: 50uS
- √ Receiver Size (WxHxD): 420 x 50 x 220 mm (antennas not incl.)
- √ Antenna: 255 mm (not bent)
- √ Receiver Net Weight: 2.02 kg
- √ Transmitter Power: 10mW(Max)
- √ Modulation Type: FM
- √ Max Deviation: $\pm 25\text{KHz}$
- √ Transmitter Battery Voltage: 3V (2x1.5V AA Battery)
- √ Continuous Using: 5 hours
- √ Hand-held Mic. Size (W/DxH): $\varnothing 35$ (min) - $\varnothing 53$ (max) x 260 mm
- √ Hand-held Mic. Net Weight: 0.335 kg (batteries included)

Other Specs for WF-U2600HP

- √ Body-pack with Connector Locking System
- √ Professional and Lightweight Headset with High-Sensibility Condenser Cardioid Capsule
- √ Pocket Transmitter Size (W/DxH): 62 x 103 x 30 mm
- √ Pocket Transmitter Net Weight: 0.132 kg (batteries included)

CODE	MODEL	MSRP EUR	MSRP GBP
E073E	WF-U2600HH	€ 410,41	£ 369,37
E074E	WF-U2600HP	€ 413,15	£ 371,84



WIRELESS MICROPHONES

WF-U2300 True diversity dual wireless microphone systems

WF-U2300 SYSTEM - UHF True Diversity Dual Wireless Microphone System

WF-U2300 is a dual UHF True Diversity professional wireless microphone with 300 channels for each microphone. and a simple and intuitive user interface. "True Diversity" means that the receiving system is equipped with two antennas, two receiving circuits and a device capable of continuously choose the stronger and interference-free signal. This technology is used for both single systems (WF-U1300) or dual systems (WF-U2300). The WF-U2300 is built with leading technology that allows the integration of many of the major functions - such as amplification section, digital signal processing, PLL (Phase-Locked Loop) frequency synthesis, and more - into a single CHIP. This allows us to offer highly professional performance yet cost-effective products. The WF-U2300 is also equipped with the automatic frequency search system and IR sync system for channel synchronization between receiver and transmitter in a quick way. Furthermore, the Digital Pilot Technology not only allows to monitor reception level and battery charge, but even to operate with multiple systems without problems. Finally, there are two optional kit for rack mounting of 1 or 2 receivers, respectively, on 1 or 2 standard 19" rack units.



Common Features

- ✓ UHF True Diversity Technology to Avert Interferences
- ✓ 300 Preset Frequencies for each microphone, and IR Matching System for Quick Setup
- ✓ 823-832 MHz UHF Band
- ✓ Simple and Outright User Interface with LCD display on Transmitter and Receiver
- ✓ Digital Pilot Technology to allow multi system Operation
- ✓ Transmitter AF-level and Battery-Low Monitoring directly on the Receiver
- ✓ 80 m Ideal Distance (without obstacles)
- ✓ Professional Hand held Microphone with Dynamic Cardioid Capsule
- ✓ Rack-Mount Kit for 1 or 2 receiver units to 1x or 2x 19" rack unit (optional)

Common Specs

- ✓ Carrier Frequency: UHF823-832 MHz
- ✓ Frequency Stabilization: $\pm 30\text{ppm}$
- ✓ Dynamic Range: >90 dB
- ✓ Total Harmonic Distortion: <math>< 0.5\%</math>
- ✓ Frequency Response: 40 Hz-15 kHz ± 3 dB
- ✓ Audio Output Level: Balanced 400 mV; Unbalanced 400 mV
- ✓ Packing Dimensions (WxHxD): 435x104x321 mm
- ✓ Receiver Power Supply: DC 12 V/500 mA
- ✓ Receiver Consume Power: 7 W
- ✓ Signal/Noise Ratio: >90 dB
- ✓ Receiving Sensitivity: 5 dBuV
- ✓ De-Emphasis: 75 μs
- ✓ Dimensions (WxHxD): 210x43x187 mm (antennas not incl.)
- ✓ Antenna: 255 mm (not bent)
- ✓ Net Weight: 0.53 kg
- ✓ Transmitter Power: 10 mW (Max)
- ✓ Modulation Type: FM
- ✓ Max Deviation: ± 25 kHz
- ✓ Spurious Emission: >40 dB
- ✓ Battery Voltage: 3 V (2x1.5 V AA Battery)
- ✓ Continuous Using: 5 hours
- ✓ Hand-held Mic. Dimensions (W/DxH): $\varnothing 35(\text{min})\text{-}\varnothing 53(\text{max})\times 260$ mm
- ✓ Hand-held Mic. Net Weight: 0.335 kg (batteries included)

Other Specs for WF-U2300HP

- ✓ Body-pack with Connector Locking System
- ✓ Professional and Lightweight Headset with High-Sensitivity Condenser Cardioid Capsule
- ✓ Pocket Transmitter Dimensions (WxHxD): 62x103x30 mm
- ✓ Antenna (W/DxH): $\varnothing 3\times 9$ mm
- ✓ Pocket Transmitter Net Weight: 0.132 kg (batteries included)



CODE	MODEL	FREQUENCY	MSRP EUR	MSRP GBP
E075E	WF-U2300HH	2 hand-held mics	€ 220,25	£ 198,23
E076E	WF-U2300HP	1 hand-hel mic+1 bodypack	€ 222,99	£ 200,69

WF-U1300 True diversity wireless microphone system

WF-U1300 SYSTEM

WF-U1300 is a UHF True Diversity professional wireless microphone with 300 channels and a simple and intuitive user interface. "True Diversity" means that the receiving system is equipped with two antennas, two receive circuits and a device capable of continuously choose the stronger and interference-free signal. This system is built with leading technology that allows the integration of many of the major functions - such as amplification section, digital signal processing, PLL (Phase-Locked Loop) frequency synthesis, and more - into a single CHIP. This allows us to offer highly professional performance yet cost-effective products. The WF-U1300 is also equipped with the automatic frequency search system and IR sync. system for channel synchronization between receiver and transmitter in a quick way. Furthermore, Digital Pilot Technology not only allows to monitor reception level and batteries charge, but even to operate with multiple systems without problems. Finally, there are two optional kit for rack mounting of 1 or 2 receivers, respectively, on 1 or 2 standard 19" rack units.

- √ UHF True Diversity Technology to Avert Interferences
- √ 300 Preset Frequencies and IR Matching System for Quick Setup
- √ 823-832MHz UHF Band
- √ Simple and Outright User Interface with LCD display on Transmitter and Receiver
- √ Digital Pilot Technology to allow Multi-system Operation
- √ Transmitter AF-level and Battery-Low Monitoring directly on the Receiver
- √ 80m Ideal Distance (without obstacles)
- √ Rack-Mount Kit for 1 or 2 receiver units to 1x or 2x 19" rack unit (optional)

SYSTEM

- √ Carrier Frequency: UHF823-832MHz
- √ Frequency Stabilization: ± 30 ppm
- √ Dynamic Range: >90 dB
- √ Total Harmonic Distortion: $<0.5\%$
- √ Frequency Response: 40Hz-15KHz ± 3 dB
- √ Audio Output Level: Balanced 400mV; Unbalanced 400mV



WF-U1300H

True Diversity 300 Channels Wireless Microphone System with Handheld Microphone

- √ Professional Handheld Microphone with Dynamic Cardioid Capsule
- √ Dimensions (W/DxH): Ø35 (min) - Ø53 (max) x 260 mm
- √ Net Weight: 0.335 kg (batteries included)

CODE	MSRP EUR	MSRP GBP
1374I	€ 181,95	£ 163,76

RECEIVER

- √ Power Supply: DC 17V / 300mA
- √ Consume Power: 5W
- √ Signal/Noise Ratio: >90 dB
- √ Receiving Sensitivity: 5dBuV
- √ De-Emphasis: 75uS
- √ Dimensions (WxHxD): 210 x 43 x 187 mm (antennas not included)
- √ Antenna: 255 mm (not bent)
- √ Net Weight: 0.53 kg

HANDHELD TRANSMITTERS

- √ Transmitter Power: 10mW (Max)
- √ Modulation Type: FM
- √ Max Deviation: ± 25 KHz
- √ Spurious Emission: >40 dB
- √ Battery Voltage: 3V (2x1.5V AA Batteries)
- √ Continuous Using: 5 hours



WF-U1300P

True Diversity 300-CH Wireless Microphone System with pocket transmitter and Headset

- √ Bodypack with Connector Locking System
- √ Professional and Lightweight Headset with High-Sensibility Dynamic Cardioid Capsule
- √ Dimensions (WxHxD): 62 x 103 x 30 mm
- √ Antenna (W/DxH): Ø3 x 9 mm
- √ Net Weight: 0.132 kg (batteries included)

CODE	MSRP EUR	MSRP GBP
1624I	€ 183,32	£ 164,99

WIRELESS MICROPHONES

WF-U24 SYSTEM

WIREFREE series wireless systems adopt the fully integrated solution single chip, integrated microphone amplifier, audio based on DSP processor, PLL frequency synthesizer, etc. This allows us to offer highly professional performance yet cost-effective products to everyone.

- √ Dual 4-Channel UHF Receiver
- √ SMT technology with surface mounting components
- √ Designed for professional live and educational purposes
- √ Unidirectional cardioid dynamic microphone, clear and bright sound
- √ Special compression/expansion circuitry to greatly improve s/n ratio without affecting audio quality
- √ High efficiency batteries consumption design, in order to guarantee the use of the wireless microphone even after many hours
- √ Multiple noise control circuit, refuse to external interferences and the opening s/q system
- √ Carrier Frequency: ISM Europe (863-865 MHz). It doesn't need special license for use within European community.
- √ 19" standard rack mountable receiver using the optional kit WF-RACK KIT1 (single receiver in 1 19" rack unit) and WF-RACK KIT2 (2 receivers in 1 19" rack unit).

- √ Carrier Frequency: UHF 863-865MHz
- √ Frequencies: 863.000 MHz / 863.500 MHz / 864.000 MHz / 865.000 MHz
- √ Frequency Stabilization: Automatic calibration
- √ Dynamic Range: > 90dB
- √ Total Harmonic Distortion: < 0.4%
- √ Frequency Response: 40Hz-15KHz ±3dB
- √ Receiver Power Supply: DC17V - 300mA
- √ Receiver Power Consumption: < 4W
- √ Receiver Signal/Noise Ratio: > 95dB
- √ Receiving Sensitivity: >7dBuV (SINAD=30dB)
- √ Handheld Microphone/ Body-pack Transmitter Power: 10mW
- √ Transmitter Power: 10mW
- √ Modulation Type: FM
- √ Max Deviation: ±20KHz
- √ Battery Voltage: 3V (2x1.5V AA Battery)
- √ Battery Continuum Using: 5 hours

- √ Handheld Microphone Dimension (W/DxH): Ø53 x 255 mm
- √ Handheld Microphone Net Weight: 0.26kg (batteries included)
- √ Pocket Transmitter Dimension (WxHxD): 62 x 103 x 30 mm
- √ Pocket Transmitter Antenna (W/DxH): Ø3 x 9 mm
- √ Pocket Transmitter Net Weight: 0.135kg
- √ Headset Microphone Net Weight: 0.05kg



WF-U24HH - 2x 4-Channel UHF wireless microphone system with 1 receiver and 2 handheld microphones

- √ 2x 4-Channel UHF Handheld Transmitters with Professional Dynamic Cardioid Capsule



CODE **MSRP EUR** **MSRP GBP**
B534B € 125,86 £ 113,27

WF-U24HP - 2x 4-Channel UHF wireless system with 1 receiver, 1 handheld mic., 1 pocket transmitter and 1 headset

- √ 1x 4-Channel UHF Handheld Transmitters with Professional Dynamic Cardioid Capsule
- √ 1x Pocket Transmitter and 1 Headset Microphone with Professional Condenser Cardioid Capsule



CODE **MSRP EUR** **MSRP GBP**
B535B € 127,23 £ 114,51

WF-U24PP - 2x 4-Channel UHF wireless system with 1 receiver, 2 pocket transmitters and 2 headsets

- √ 2 Pocket Transmitter + 2 Headset Microphone with Professional Condenser Cardioid Capsule



CODE **MSRP EUR** **MSRP GBP**
B536B € 128,60 £ 115,74

WIRELESS MICROPHONES

WF-U11 Series

SOUNDSATION WF-11 is the answer to all those who need a reliable, high-quality sound, and easy to use wireless microphone system. Ideal in educational, Portable Sound, Public Address, and DJ contexts, the WF-11 impresses with its brilliant and warm sound, thanks to the quality of components and the capsule designed for all application.

- √ UHF Transmission with SMD Technology
- √ 4 available Frequencies in free-license ISM Europe Band
- √ Simple user Interface for plug and play setup
- √ 30m ideal distance (without obstacles)

- √ Carrier Frequency: UHF 863-865MHz
- √ Available Frequencies: 863.05 MHz, 864.15 MHz, 863.55 MHz, 865.00 MHz (WF-U11HB Freq. is 863.55 MHz)
- √ Frequency Stabilization: Automatic calibration
- √ Dynamic Range: > 90dB
- √ Total Harmonic Distortion: < 0.5%
- √ Frequency Response: 40 – 18500 Hz / ±3dB
- √ Power Supply: DC12V, 400mA
- √ Consumption: < 4W
- √ Signal/Noise Ratio: > 95dB
- √ Border Upon Channel Rejection: > 80dB
- √ Receiving Sensitivity: 10dBuV

WF-U11P - UHF Plug & Play Wireless Microphone System with Bodypack and Headset

- √ Strong yet lightweight bodypack with professional headset microphone
- √ Professional and Lightweight Headset with high-sensitivity dynamic cardioid capsule
- √ Pocket Trans. Dimensions (WxHxD): 62 x 103 x 30 mm
- √ Antenna (W/DxH): Ø3 x 9 mm
- √ Pocket Transmitter Net Weight: 0.132 kg (batteries included)



CODE	MODEL	FREQUENCY	MSRP EUR	MSRP GBP
L931L	WF-U11PA	863.05 MHz	€ 61,56	£ 55,40
E052E	WF-U11PB	863.55 MHz	€ 61,56	£ 55,40
E053E	WF-U11PC	864.15 MHz	€ 61,56	£ 55,40
E054E	WF-U11PD	865.00 MHz	€ 61,56	£ 55,40



- √ De-Emphasis: 75uS
- √ Audio Output Level: Balanced 400mV; Unbalanced 400mV
- √ Dimensions (WxHxD): 211 x 43 x 115 mm (antennas not incl.)
- √ Antenna: 120 mm (not bent)
- √ Net Weight: 0.295 kg
- √ Transmitter Power: 10mW
- √ Modulation Type: FM
- √ Deviation: 37KHz
- √ Spurious Emission: > 30dB
- √ Battery Voltage: 3V (2x1.5V AA-Type Batteries)
- √ Continuous Using: 5 hours

WF-U11H - UHF Plug & Play Hand-Held Wireless Microphone System

- √ Handheld microphone with high-quality dynamic cardioid capsule
- √ Hand-held Mic. Dimensions (W/DxH): Ø33 (min) - Ø48 (max) x 240 mm
- √ Hand-held Mic. Net Weight: 0.218 kg (batteries included)



CODE	MODEL	FREQUENCY	MSRP EUR	MSRP GBP
L923L	WF-U11HA	863.05 MHz	€ 60,19	£ 54,17
E049E	WF-U11HB	863.55 MHz	€ 60,19	£ 54,17
E050E	WF-U11HC	864.15 MHz	€ 60,19	£ 54,17
E051E	WF-U11HD	865.00 MHz	€ 60,19	£ 54,17

WIRELESS MICROPHONES

WF-U4 FITNESS - 16 channels UHF Wireless System for Fitness applications

WF-U4 FITNESS is the answer to freedom of movement needs and protection against moisture that must characterize a wireless microphone specifically designed for fitness and for all activities based on high physical activity. The other key features are the absolute ease of use and protection against interference, which are the real answer to those who have not much time for setting or sound check: just plug the receiver into a 6.3mm jack socket of your audio system, choose one of the 16 frequencies available and that's it. The WF-U4 FITNESS operates in the ISM-Europe band (863-865 MHz), which is free throughout Europe and does not require special permissions or licenses. Frequency selection is done via the DIP-switch on the receiver and via the infrared synchronization system on the transmitter. Finally, the system is equipped with a practical and sturdy case to protect the elements when not in use and easy transport.



- ✓ 16-Channel UHF wireless microphone with PLL circuit Design
- ✓ Hard sweat resistant headset transmitter with dynamic capsule
- ✓ DIP-switch channel selection with IR sync to transmitter
- ✓ No license across Europe (ISM Europe, 863-865MHz)
- ✓ Specifically designed for fitness applications
- ✓ Quick installation system without cables between receiver and PA system
- ✓ Small and easy to carry receiver
- ✓ 6.3mm Jack for direct connection to amplifier systems
- ✓ Headset Transmitter uses 1x 1.5V-AAA battery
- ✓ Receiver uses 1x 1.5V-AA battery

- ✓ System Carrier Frequency: UHF 863-865 MHz
- ✓ System Frequency Stabilization: $< \pm 30\text{ppm}$
- ✓ System Dynamic Range: $> 100\text{dB}$
- ✓ System Total Harmonic Distortion: $< 0.5\%$
- ✓ System Frequency Response: 40Hz – 15KHz $\pm 3\text{dB}$
- ✓ System Ideal Distance: 30m
- ✓ Receiver Consume Power: 100 mA
- ✓ Receiver Signal/Noise Ratio: $> 100\text{dB}$
- ✓ Receiving Sensitivity: 5 dBuV (SINAD = 30dB)
- ✓ Receiver De-Emphasis: 50 μs
- ✓ Transmitter Power: 10mW
- ✓ Modulation Type: FM
- ✓ Transmitter Deviation: $\pm 40\text{KHz}$
- ✓ Microphone Capsule: Cardioid Dynamic Capsule
- ✓ Transmitter Current Consumption: $< 90\text{mA}$



CODE **MSRP EUR** **MSRP GBP**
N893N € 120,93 £ 108,84

WF-RACK KITZ 19" Rack Mount Kit for WireFree Series Wireless Systems

The kit allows you to mount a 1/2 receiver unit in a standard 19" rack. It includes 1x 19" rack unit panel; 2x Lateral brackets; 4x Receiver coupling brackets; 4x Extension cables for Antenna and screws to fasten the two receiver each other and then to the rack adapters



- ✓ The kit doesn't include screws to fasten the whole block (receiver and adapters) to the 19" rack chassis.

CODE **MSRP EUR** **MSRP GBP**
B390B € 38,69 £ 34,82

WF-RACK KIT1 19" Rack Mount Kit for WireFree Series Wireless Systems

The kit allows you to mount a 1/2 receiver unit in a standard 19" rack. It includes 2x 1/4 rack unit adapters; 2x Extension cables for Antenna; Screws to fasten the receiver to the two rack adapters.



- ✓ The kit doesn't include screws to fasten the whole block (receiver and adapters) to the 19" rack chassis.

CODE **MSRP EUR** **MSRP GBP**
A892A € 21,15 £ 19,04

VOXTAKER series**VOXTAKER 100 - Large-diaphragm Studio Microphone with Cardioid Polar Pattern**

Professional condenser microphone featuring true condenser capsule with cardioid polar pattern. It can be used with confidence in a variety of professional applications, such as recording studios, broadcasting, podcasting, and stage performances. With its gold-plated diaphragm capsule and premium FET preamp circuitry, VoxTaker 100 has very low self-noise and high output, to reproduce even the subtle sound and fulfil the requirement of high sound quality for broadcasting and recording. The package includes Shock-Mount and Pop Filter, all inside a plastic case.

- √ 34mm Gold-Plated Pressure Gradient Transducer
- √ Cardioid Polar Pattern
- √ High Quality FET Preamp Stage
- √ High Abortion Shock-mount
- √ Stylish and Innovative Pop Filter
- √ Plastic Case



- √ Element: 34mm pressure gradient capsule
- √ Cardioid Polar Pattern
- √ Frequency Response: 30Hz - 20kHz
- √ Sensitivity: -38dB (0dB = 1V/Pa at 1kHz)
- √ Output Impedance: 150 (at 1kHz)
- √ Load Impedance: 1000 ohms
- √ Self-Noise: 16dB A-weighted
- √ Max Input SPL: 130dB (@ 1kHz - 1% T.H.D.)
- √ S/N Ratio: 78dB
- √ Microphone Size (WxHxD): 188x50x50 mm
- √ Microphone Weight: 272 g
- √ Case Size (WxHxD): 340 x 280 x 90 mm
- √ Package Weight (Mic., case and accessories): 1.5kg

CODE	MSRP EUR	MSRP GBP
L998L	€ 76,13	£ 68,52

CONDENSER MICROPHONES

VOXTAKER series

VOXTAKER 100 USB - Condenser Studio Microphone with Cardioid Polar Pattern and USB Interface

VoxTaker 100 USB is a plug and play condenser studio recording microphone, without having to install any driver. Like the VoxTaker 100, it is a professional microphone featuring true condenser capsule with cardioid polar pattern. It can be used with confidence in a variety of professional applications, such as recording studios, broadcasting, podcasting, and stage performances just connecting a USB cable. It is compatible with all recording software and ASIO audio drivers. It uses high-performance USB chip technology and high-quality single-point capacitive transducers. That's why the VoxTaker 100 USB has very low self-noise and high output to reproduce even the subtle sound and fulfil the requirement of high sound quality for broadcasting and recording. The package includes Shock-Mount, Pop Filter and USB cable, all inside a plastic case.

- √ Professional Pressure Gradient Transducer
- √ Cardioid Polar Pattern
- √ High Quality FET Preamp
- √ Strong Output Signal without Distortion
- √ High-speed AD/DA conversion technology
- √ 44.1/48 kHz Sample Frequency
- √ 16 Bit Resolution
- √ USB 2.0 Plug and Play Operation
- √ Maximum compatibility with all Operative Systems without any drivers
- √ Low Power Consumption
- √ High Abortion Shock-mount
- √ Stylish and Innovative Pop Filter
- √ Package includes Plastic Case and USB cable



- √ Element: 16mm high-sensitivity condenser capsule
- √ Cardioid Polar Pattern
- √ Frequency Response: 30Hz -20kHz
- √ Sensitivity: -34dB (0dB = 1V/Pa at 1kHz)
- √ Max Input SPL: 130dB (at 1kHz 1% T.H.D.)
- √ 16bit A/D-D/A conversion resolution
- √ Stereo ADC/DAC operation
- √ USB 2.0 transceiver
- √ ADC sampling frequency: 8k, 11.025k, 16k, 22.05k, 32k, 44.1k, 48kHz
- √ ADC THD+N = 0.01%
- √ ADC S/N Ratio = 89dB
- √ ADC Dynamic Range = 89dB
- √ DAC frequency: 32k, 44.1k, 48kHz
- √ DAC THD+N = 0.005% - DAC S/N Ratio = 96dB
- √ DAC Dynamic Range = 93dB
- √ Stereo output power: 400mW
- √ Microphone Size (WxHxD): 188x50x50 mm
- √ Microphone Weight: 252 g
- √ Case Size (WxHxD): 340 x 280 x 90 mm

CODE	MSRP EUR	MSRP GBP
L999L	€ 83,34	£ 75,01

CONDENSER MICROPHONES

APOLLO - Home Recording USB Microphone

Apollo is "the swiss army knife" for everyone who need to record his/her voice or an acoustic instrument to his computer. The integrated USB interface is equipped with premium quality A/D converters ensuring top performances ever. Thanks to the headphone out you can listen what you are recording in real-time so you can adjust Volume and finally get your audio file without any distortion or noise. APOLLO is supplied with a folding tripod by which you can easily place the microphone on every surface adjusting the height via the rotating swivel.

- √ Solution for all home recording apps
- √ Condenser mic capsule with wide frequency response
- √ Zero latency in monitoring
- √ Real time monitoring through headphones out (3,5 mm stereo mini-jack)
- √ Support Plug&Play (no need of any software driver on Microsoft Windows or Apple Mac OSx)
- √ USB 2.0 interface (480 Mbps)
- √ Onboard volume control and mute function
- √ 3 color state LED : blue (power) - amber (mute) - red (clipping)
- √ Comes with height-adjustable desktop tripod, USB cable

- √ Polar pattern: cardioid
- √ Capsule: 32 mm Large diaphragm condenser
- √ Frequency Response: 20 Hz - 20.000 Hz
- √ Max SPL: 120 dB
- √ AD converter : 16 bit
- √ Sample rate: 44.1/48kHz
- √ Power Supply and consumption: 5V 70mA (idle), 100 mA (peak)
- √ Headphone output power: 85 mW at 16 ohms
- √ THD : 0,001% unloaded / 0,004% at 32 ohms
- √ Headphone Frequency response: 20Hz - 20kHz
- √ Signal to noise ratio : 96 dB (A)
- √ Dimensions: 192" x 39" (49 mm x 100 mm) - Net weight : 295 g

CODE	MSRP EUR	MSRP GBP
A984A	€ 84,29	£ 75,86



SGC120-MKII - Dual Powered Condenser Shotgun Microphone

SOUNDSATION SGC120 is a dual powered (9V battery or phantom power) shotgun condenser microphone for studio or mobile use. You can use it for capturing vocals and acoustic instruments as well. A right choice also for interviews, on-camera voice reproduction and broadcasts. It features two switchable polar patterns, cardioid and hypercardioid which offer the flexibility of using the microphone with close-up or extended on axis response.

- √ Dual directivity option (cardioid or hyper-cardioid)
- √ Detailed and clear voice pickup
- √ Dual power - user can choice to use 9V battery or phantom power +48
- √ High sensitivity, wide dynamic range and low distortion
- √ Spring cable for flexible in-field performance
- √ Ideal for video camera ,ensemble voice miking, acoustic instruments, interviewing apps
- √ Comes with cable and windscreens

- √ Elements: Back Electret Condenser
- √ Polar pattern: Cardioid / Hypercardioid
- √ Frequency: 50Hz~16kHz/ 80Hz~14kHz
- √ Sensitivity: -45dB/-30 dB±2dB(0dB=1V/Pa at 1kHz)
- √ Output Impedance: 500ohm±30%(at 1kHz)
- √ Battery Type: AA/UM3, 1.5V
- √ Cable specs : XLR M to stereo 3.5" connector (minijack) , 1 mt lenght, spring cord

CODE	MSRP EUR	MSRP GBP
I810I	€ 71,57	£ 64,41



CONDENSER MICROPHONES

CamAudioPRO - Camera Recording Microphone

SOUNDSATION CamAudioPRO is a professional shotgun microphone for camcorders, digital cameras and portable audio recorders. It mounts a high-performance condenser capsule delivering HD Audio quality. The cardioid design of polar pattern ensure isolation of the sound source from other off-axis ambience sounds. The connection to the video device is obtained through a standard 3.5mm male minijack connector. CamAudioPRO is designed to avoid vibrations, thanks to its shock proof mounting system. User selectable functions of high-pass filter and a gain switch able to increase the output signal level of +10dB allow a total control of the acquired sound source. The power is supplied by a 9V alkaline battery (provided in the product box) that is able to guarantee over 100 hours of recording. The replacement of the battery when expired is a very easy operation. CamAudioPRO can be connected to any standard video equipment providing a 3/8" thread base mount system. Suitable for all kind of indoor or outdoor applications.

- √ High sensitivity condenser microphone delivering HD Audio
- √ Cardioid polar pattern isolate the main sound source from other ambience sound
- √ Easy mount on any standard video device through 3/8 thread system
- √ Shock proof design can reduce the mechanical noise of cameras and other vibration noise
- √ Gain switch for increasing +10dB output signal level and 200Hz bass filter meet the demand of different applications
- √ Rugged mic housing features effective EMI resistance
- √ Powered by 1.5V AA alkaline battery, playtime is up to 100hrs
- √ Low power indicator
- √ Comes with windscreens and velvet black carrying

- √ Transducer Principle: Back Electret Condenser
- √ Directivity Characteristic: Cardioid
- √ Frequency Response: 50Hz-16KHz
- √ Sensitivity: -32dB±3dB(0dB=1V/Pa at 1KHz)
- √ Gain Switch: +10dB
- √ Bass Filter: 60Hz 10dB/octave
- √ Output Impedance: 2000Ω±30%
- √ Power Requirement: 1.5V AA battery
- √ Dimensions: cm 20x5x3 - Net weight: 450 g



CODE	MSRP EUR	MSRP GBP
15101	€ 53,54	£ 48,19

PCMS100 - Studio Condenser Microphone

SOUNDSATION PCM-5100 is a professional condenser microphone for musical instruments. It adopts a back electret condenser capsule and a cardioid pickup pattern to achieve accurate, uncolored reproduction of the sound, as well as exceptionally high sensitivity. It also effectively avoids unwanted noise and feedback and can be used to enhance the sound of orchestral instruments, pianos, etc. The slim and lightweight microphone housing is constructed from copper and Zinc-die casting. The back electret condenser element can be powered either internally by a single 1.5V AA battery or by 9V-52V DC phantom circuit. Its standard XLR connector matches all kinds of audio equipment. It's an ideal choice for acoustic projects.

- √ Capable of handling High SPL with no feedback troubles
- √ Rugged metal housing
- √ On/off switch
- √ High Sensitivity, wide dynamic range with low distortion

- √ Element: Back Electret Condenser
- √ Polar Pattern: Uni-directional
- √ Frequency Response: 50Hz-18kHz
- √ Sensitivity: -45dB±3dB(0dB=1V/Pa at 1kHz)
- √ Output Impedance: 2500±30%(at 1kHz)
- √ Max. Input SPL: 136dB(at 1kHz =1% T.H.D)
- √ S/N Ratio: 60dB
- √ Phantom Power Requirement: 9V-52V DC phantom or 1.5V Battery
- √ Battery Type: AA/UM3, 1.5V



CODE	MSRP EUR	MSRP GBP
N502N	€ 49,02	£ 44,12

K2TWIN - Matched Studio Condenser Microphones (pair)

K2 TWIN is a powerful resource for everyone who needs a stereo condenser microphone set for professional studio recording. The 2 cardioid microphones are equipped with top quality diaphragm and on each unit it's possible to control the Gain (0:-10dB) as well as the roll-off filter. The die-cast metal enclosure of each microphone ensure a long use both for studio and live entertainment becoming a powerful resource for technician looking for the best performances. This bundle includes: - 2 x Matched Condenser Microphones - 2 x Windscreens - 2 SH400 Professional Shock Mount system - 1 x Adjustable Metal Stereo Bar All the components perfectly fit in the comfortable and light weight PVC carrying bag.

- √ Cardioid directivity characteristic for ideal sound capturing
- √ Roll-off filter and Gain Attenuation 0/-10dB
- √ Genuine rugged construction with Die-cast technology
- √ SH-400 Professional Shockmount to prevent critical vibration
- √ Ultra-precise adjustable Stereo Bar
- √ Sensitivity matching of the 2 unit with max ratio <3%

- √ Element: Back Electret Condenser
- √ Polar pattern: Cardioid
- √ Frequency Response: 30Hz-18kHz
- √ Sensitivity: -38dB±3dB(0dB=1V/Pa at 1kHz)
- √ Output Impedance: 1000±30%(at 1kHz)
- √ Max. Input SPL: 135dB(at 1kHz =1% T.H.D)



CODE	MSRP EUR	MSRP GBP
N835N	€ 93,45	£ 84,11

MICROPHONE PACKS

DMS PRO MKII - Acoustic Drumset Microphone Set

DMS PRO MKII is a professional microphone set for drumsets. The mic design is modern and it comes with superb Titanium Gold finishing: a beautiful cosmetic and at the same time a durable solution that make sure unaltered finishing for years and years. The MKII version is an improved successor of DMS PRO. Among a general optimization process, a new snare drum mic with custom frequency response(TA-8280S) has been added to the set in order to have greater snare performances. Recommended for every drummer, this set assure great reliability live and in studio recording . All mics are equipped with extreme quality capsules with optimized frequency response per each unit of the drumset (bass drum, snare, tom, floor tom, cymbals) . Comes with a comfortable aluminium carrying case and with drum specific mic holders.

- √ Complete drum miking set
- √ 4 dynamic microphones for bass drum, floor tom, 2 toms
- √ 1 snare drum optimized dynamic microphone
- √ 2 condenser microphone to use for cymbals
- √ Extreme quality cartridges
- √ Titanium gold durable finishing
- √ Solid aluminium carrying case
- √ Comes with 1 bass drum mic (TA-8340) , 4 tom/floor tom mics (TA-8280) , 1 snare drum mic (TA-8280S)
2 cymbal condenser mics with windscreen and mic stand holder , 4 drumset mic holder

- √ Tech spec on specific microphones please refer to model datasheet
- √ Dimension : 450x250x100 - Net Weight : Kg 6



CODE	MSRP EUR	MSRP GBP
L489L	€ 283,21	£ 254,89

VOCAL 300 PRO 3P - Set of 3 VOCAL 300 PRO dynamic microphones

SOUNDSATION VOCAL series of microphones is the perfect answer to all those users who require rugged and reliable tools, able to improve the range of frequencies typical of male and female voices, and wink at its own wallet. VOCAL 300 PRO 3P is a set of 3 VOCAL 300 PRO professional dynamic microphones, 3 adapters for microphone stands, all in a handy padded carrying case. It is an excellent tool for miking purposes, where there are several voices or instruments and you want a professional dynamic transducer with cardioid polar pattern, high sensitivity, wide frequency response and and high sound pressure capability.

- √ 3 Dynamic vocal microphone with smooth mid-frequency presence rise for excellent voice reproduction
- √ Wide frequency response for crystal yet clear sound
- √ High signal output, lets your voice cut through
- √ Cardioid polar pattern minimizes ambient noise and feedback
- √ On/off switch
- √ 3 Microphone stand adapters included
- √ High-quality components and exceptionally rugged construction

- √ Type: Dynamic
- √ Directivity: Cardioid
- √ Polar Pattern: Uni-Directional
- √ Frequency Response: 68Hz - 17,2kHz (±3dB)
- √ Sensitivity: -60dB ±3dB (0dB=1V/Pa @ 1kHz)
- √ Output impedance: 300ohms, ±15%
- √ Microphone Size (HxDiameter): 29,5 x D50,5 max. x D22,5 min. cm
- √ Plastic Box Size (LxHxD): 25,6 x 12,2 x 8 cm
- √ Microphone Weight: 0,29kg

CODE	MSRP EUR	MSRP GBP
L806L	€ 39,56	£ 35,60



OnAir - On Air Recording Bundle

On Air is a complete solution for the Audio recording. The bundle includes a Cardioid condenser Microphone, an Audio Converter 16 bit-48KHz with Phantom Power switch, a desk tripod, a wind screen and all the cables needed for the audio and digital connection. thanks to the included MAGIX SAMPLITUDE PRO X SILVER Recording Software On Air become a powerful resource for Home Studio and Live Audio application as well as a complete tool for the Broadcasting production.

- √ Built-in large diaphragm condenser capsule to provide natural sound reproduction
- √ Plug'n'play 16 bit-48 KHz Audio Converter
- √ Genuine rugged construction with Die-cast shell
- √ Ideal for Studio, Live and Broadcasting application
- √ MAGIX SAMPLITUDE PRO X SILVER recording software
- √ Accessories: Desk Tripod, Windscreen, Audio and USB Cables



- √ Transducer Principle: Condenser
- √ Polar Figure: Cardioid
- √ Frequency Response: 30Hz-20KHz
- √ Sensitivity: -34dB±2dB (0dB=1V/Pa at1kHz)
- √ Output Impedance: 4000±30% (at 1kHz)
- √ Load Impedance: =10000
- √ Equivalent Noise Level: =18dB A (IEC 581-5)
- √ Max.Input SPL: 140dB (THD =1.0% at 1kHz)

- √ Output Connector: XLRM
- √ Power Supply: 48V Phantom Power
- √ Audio converter quality: 16 bit - 48 KHz
- √ Audio converter properties: MIC/Line Switch, Phantom Power On/Off switch
- √ Audio converter connection: Mini USB Out, XLR Input (TRS Input with included adaptor), Headphone out Mini Jack 3,5mm
- √ Dimensions (W x L x H): 29mm x 27mm x 95 mm - Weight: ,85 Kg



CODE	MSRP EUR	MSRP GBP
N836N	€ 112,38	£ 101,14

MICPKG-200 - Vocalist all-in-one package with carrying bag

Soundsation mic pack is a complete kit for vocalist including a metal body dynamic mic, 6 mt XLR cable and a boom mic stand. A padded carrying bag, brings an all-in-one easy solution for musicians on the road or rental companies

- √ Unidirectional dynamic microphone with metal body and zip bag
- √ Telescopic boom mic stand with extra strong tripod base.
- √ Clamp to attach the microphone to the stand
- √ 6 meter OFC shielded mic cable, 2 XLR plugs
- √ Padded carrying bag with zip pocket to protect the microphone

- √ Stand height without boom (max): 135 cm
- √ Stand boom lenght (min-max): 53-91 cm
- √ Stand weight: 2,3 Kg
- √ Mic body material: metal
- √ Mic transducer: dynamic
- √ Mic Polare pattern: unidirectional
- √ Mic Frequency Response: 50Hz-16KHz
- √ Mic sensitivity: -54dB+ -3dB
- √ Output impedance: 600 OHM + -30%

CODE	MSRP EUR	MSRP GBP
D794D	€ 44,33	£ 39,90



INSTALLATION MICROPHONES

Voice Mic

TG100 - Desktop Gooseneck Microphone set

SOUNDSATION TG100 is a desktop gooseneck microphone is a professional microphone designed for applications such as large-scale conferences, public addresses, outdoor speeches etc. It adopts a back electret condenser cartridge, which delivers bright and clear sound. This uni-directional microphone featuring high sensitivity and low self-noise can operate by battery power or via phantom power received from an external device like a mixer . Its flexible gooseneck can be adjusted smoothly and quietly to fit any needs and situations and a red LED conveniently mark the on-off state.The zinc base of the microphone has been designed with focus on stability and duration over time.

- √ Back-electred capsule with hyper-cardioid directivity for max isolation of source voice from ambience
- √ High sensitivity and wide frequency range
- √ LED ring power indicator
- √ Flexible positioning
- √ Powered by battery or Phantom Power
- √ Application: conference, broadcasting, public address, communication, home recording.
- √ Comes with base, cable, windscreen, 2 1.5 Volt AA batteries

- √ Transducer: Back Electret Condenser
- √ Polar Pattern: Uni-directional
- √ Frequency Response: 100Hz-13kHz
- √ Sensitivity: -38dB±3dB(0dB=1V/Pa at 1kHz)
- √ Output Impedance: 2000±30%(at 1kHz)
- √ Load impedance : 1000 Ohm
- √ Operating Voltage: Phantom Power 9-52V or 3V Battery
- √ Battery Type: AA,1.5
- √ Cable : XLR F to XLR M (6 meter)



CODE	MSRP EUR	MSRP GBP
M313M	€ 72,82	£ 65,54

TG-100-ver2 - Desktop Microphones base for SOUNDSATION microphones

Desktop base for SOUNDSATION gooseneck microphones GN-230, GN-250, GN-260 powered with Phantom Power 4-52V. The base can be also used as power supplier for any microphone accepting 3V power voltage



CODE	MSRP EUR	MSRP GBP
M317M	€ 45,49	£ 40,94

GN250 - Installation condenser microphone

SOUNDSATION GN250 is a gooseneck microphone designed for installation applications like conference and broadcast. Light design and trustable performance. LED ring power indicator.

- √ Back-electred capsule with hyper-cardioid directivity for max isolation of source voice from ambience
- √ High sensitivity
- √ LED ring power indicator
- √ Double gooseneck construction for flexible positioning
- √ Application: conference, broadcasting, public address, communication, home recording.

- √ Transducer Principle: Electrostatic Condenser
- √ Directivity Characteristic: Hypercardioid
- √ Frequency Response: 50Hz-16 kHz
- √ Sensitivity: -38dB±3dB (0dB=1V/Pa at 1 kHz)
- √ Output Impedance: 250±30% (at 1 kHz)
- √ Power Requirements: 9-52V DC Phantom Power
- √ Length: 515mm



CODE	MSRP EUR	MSRP GBP
M526M	€ 27,56	£ 24,80

GN-230 - Installation condenser microphone

SOUNDSATION GN230 is a gooseneck microphone designed for installation applications like conference and broadcast. Light design and trustable performance.

- √ Back-electred capsule with hyper-cardioid directivity for max isolation of source voice from ambience
- √ High sensitivity
- √ Double gooseneck construction for flexible positioning
- √ Application: conference, broadcasting, public address, communication, home recording.

- √ Transducer Principle: Electrostatic Condenser
- √ Directivity Characteristic: Hypercardioid
- √ Frequency Response: 50Hz-16 kHz
- √ Sensitivity: -45dB±3dB (0dB=1V/Pa at 1 kHz)
- √ Output Impedance: 2000±30% (at 1 kHz)
- √ Power Requirements: 9-52V DC Phantom Power
- √ Length: 505mm



CODE	MSRP EUR	MSRP GBP
M697M	€ 25,05	£ 22,55

INSTALLATION MICROPHONES

Voice Mic

BM-630 - High Sensibility Boundary Microphone Black finishing

A flat design boundary microphone fitting all theater stages as well conference projects and churches. Due to a small and exquisite shape and dimension the microphone can be hidden in the walls or tables. The microphone applies a standard XLR connector and is powered by 9V-52V phantom in order to match all kind of audio equipment.

- √ High performance condenser microphone
- √ High sensitivity for directional and detailed pickup
- √ LED mute indicator and on/off switch
- √ Flat design
- √ Rugged metal construction with noise reducing rubber base
- √ Application : conference, church, broadcasting
- √ Comes with mini XLR to XLR cable

- √ Element: Back Electret Condenser
- √ Directivity: Uni-directional
- √ Frequency Response: 40Hz-16kHz
- √ Sensitivity: -33dB±3dB (0dB=1V/Pa at 1kHz)
- √ Output Impedance: 1000±30% (at 1kHz)
- √ Bass Filter: 80Hz 10dB/octave
- √ Operating Voltage: 9V-52V DC Phantom



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
N051N	BM-630-B	Black	€ 45,75	£ 41,18
N052N	BM-630W	White	€ 47,57	£ 42,81

MS189 - Desktop Gooseneck Microphone set

SOUNDSATION MS189 is a desktop gooseneck microphone is a professional microphone designed for applications such as large-scale conferences, public addresses, outdoor speeches etc. It adopts a back electret condenser cartridge, which delivers bright and clear sound. This uni-directional microphone featuring high sensitivity and low self-noise can operate by battery power or via phantom power received from an external device like a mixer. Its flexible gooseneck can be adjusted smoothly and quietly to fit any needs and situations and a red LED conveniently mark the on-off state

- √ Back-electret capsule with hyper-cardioid directivity for max isolation of source voice from ambience
- √ High sensitivity and wide frequency range
- √ LED ring power indicator
- √ Flexible positioning
- √ Powered by battery or Phantom Power
- √ Application: conference, broadcasting, public address, communication, home recording.
- √ Comes with base, cable, windscreen, 2 1.5 Volt batteries

- √ Transducer: Back Electret Condenser
- √ Polar Pattern: Uni-directional
- √ Frequency Response: 100Hz-16kHz
- √ Sensitivity: -37dB±3dB(0dB=1V/Pa at 1kHz)
- √ Output Impedance: 1000±30%(at 1kHz)
- √ Load impedance : 1000 Ohm
- √ Operating Voltage: Phantom Power 9-52V or 3V Battery
- √ Battery Type: AAA, 1.5
- √ Cable : XLR F to XLR M (6 meter)



CODE	MSRP EUR	MSRP GBP
N424N	€ 53,92	£ 48,53

GN260 - Professional gooseneck condenser microphone

Gn260 is a microphone for installation equipped with a high quality capsule. It is a fundamental component for conference applications.

- √ Gold-plated diaphragm for most accurate sound reproduction
- √ High sensitivity and wide frequency response range
- √ Suitable for high SPL environments
- √ Built-in bass roll-off switch
- √ Double gooseneck construction for flexible positioning
- √ Application: conference, broadcasting, public address, communication, home recording.

- √ Transducer Principle: Electrostatic Condenser
- √ Directivity Characteristic: Cardioid
- √ Frequency Response: 50Hz-16 kHz
- √ Sensitivity: -40dB±3dB (0dB=1V/Pa at 1 kHz)
- √ Output Impedance: 2000±30% (at 1 kHz)
- √ Equivalent Noise Level: =24dB A
- √ Max. Input SPL: 130dB (at 1kHz =1% T.H.D)
- √ Bass Filter: 6dB/octave at 80Hz
- √ S/N Ratio: 270 dB
- √ Power Requirements: 9-52V DC Phantom Power
- √ Length: 500mm



CODE	MSRP EUR	MSRP GBP
N048N	€ 44,72	£ 40,25

HM500 - Overhead condenser microphone

SOUNDSATION HM500 is an installation professional condenser microphone optimal for use in applications where it is necessary to capture sound sources differently from conventional front position of the microphone.

- √ Tailored frequency response for rich, clear and sensitive sound reproduction
- √ Cardioid directivity characteristic for eliminating unwanted noise
- √ Spring-mounted design for flexible positioning and installation
- √ Application: Theatre, TV filming studio, conference sound reinforcement

- √ Transducer Principle: Back Electret Condenser
- √ Directivity Characteristic: Cardioid
- √ Frequency Response: 50Hz-16kHz
- √ Sensitivity: -37dB±3dB (0dB=1V/Pa at 1kHz)
- √ Output Impedance: 2000±30% (at 1kHz)
- √ Power Requirements: 9-52V DC Phantom Power



CODE	MSRP EUR	MSRP GBP
M470M	€ 30,21	£ 27,19

MICROPHONE ACCESSORIES

Shockmount

SH-500 - Shock mount for Studio microphone

Shock mount for Studio microphone accurately designed and able to host any studio microphone with standard thread.

- √ Elegant smooth satin black finishing
- √ Rugged construction for max stability



CODE	MSRP EUR	MSRP GBP
N600N	€ 33,97	£ 30,57

SH-100 - Schock Mount for Studio Microphone

SH-100 is an elastic suspension shock mount for side-addressmicrophones of both medium and big size



CODE	MSRP EUR	MSRP GBP
M295M	€ 29,84	£ 26,86

SH400 - elastic suspension shock mount for cylindrical bodiedmicrophones

A very useful tool by SOUNDSATION , this elastic suspension mic holder will improve the performance of your microphone and eliminate once for all the annoying vibrations problem that rise using traditional microphone holders for stands. Suitable for all SOUNDSATION microphone and all those having cylindrical shape with 0,83" body diameter .

- √ no more vibrations caused by the mic holding system
- √ compatible with all cylindrical shape mics with 0,83" body diameter
- √ recommended for SOUNDSATION microphones SGC-100 / SGC-120/ PCM-5400/PCM-5100/CM-60/CM-61/CM-62



CODE	MSRP EUR	MSRP GBP
N749N	€ 12,97	£ 11,67

SH-200 - Schock Mount for Studio Microphone

SH-200 is an elastic suspension shock mount for side-addressmicrophones of both medium and small size



CODE	MSRP EUR	MSRP GBP
N054N	€ 16,76	£ 15,08

H-200 - Studio Microphone Swivel Mount

H-200 is a metal swivel mount for side-address microphones. It allows to connect standard thread Studio Microphones to stands.



CODE	MSRP EUR	MSRP GBP
M352M	€ 12,20	£ 10,98

Antipop

SM82 - Universal Microphone suspension system with integrated POP filter

SM82 is a microphone suspension system for pro studio recording. It allows to mount in suspension mode the microphone firmly and safely, thus eliminating any vibration shocks. It supports any kind of microphone in the diameter range 22 mm -52 mm and it is suitable for all cylindrical shape condenser microphone and studio mic large diaphragm. The system integrate a dual-membrane POP Filter that allow to move the position of the microphone without any alteration of the recording output.

- √ Eliminates risks of vibrations in studio recording
- √ Suitable for all microphones with diameter range 22-55 mm
- √ Dual Membrane POP Filter Kit



CODE	MSRP EUR	MSRP GBP
1519I	€ 74,16	£ 66,74

PS1 - studio microphone pop screen

PS1 is a pop filter used for reducing wind noise during close vocal reproduction in studio apps. You can mount it by clipping to your mic stand. Universal clip mount system for all kind of mic stands.

- √ Isolate microphone from moisture
- √ Universal clipping mount for every mic stand



CODE	MSRP EUR	MSRP GBP
M292M	€ 14,02	£ 12,62

Windscreens

W60

- √ Camera Shotgun microphone Windscreen
- √ Inside diameter: 1.5 cm
- √ Length: 12 cm



CODE	MSRP EUR	MSRP GBP
1511I	€ 2,39	£ 2,15

W-60H

- √ 3 pcs set of Headset microphone Windscreen
- √ Inside diameter: 1
- √ Length: 2,5 cm



CODE	MSRP EUR	MSRP GBP
M509M	€0,34	\$ 0.39

W-50

- √ 3 pcs Set of Pencil microphone Windscreen
- √ Inside diameter: 2
- √ Length: 5 cm



CODE	MSRP EUR	MSRP GBP
M326M	€ 5,56	£ 5,00

W-40

- √ 3 pcs set of Dynamic spherical head microphone Windscreens
- √ Inside diameter: 5 cm
- √ Length: 7 cm
- √ Comes in 3 pcs set



CODE	MSRP EUR	MSRP GBP
F260F	€ 1,71	£ 1,54

W-40-C

- √ Set of 5 pcs dynamic spherical head microphone Windscreen
- √ Inside diameter: 5 cm
- √ Length: 7 cm



CODE	MSRP EUR	MSRP GBP
M990M	€ 3,16	£ 2,84

SC-01

- √ Spherical Microphone grille for 58 style microphones
- √ Replacement metal wiremesh grille basket to fit the classic 58 type microphone
- √ Suitable for original 58 type mics and replicas



CODE	MSRP EUR	MSRP GBP
M785M	€ 4,36	£ 3,92

MICROPHONE ACCESSORIES

W-40-B

- √ 5 pcs bag of Dynamic spherical head microphone Windscreens
- √ Inside diameter: 4 cm
- √ Length: 7 cm
- √ Comes in 5 pcs set

CODE	MSRP EUR	MSRP GBP
15411	€ 2,94	£ 2,65



W-10

- √ Studio Recording microphone Windscreen
- √ Inside diameter: 5 cm
- √ Length: 10 cm

CODE	MSRP EUR	MSRP GBP
M296M	€ 2,51	£ 2,26



W568

- √ Shotgun microphone Windscreen
- √ Inside diameter: 2
- √ Length: 12 cm

CODE	MSRP EUR	MSRP GBP
M297M	€ 2,91	£ 2,62



W-20

- √ Set of 5 pcs Gooseneck Microphone Windscreen
- √ Inside diameter: 1,5 cm
- √ Length: 12 cm

CODE	MSRP EUR	MSRP GBP
M325M	€ 0,65	\$ 0.75



Clamps & Adapter

DH-90 - Drumset microphone holder

DH-90 is a microphone holder especially suitable for drum recording and reinforcement applications, featuring vibration noise absorption

CODE	MSRP EUR	MSRP GBP
M351M	€ 7,81	£ 7,03



CH-58 - Cylindrical Microphone holder

CH58 is a clamp for holding most cylindrical bodied microphones. It can hold all kind of microphones having a diameter between 20-25mm .

CODE	MSRP EUR	MSRP GBP
M524M	€ 2,69	£ 2,42



MH-4 - Microphone holder in ABS for medium sized microphones

- √ Microphone holder suited for most medium sized dynamic microphones
- √ Built in sturdy ABS material
- √ Angle adjustment
- √ Including 5/8" thread to attach on standard microphone stands

CODE	MSRP EUR	MSRP GBP
S015S	€ 1,58	£ 1,42



SMCH-1 - Universal clamp style microphone holder

- √ Clamp style universal design
- √ Suited for most microphones
- √ Built in sturdy ABS
- √ Angle adjustment
- √ Including 5/8" thread to attach on standard microphone stand

CODE	MSRP EUR	MSRP GBP
S803S	€ 1,58	£ 1,42



MH-2 - Microphone holder in ABS for medium sized microphones

- √ Microphone holder suited for most medium sized dynamic microphones
- √ Built in sturdy ABS material
- √ Angle adjustment
- √ Including 5/8" thread to attach on standard microphone stands



CODE	MSRP EUR	MSRP GBP
M991M	€ 1,52	£ 1,37

TH-31 - Tie Clip Microphone holder

A dedicated clip to hold lavaliere type microphones on clothes or any other kind of thin surface .



CODE	MSRP EUR	MSRP GBP
M353M	€ 1,20	£ 1,08

ST-1000 Thread - Mic Stand thread adapter 3/8 inch to 5/8

Thread adapter to connect microphone holder with standard microphone stand.



CODE	MSRP EUR	MSRP GBP
M695M	€ 1,07	£ 96

GKXLR-16-BK

Gooseneck for microphone stand with XLR connectors

- √ Gooseneck for microphone base or panel mounted XLR connectors
- √ Male XLR and female XLR connectors
- √ Internally wired
- √ Length: 40 cm
- √ Built in steel
- √ Black finish



CODE	MSRP EUR	MSRP GBP
N783N	€ 9,17	£ 8,25

GKXT-16-BK

Gooseneck for microphone stand

- √ Gooseneck for microphone stand
- √ 5/8" male and 5/8" female threads
- √ Length: 30 cm
- √ Built in steel
- √ Black finish



CODE	MSRP EUR	MSRP GBP
N784N	€ 4,01	£ 3,61

Gooseneck

Headphones



HI-FI HEADPHONES & EARPHONES

HF500 - Foldable stereo headphones

- ✓ Excellent sensitivity, wide dynamic range, full-bodied bass, precise mids and clear highs to its 40mm neodymium 40 mm driver
- ✓ soft and high protein leather earpads for comfortable and long time listening
- ✓ Light and flexible PP headband
- ✓ Folding design for convenient carrying
- ✓ Swivel earcup design for 25° right or left swivel fit different head shapes and 180° swivel for one-ear monitoring
- ✓ Zipper carrying case

- ✓ Headphone Type : Wired, half-open
- ✓ Wearing Type : Headworn
- ✓ Transducer Principle : Dynamic
- ✓ Driver Diameter : 40mm Neodymium Magnet Driver
- ✓ Sensitivity : 101+/-3dB at 1 kHz
- ✓ Impedance : 32 Ohm
- ✓ Frequency Response : 15 Hz - 15000 Hz
- ✓ Rated Power : 15 mW
- ✓ Max. Input Power : 30 mW
- ✓ Connector : 3.5mm - 6.3mm Gold Plated Connector
- ✓ Cable Length : 1.2m - Net Weight : 105g



CODE	MSRP EUR	MSRP GBP
N753N	€ 28,76	£ 25,88

TS428 - Hi-Fi Stereo Headphones

- ✓ Lightweight and comfortable design for everyday use
- ✓ Distinct and exquisite sound quality
- ✓ Balance stereo effect
- ✓ Soft skin ear pads for long time wearing comfort
- ✓ Both-side cable design
- ✓ 3.5mm stereo plug and 6.3mm adaptor
- ✓ Adjustable size headband

- ✓ Transducer Principle : Dynamic
- ✓ Driver Diameter : 30mm
- ✓ Impedance : 32 Ohm
- ✓ Sensitivity : 96dB
- ✓ Frequency Response : 20Hz-20kHz
- ✓ Power Handling Capability : 100mW
- ✓ Cable : 2 mt
- ✓ Stereo Adaptor Plug : 3.5mm



CODE	MSRP EUR	MSRP GBP
N271N	€ 12,26	£ 11,03

EP2225 -In-ear headphones

Listen to your music in high sonic fidelity. This in-ear style headphones will guarantee you punchy and distortion free basses. Essential design and high-grade ergonomics make this product an everyday tool for all needs.

- ✓ in-ear design for maximum noise isolation
- ✓ punchy bass, natural mids and clear highs
- ✓ supplied with three pairs of ear pads in different sizes for optimal fit
- ✓ optimal for CD-players, MP3, monitoring apps

- ✓ Transducer Principle: Dynamic
- ✓ Driver Diameter : Ø9.2mm
- ✓ Impedance: 16Ω
- ✓ Sensitivity: 100dB±3dB (at 1kHz)
- ✓ Frequency Response: 20Hz-20kHz
- ✓ Cable: Approx. 1.5m
- ✓ Plug: Stereo Ø3.5mm



CODE	MSRP EUR	MSRP GBP
N754N	€ 7,13	£ 6,42

HM-770U - Universal headset for wireless microphone systems

- √ Unidirectional quality capsule for excellent vocal transmission
- √ Minimal and light design to wear comfortably
- √ Adjustable headband
- √ Color: light beige
- √ It comes with mini-XLR cable terminal and adaptors to make it compatible for use with most popular wireless systems (SENNHEISER, AKG, SHURE, TAKSTAR)
- √ Other supplied accessories: windscreen



- √ Transducer: back electret condenser
- √ Polarity: Unidirectional
- √ Frequency response: 20Hz-20Khz
- √ Sensitivity: -45dB
- √ Power requirements: DC2V, 0.5mA
- √ Impedance: 2.2K 30%
- √ Cable: 1.5mm diameter, 1.2 meter length (mini-XLR 3 pin connector M)
- √ Bodipack adaptors: 4 pin mini TA4F, minijack 3,5" mono

CODE	MSRP EUR	MSRP GBP
N490N	€ 35,37	£ 31,83

HM-700 - Condenser Headset Microphone

- √ Overhead wear style
- √ Cardioid directivity characteristic for eliminating unwanted noise
- √ Light and comfortable wearing



- √ Transducer Principle: Back Electret Condenser
- √ Directivity Characteristic : Cardioid
- √ Frequency Response : 50Hz - 16kHz
- √ Sensitivity : -45dB±3dB (0dB=1V/Pa at 1 kHz)
- √ Output Impedance: 1000 Ohm ± 30% (at 1kHz)
- √ Max Operating Voltage : 10V
- √ Power Requirements : 1.5 V

CODE	MSRP EUR	MSRP GBP
M290M	€ 7,44	£ 6,70

HD50 - Pro monitoring headphones

- √ Extremely high power handling capability of 2000mW
- √ Featuring punchy bass range, well-balanced mids and clear highs
- √ Unique construction provides perfect fit
- √ Featherweight solution for long-term wearing comfort
- √ 90°swiveling earcup
- √ Folding earcup design for ease of carrying
- √ Supplied with both soft skin ear pads and velvet ear pads
- √ black velvet travel carrying bag

- √ Type: Wired, closed design
- √ Transducer Principle : Dynamic
- √ Driver Diameter : Ø50mm
- √ Impedance : 45 ohm
- √ Sensitivity : 104dB
- √ Frequency Response : 20Hz-20kHz
- √ Power Handling Capability : 2000mW
- √ Cable : Ø4mm x 1.2m Spring Cable (full stretch length approx. 4m)
- √ Connector Plug : Stereo Ø3.5mm
- √ Adaptor plug : 3.5 mm to 6.3 mm gold plated



CODE	MSRP EUR	MSRP GBP
N750N	€ 41,38	£ 37,24

HD40W - Monitoring headphones

- √ Noble UV painting with finish
- √ Soft & high protein leather ear pads for comfortable wearing
- √ Swivel earcup design for 25° right or left swivel for different face shape
- √ 180° outward swivel for single hand monitoring
- √ 35 mm Adjustable headband length
- √ 3.5mm gold plated connector
- √ 3.5 mm to 6.3 mm gold plated adaptor

- √ Type : Wired, closed design
- √ Transducer Principle : Dynamic
- √ Wearing Style : Headworn
- √ Frequency Response : 10Hz-25kHz
- √ Sensitivity : 101dB±3dB at 1kHz
- √ Driver Diameter : Ø50mm
- √ Max.Input Power : 100mW
- √ Rated Power : 30mW
- √ Impedance : 32 ohm
- √ Connector : stereo Ø3.5mm + Ø6.3 gold plated
- √ Cable : Ø2.2mm x 2m, Y-type
- √ Net Weight : 200g



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
N751N	HD40W	White	€ 28,24	£ 25,42
N752N	HD40B	Black	€ 28,24	£ 25,42

HEADPHONE AMPLIFIERS

HA4000 - 4 CH Multi-Routing Headphones amplifier

HA4000 is the natural solution for everyone needing to amplify a line signal and redirect it to headphones. The rugged construction allows to use this amplifier in studio recording as well as in live applications. Individual channels DIRECT IN and AUX IN allow to satisfy a wide range of connection needs. HA4000 is able to manage up to 6 stereo inputs, 12 stereo amplified outs and 2 balanced links to connect 2 or more units in Daisy-chain.

- √ 4 fully-controlled stereo independent channels
- √ Allow connections up to 6 different stereo input
- √ Allow connections up to 12 headphones
- √ Linkable to additional HA4000 devices through balanced XLR Main out
- √ Channel Volume control and output Vmeter
- √ Channel Mute control (L & R)
- √ 4 channel AUX input
- √ L/R parallel mode (split stereo signal into two mono)
- √ Channel Bass and Treble eq control
- √ Front & Rear 1/4" TRS input/output connectors
- √ Standard 19" rack mounting size (1U)

- √ Audio inputs: XLR and 1/4" TRS connectors
- √ Audio input impedance: 40 kOhm balanced, 30k Ohm unbalanced
- √ Max input SPL: 16 dB
- √ Aux in input impedance : 5 kOhm
- √ Max Aux in SPL: 22 dB
- √ Direct In 1/4" TRS stereo connectors
- √ Main Out : XLR and 1/4" TRS Connectors
- √ Phones output :1/4" TRS stereo connectors
- √ Min output load impedance : 8 Ohm
- √ Power amplifier: 21 dB (8 ohm)
- √ Frequency response: 20 Hz - 22000 Hz
- √ Signal to Noise Ratio: > 90 dB (a 0 dBu)
- √ Dynamic range : 110 dB
- √ Distortion (THD): 0.006% +4 dBu, 1Khz, gain
- √ Power supply : 200-240 V AC power, 50-60 Hz
- √ Dimensions : 1U standard rack - 483.0×88.0×183.5 mm
- √ Net Weight : Kg 1.4

CODE	MSRP EUR	MSRP GBP
I5221	€ 143,23	£ 128,91



POCKET-AMP - 4 channel mini headphone amplifier with power supplier


Pocket series has been conceived to satisfy musicians and audiophile needs. When more people is called to listen the same source, as in recording sessions, Pocket amp is a simple and effective solution. You can connect up to 4 headphones, each with its independent volume level. An essential tool in an ultra-compact package.

- √ 4 channel mini headphone amplifier with noiseless premps
- √ Ultra compact size 110 x 57x 31 mm
- √ Connect 4 headphones at the same time
- √ Independent volume control for each channel
- √ 4 headphone outputs TRS 6,3mm
- √ Stereo input TRS 6,3 mm
- √ 12V DC power supplier included

CODE	MSRP EUR	MSRP GBP
I5171	€ 30,96	£ 27,86



Stage Equipment



CARRIAGE CARTS

Conceived for rental companies and musician on the road, Soundsation carriage carts bring a practical and efficient solution to carry your stage equipment. The foldable design allow the cart to be fitted in a small space. Available in different sizes to fit any needs.

TR200 - Foldable equipment carriage cart large size

- √ 4 wheels equipment carriage cart large size
- √ Practical and efficient solution to carry your equipment
- √ Foldable design allows to fit in small space
- √ Two adjustable handles
- √ Adjustable base length (from 730 to 1200 mm)
- √ Folded dimension (LxH): 850x280mm
- √ Unfolded dimensions (LxWxA): 730-1200x377x770 mm
- √ Load capacity: 200 Kg
- √ Weight: 12,8 Kg

CODE	MSRP EUR	MSRP GBP
L897L	€ 107,59	£ 96,83



TR100 - Foldable equipment carriage cart medium size

- √ 4 wheels equipment carriage cart medium size
- √ Practical and efficient solution to carry your equipment
- √ Foldable design allows to fit in small space
- √ Two adjustable handles
- √ Adjustable base length (from 580 to 850 mm)
- √ Folded dimension (LxH): 700x235mm
- √ Unfolded dimensions (LxWxA): 580-850x377x770 mm
- √ Load capacity: 100 Kg
- √ Weight: 8,3 Kg



CODE	MSRP EUR	MSRP GBP
L896L	€ 81,28	£ 73,15

TR50-MINI - Foldable equipment carriage cart 2 wheels

- √ 2 wheels equipment carriage cart
- √ Practical and efficient solution to carry your equipment
- √ Foldable design allows to fit in small space
- √ Adjustable handle
- √ Folded dimension (LxH): 700x200mm
- √ Unfolded dimensions (LxWxA): 700x377x752 mm
- √ Load capacity: 50 Kg
- √ Weight: 5,7 Kg



CODE	MSRP EUR	MSRP GBP
L895L	€ 57,45	£ 51,71

SPST-SET80-BK - Speaker stand kit with carrying bag

Complete and useful kit featuring 2 aluminium speaker stands and a carrying bag. The included SSPS-80 stands are built in lightweight and sturdy aluminium, with 35mm pole mount and safety pin. Perfect for live situations to carry the speaker stand easily preventing possible damages.

- √ Kit including 2 pcs SSPS-80-BK and carrying bag
- √ Stands made of aluminium, lightweight and sturdy
- √ Stands with 35mm pole mount, fitting most speakers
- √ Stands are foldable for convenient carrying
- √ Stands with metal safety pin
- √ Carrying bag with handles

- √ Stand pole size: 35 mm
- √ Load capacity: 50 Kg
- √ Height (min-max): 125-185 cm
- √ Weight: 2,00 Kg
- √ Construction material: aluminium body, base joint and handles in nylon
- √ Finish: painted black
- √ Bag material: nylon



CODE	MSRP EUR	MSRP GBP
N946N	€ 51,42	£ 46,28

SPST-SET70-BK - Speaker stand kit with carrying bag

Complete and useful kit featuring 2 aluminium speaker stands and a carrying bag. The included SSPS-70 stands are built in sturdy steel, with 35mm pole mount and safety pin. Perfect for live situations to carry the speaker stand easily preventing possible damages.

- √ Kit including 2 pcs SSPS-70-BK and carrying bag
- √ Stands made of ultra resistant steel
- √ Stands with 35mm pole mount, fitting most speakers
- √ Stands are foldable for convenient carrying
- √ Stands with metal safety pin
- √ Carrying bag with handles

- √ Stand pole size: 35 mm
- √ Load capacity: 40 Kg
- √ Height (min-max): 120-180 cm
- √ Weight: 5,5 Kg
- √ Construction material: steel body, base joint and handles in nylon
- √ Finish: painted black
- √ Bag material: nylon



CODE	MSRP EUR	MSRP GBP
D795D	€ 41,52	£ 37,37

SPEAKER STANDS

SPST-SET-AIR-BK - Speaker stand kit Safety air system with carrying bag

Complete and useful kit featuring 2 aluminium speaker stands and a carrying bag. The included stands are built in lightweight and sturdy aluminium and adopt the Safety Air system to avoid sudden drop of the speaker and ensure smooth and safe operations. Perfect for live situations to carry the speaker stand easily preventing possible damages.

- √ Kit including 2 pcs SSPS-AIR with Safety air system and carrying bag
- √ Stands made of aluminium with diecast joint, lightweight and sturdy
- √ "Safety Air System" ensure smooth descending of the speaker for safe operations
- √ Stands with 35mm pole mount, fitting most speakers
- √ Stands with metal safety pin
- √ Carrying bag with handles

- √ Stand pole size: 35 mm
- √ Load capacity: 60 Kg
- √ Height (min-max): 140-220 cm
- √ Weight: 3,8 Kg each stand (7,8 kg for the whole kit)
- √ Construction material: aluminium body, diecast base joint and handles in nylon
- √ Finish: painted black
- √ Bag material: nylon

CODE	MSRP EUR	MSRP GBP
D816D	€ 77,12	£ 69,41



SSP-AIR-BK - Aluminium speaker stand with Safety Air System

SSPSAIR is a speaker stand with 35 mm pole mount. Safety Air System ensure a smooth descending of the speaker in case the pin has been removed, for safe operating. The whole structure is in aluminium, lightweight and sturdy, with reinforced diecast steel base joint. The screw height adjustment system is double secured by a safety pin. It's collapsable, lightweight and easy carrying.

- √ Alluminium body, lightweight and sturdy
- √ "Safety Air System" ensure smooth descending of the speaker for safe operations
- √ Reinforced diacast steel base joint
- √ 35 mm pole mount
- √ Screw blocking system with handle
- √ Metal safety pin system

- √ 35 mm pole mount, main tube 38 mm
- √ Load capacity: 60 Kg
- √ Height (min-max): 140-220cm
- √ Weight: 3,8 Kg
- √ Construction material: aluminium
- √ Finish: painted black

CODE	MSRP EUR	MSRP GBP
N310N	€ 33,86	£ 30,47



SSPS-80-BK - Aluminium speaker stand with 35 mm pole mount and nylon base joint

SSPS-80 is a speaker stand with 35 mm pole mount. The whole structure is in aluminium, lightweight and sturdy, with a reinforced nylon base joint. The screw height adjustment system is double secured by a safety pin. Suitable for most speaker models. It's collapsable, lightweight and is easy to carry.

- √ Lightweight, sturdy and anti corrosion alluminium construction
- √ Reinforced nylon base joint
- √ 35 mm pole mount, suitable for most speaker models
- √ Screw locking system with handle
- √ Metal safety pin system

- √ Load capacity: 50 Kg
- √ Height (min-max): 1250-1850 mm
- √ Lower main tube diameter: 400 mm
- √ Weight: 2 Kg
- √ Construction material: aluminium
- √ Finish: painted black

CODE	MSRP EUR	MSRP GBP
D712D	€ 23,52	£ 21,17



SSPS-70-BK - Speaker stand with 35 mm pole mount and nylon base joint

SSPS-70 is a speaker stand with 35 mm pole mount. The whole structure is in steel, sturdy and resistant, with a reinforced nylon base joint. The screw height adjustment system is double secured by a safety pin. Suitable for most speaker models. It's collapsable, lightweight and is easy to carry.

- √ Steel sturdy construction
- √ Reinforced nylon base joint
- √ 35 mm pole mount, suitable for most speaker models
- √ Screw locking system with handle
- √ Metal safety pin system

- √ Load capacity: 40 Kg
- √ Height (min-max): 1200-1800 mm
- √ Lower main tube diameter: 400 mm
- √ Weight: 2,5 Kg
- √ Construction material: acciaio
- √ Finish: painted black

CODE	MSRP EUR	MSRP GBP
D796D	€ 17,95	£ 16,16



SSPS-50-BK - Aluminium speaker stand with 25mm pole mount

SSPS-50 speaker stand with 25mm pole mount, suitable for small/medium sized speakers. The whole structure is in alluminium, lightweight and sturdy. Height is adjustable through a safe screw system. It's collapsable, lightweight and is carrying

- √ Alluminium body, lightweight and sturdy
- √ 25mm pole mount
- √ Screw blocking system with handle

- √ 25mm pole mount Height (min-max): 100-160cm Load material: aluminium Weight: 2 Kg Finish: painted black

CODE	MSRP EUR	MSRP GBP
N082N	€ 24,56	£ 22,10



SMON-100 - Studio monitor adjustable stand with foldable base

SMON-100 is an adjustable stand for studio monitors. The foldable base ensure great stability. Isolation is a key point when choosing a monitor stand. For this reason, we included metal spikes and the monitor base has two rubber bands. In this way we can avoid unwanted vibrations. A professional product that will fit every budget.

- √ Steel stand with foldable base to reduce the size without compromising stability
- √ Height adjustment with safety pin for safe and correct positioning
- √ Metal spikes for perfect floor isolation
- √ Two rubber bands over the plate to isolate the monitor from the stand

- √ Height (min-max): 69 - 130 cm
- √ Monitor base dimensions: 230x230 mm
- √ Base diameter: 500 mm
- √ Load capacity: 15 Kg
- √ Weight: 4 Kg

CODE	MSRP EUR	MSRP GBP
L898L	€ 27,58	£ 24,82



SMON-200 - Studio monitor adjustable stand

SMON-200 is an adjustable stand for studio monitors. The triangle shaped base allow to use minimal space while ensuring great stability. Isolation is a key point when choosing a monitor stand. For this reason, we included metal spikes and the monitor base has two rubber bands. In this way we can avoid unwanted vibrations. A professional product that will fit every budget.

- √ Steel stand with triangular shaped base to reduce the size without compromising stability
- √ Height adjustment with safety pin for safe and correct positioning
- √ Metal spikes for perfect floor isolation
- √ Two rubber bands over the plate to isolate the monitor from the stand

- √ Height (min-max): 69 - 130 cm
- √ Monitor base dimensions: 23 x 23 cm
- √ Floor base dimension: 45 x 45 x 45 cm

CODE	MSRP EUR	MSRP GBP
D749D	€ 27,40	£ 24,66



SPEAKER STANDS

SUBST100-BK - Subwoofer mount speaker stand

SUBST100 is a speaker stand you can plug on your subwoofer to support your satellite speaker. Built in ultra-rugged steel, it features a safety pin and adjustable height.

- ✓ Speaker stand with 35mm pole mount
- ✓ Can be used with 35mm subwoofer socket
- ✓ Built in rugged steel
- ✓ Height adjustment through a screw blocking system with handle
- ✓ Metal safety pin system

- ✓ Height (min-max): 800-1360 mm
- ✓ Load capacity: 50 Kg
- ✓ Weight: 1,4 Kg

CODE	MSRP EUR	MSRP GBP
D701D	€ 8,09	£ 7,28



SUBST100-M20 - Subwoofer mount speaker stand with M20 thread

SUBST100 is a speaker stand you can plug on your subwoofer to support your satellite speaker. Built in ultra-rugged steel, it features a safety pin and adjustable height. The M20 base thread allows to attach the pole to the subwoofers avoiding unwanted vibrations.

- ✓ Speaker stand with 35mm pole mount
- ✓ Can be used with M20 subwoofer socket avoiding unwanted vibrations
- ✓ Built in rugged steel
- ✓ Height adjustment through a screw blocking system with handle
- ✓ Metal safety pin system

- ✓ Height (min-max): 800-1360 mm
- ✓ Load capacity: 50 Kg
- ✓ Weight: 1,4 Kg

CODE	MSRP EUR	MSRP GBP
D815D	€ 10,03	£ 9,03



WSS-08 - Wall mount speaker stand with inclination adjustment pin

WSS-08 is an essential tool to install speakers in several situations: bars, restaurants, school, conference room, etc. Sturdy and stable, it's built in metal and it comes with 4 wall fixing points in order to guarantee best stability. Speaker can be directed through the horizontal junction, while inclination can be adjusted in 3 different positions.

- ✓ Fully built in metal material
- ✓ 35mm pole mount
- ✓ 4 wall fixing point with included screws
- ✓ 180° horizontal adjustment for optimal direction
- ✓ Inclination can be adjusted in 3 different positions with safety pin
- ✓ Load capacity: 50 Kg
- ✓ Horizontal directivity: 180°

- ✓ Inclination: from 0° to -45° in 3 positions
- ✓ Horizontal distance of fixing holes: 104 mm
- ✓ Vertical distance of fixing holes: 160 mm
- ✓ Plate dimension (LxH): 120 x 180mm
- ✓ Total length: 300 mm
- ✓ Pole mount dimensions: (ØxH): 35 x 120 mm



CODE	MSRP EUR	MSRP GBP
N162N	€ 18,32	£ 16,49

SSPAD-10 - Speaker stand adaptor from 35mm to 25mm

SSPAD-10 is a useful tool when it comes to use a 35mm speaker stand with a speaker having a 25mm pole mount. Easy to mount, it's built in metal to ensure sturdiness and safe use.

- ✓ Built in metal
- ✓ To apply over the terminal of 35mm stand
- ✓ Compatible with speaker with 25mm pole mount

CODE	MSRP EUR	MSRP GBP
D703D	€ 3,78	£ 3,40



SSPAD-20 - Speaker mounting bracket in nylon material

SSPAD-20 is a useful adaptor which can be applied to speakers with screw mounting system to a regular 35mm pole mount stand.

- ✓ Ultra resistant nylon construction
- ✓ 4 screw holes with 70 mm diameter
- ✓ Screw holes distance 70 and 150 mm
- ✓ 2 oval inserts for M12 screws
- ✓ 35mm pole socket with tightening handle
- ✓ Dimensions (W x D x H): 179x110x80 mm

CODE	MSRP EUR	MSRP GBP
D704D	€ 2,24	£ 2,02



WSS-10 - Wall mount black speaker stand with omniball system

WSS-10 is an essential tool to install speakers in several situations: bars, restaurants, school, conference room, etc. Sturdy and stable, it's built in metal and it comes with 4 wall fixing points in order to guarantee maximum stability. Speaker can be directed by 180 degrees in all direction, thanks to the omniball system.

- √ Fully built in metal material
- √ Two speaker fixing points
- √ 4 wall fixing point (screws not included)
- √ Omniball system for 180° horizontal adjustment in all directions

- √ Load capacity: 18 Kg
- √ Directivity: 180° in all directions
- √ Horizontal distance of wall fixing holes: 79 mm
- √ Vertical distance of wall fixing holes: 81 mm
- √ Distance of speaker fixing holes : 60mm +-6mm
- √ Wall plate dimension (LxH): 99 x 99 mm
- √ Speaker plate dimension (LxH): 80 x 40mm
- √ Total length: 120 mm
- √ Weight: 0,7 Kg



CODE	MODEL	COLOR	MSRP EUR	MSRP GBP
D865D	WSS-10B	Black	€ 8,48	£ 7,63
D866D	WSS-10W	White	€ 8,48	£ 7,63

MICROPHONE STANDS

SMICS-200-BK

Microphone boom stand with tripod base and metal joints

- √ Telescopic arm with distance and angle adjustment
- √ Quick & Easy clutch style height adjustment mechanism with Zinc handle
- √ Metal counterweight for perfect balance with heavy microphones
- √ Base joint material: Metal
- √ Height(min-max): 110-176 cm
- √ Boom arm Length: 53-91 cm
- √ Weight: 3,5 Kg
- √ Black Finish

CODE	MSRP EUR	MSRP GBP
M707M	€ 26,49	£ 23,84



SMICS-120-BK

Microphone boom stand with metal tripod base

- √ Telescopic arm with distance and angle adjustment
- √ Quick & Easy height clutch adjustment mechanism
- √ Diecast steel sturdy base
- √ Base joint material: diecast steel
- √ Height(min-max): 100-165 cm
- √ Boom arm length: (min-max): 58-91 cm
- √ Weight: 2,3 Kg
- √ Black finish

CODE	MSRP EUR	MSRP GBP
D761D	€ 23,83	£ 21,45



SMICS-100-BK

Microphone boom stand with tripod base

- √ Quick & Easy height clutch adjustment mechanism
- √ Base joint material: ABS
- √ Height(min-max): 95-158 cm
- √ Boom arm length: 75 cm
- √ Weight: 2 Kg
- √ Black finish

CODE	MSRP EUR	MSRP GBP
M800M	€ 18,96	£ 17,06



SMICS-80-BK

Microphone boom stand with tripod base

- √ Boom arm with angle e length adjustment
- √ Quick & Easy height clutch adjustment mechanism
- √ Base reinforced legs offers maximum resistance
- √ 35cm legs to ensure optimum stability
- √ Base joint material: ABS
- √ Height(max): 135 cm
- √ Boom arm length: 80 cm
- √ Leg length: 35 cm
- √ Weight: 1,37 Kg

CODE	MSRP EUR	MSRP GBP
D720D	€ 17,73	£ 15,96



SMICS-70-BK

Microphone boom stand with tripod base

- √ Boom arm with angle e length adjustment
- √ Quick & Easy height clutch adjustment mechanism
- √ 35cm legs to ensure optimum stability
- √ Base joint material: ABS
- √ Height(min-max): 95-158 cm
- √ Boom arm length: 75 cm
- √ Leg length: 35 cm
- √ Weight: 1,8 Kg
- √ Black finish

CODE	MSRP EUR	MSRP GBP
D760D	€ 14,12	£ 12,71



SMICS-500-BK

Microphone stand with heavy cast-iron base

- √ 180mm diameter cast-iron base
- √ Quick & Easy clutch style height adjustment mechanism
- √ Height (min-max): 88cm-158cm
- √ Weight: 5 Kg
- √ Black painted finish

CODE	MSRP EUR	MSRP GBP
M804M	€ 23,53	£ 21,18



MICROPHONE STANDS

ONE HAND-100-BK

Mic stand featuring ONE HAND system and cast-iron base

- √ ONE HAND system allowing height adjustment with just one hand
- √ Round cast-iron base with antivibration ring
- √ Metal stand
- √ Finish: Matte Black
- √ Height: 106-179 cm
- √ Base diameter: 25 cm
- √ Weight: 2,3kg




CODE	MSRP EUR	MSRP GBP
I2401	€ 29,22	£ 26,30

ONE HAND-200-BK

Mic stand featuring ONE HAND system and tripod base

- √ ONE HAND system allowing height adjustment with just one hand
- √ High stability foldable tripod system
- √ Metal stand
- √ Finish: Matte Black
- √ Height: 110-180 cm
- √ Weight: 2kg



CODE	MSRP EUR	MSRP GBP
I2411	€ 21,63	£ 19,47

SMICS-600BK

Desktop microphone stand with cast iron base and telescopic boom

- √ Cast Iron base, triangular shape
- √ Telescopic arm with 180 degrees adjustable angle
- √ Finish: Black
- √ Boom arm length (min-max): 400-570 mm
- √ Base dimension: 19 x 19 x 5 cm
- √ Weight: 3,5 Kg



CODE	MSRP EUR	MSRP GBP
A737A	€ 21,65	£ 19,49

SMICS-550-BK

Low level microphone boom stand with tripod base

- √ Telescopic arm with distance and angle adjustment
- √ Metal tripod base
- √ Height: 540 mm
- √ Arm length (min-max): 58-91 cm
- √ Weight: 2 Kg
- √ Black painted finish



CODE	MSRP EUR	MSRP GBP
M803M	€ 18,96	£ 17,06

ST-6

Recording microphone desktop stand

- √ Folding and adjustable design
- √ Built in rugged metal material
- √ Desktop style mounting with clamp
- √ Extension up to 1 meter
- √ Adjustable in 270° angle
- √ Suited for both vertical or horizontal installation
- √ 6 meters XLR-XLR cable included and already inserted within the structure
- √ Extension: 1 meter
- √ Adjustable angle: 270°
- √ Included cable: XLR-XLR 6mm x 4m balanced and shielded
- √ Net weight: 1,5 Kg



CODE	MSRP EUR	MSRP GBP
N406N	€ 49,19	£ 44,27

MDS-10

Drink holder for microphone stand

- √ Built in metal
- √ Quick and safe attachment



CODE	MSRP EUR	MSRP GBP
I2431	€ 5,05	£ 4,55

ST-105ST-105

Desktop microphone stand

- √ All purpose desktop microphone stand. This useful tool is able to hold all most common microphones for all applications thanks to the rugged metal construction giving perfect stability. It comes with adapter 3/8" > 5/8" .



CODE	MSRP EUR	MSRP GBP
I9091	€ 4,85	£ 4,37

LAPTOP STANDS

SLAP-100 - Adjustable laptop stand

Stable, sturdy, adjustable and built in metal, SLAP-100 is the ideal solution for DJs and musicians who need their laptops at the desired height.

- √ Built in metal
- √ Adjustable height: 165 - 255mm
- √ Finish: black

CODE	MSRP EUR	MSRP GBP
D722D	€ 12,60	£ 11,34



SLAP-200 - Laptop or projector stand with tripod base

SLAP-200 is a very versatile stand, useful on live gigs or rehearsal to place your equipment at your fingertips. The base inclination can be adjusted, as well as the height. Perfect for laptop, projectors, mixers or effects.

- √ Multi-use stand for laptop, projectors or other equipment
- √ Adjustable base incline 0-14°
- √ Adjustable height
- √ Sturdy tripod base for maximum stability
- √ Base dimensions (LxW): 400x300 mm
- √ Height (min-max): 1010-1500 mm
- √ Weight: 4,5 Kg



CODE	MSRP EUR	MSRP GBP
L899L	€ 35,00	£ 31,50

TABSTAND-200 - Universal tablet holder with stand attachment clamp

- √ ABS construction
- √ Universal stand, compatible with iPad, Mini iPad and most tablets of different sizes
- √ Tablet holder with adjustable height
- √ Holder with curved angles to hold the tablet safely
- √ Turnable joint for landscape or portrait use
- √ Adjustable clamp to attach with microphone or music stands
- √ iPad and Mini iPad are registered trademark of APPLE inc.
- √ Tablet holder size: 191 x 248-283 mm
- √ Arm length: 150 mm



CODE	MSRP EUR	MSRP GBP
D753D	€ 12,18	£ 10,96

SRACK-100 16UW - 16 units 19" rack cabinet with castors

Rack stands SRACK-100 series are built in steel and allow to fit your equipment easily and safely. Available in several sizes, they come with 4 wheels with safety block. Ideal for installations, recording studios and stages.

- √ 16 units 19" rack cabinet
- √ Built in rugged steel
- √ 4 castors with safety block
- √ Loading capacity: 50 Kg
- √ Dimensions (LxWxH): 548x438x668
excluding wheels
- √ Weight: 11,9 Kg



CODE	MSRP EUR	MSRP GBP
L902L	€ 140,72	£ 126,65

SRACK-100 12UW - 12 units 19" rack cabinet with castors

Rack stands SRACK-100 series are built in steel and allow to fit your equipment easily and safely. Available in several sizes, they come with 4 wheels with safety block. Ideal for installations, recording studios and stages.

- √ 12 units 19" rack cabinet
- √ Built in rugged steel
- √ 4 castors with safety block
- √ Loading capacity: 50 Kg
- √ Dimensions (LxWxH): 548x438x668
excluding wheels
- √ Weight: 11,9 Kg



CODE	MSRP EUR	MSRP GBP
L901L	€ 116,25	£ 104,63

SRACK-100 8UW - 8 units 19" rack cabinet with castors

Rack stands SRACK-100 series are built in steel and allow to fit your equipment easily and safely. Available in several sizes, they come with 4 wheels with safety block. Ideal for installations, recording studios and stages.

- √ 8 units 19" rack cabinet
- √ Built in rugged steel
- √ 4 castors with safety block
- √ Loading capacity: 40 Kg
- √ Dimensions (LxWxH): 548x438x490
excluding wheels
- √ Weight: 9,8 Kg



CODE	MSRP EUR	MSRP GBP
L900L	€ 91,77	£ 82,59

CRACK-100 21UW - 21 units 19" rack stand with castors

Rack stands CRACK-100 series are built in steel and allow to fit your equipment easily and safely. Equipment can be racked vertically or horizontally, which is suitable for equipment which need to be controlled frequently like mixers. Coming with 4 wheels with safety block. Ideal for installations, recording studios and stages.

- √ 21 units 19" rack stand with vertical and horizontal placement
- √ Built in rugged steel
- √ 4 castors with safety block
- √ Adjustable horizontal units
- √ Dimensions (LxWxH): 560x560x915 excluding whe
- √ Weight: 23 Kg



CODE	MSRP EUR	MSRP GBP
L903L	€ 88,71	£ 79,84

RACKS

SRD100-3U LOCK - Rack drawer 19" 3U with lock

A useful accessory to store your tooling and other things. Safety lock with keys.



- √ 19" Rack drawer
- √ 3 units
- √ Equipped with locking and keys
- √ Height (outer-inner): 1334 mm - 1170 mm
- √ Depth (outer): 370 mm

CODE	MSRP EUR	MSRP GBP
L908L	€ 67,30	£ 60,57

SRD100-2U LOCK - Rack drawer 19" 2U with lock

A useful accessory to store your tooling and other things. Safety lock with keys.



- √ 19" Rack drawer
- √ 2 units
- √ Equipped with locking and keys
- √ Height (outer-inner): 889 mm - 728 mm
- √ Depth (outer): 370 mm

CODE	MSRP EUR	MSRP GBP
L907L	€ 39,77	£ 35,79

SRP100-2U - 19" 2 unit blind rack panel

Blind 19" rack panel to close unused space in the rack.



- √ Blind 19" rack panel
- √ 2 unit
- √ Built in metal
- √ Dimensions (LxH): 482x88.9mm
- √ Vertical hub spacing: 76.20 mm

CODE	MSRP EUR	MSRP GBP
L910L	€ 3,58	£ 3,22

SRP100-1U - 19" 1 unit blind rack panel

Blind 19" rack panel to close unused space in the rack.



- √ Blind 19" rack panel
- √ 1 unit
- √ Built in metal
- √ Dimensions (LxH): 482x44mm
- √ Vertical hub spacing: 31,75 mm

CODE	MSRP EUR	MSRP GBP
L909L	€ 2,63	£ 2,37

SRP100-3U - 19" 3 unit blind rack panel

Blind 19" rack panel to close unused space in the rack.



- √ Blind 19" rack panel
- √ 3 unit
- √ Built in metal
- √ Dimensions (LxH): 482x133.4mm
- √ Vertical hub spacing: 57.15 mm

CODE	MSRP EUR	MSRP GBP
E398E	€ 4,83	£ 4,35

SRP100-4U - 19" 4 unit blind rack panel

Blind 19" rack panel to close unused space in the rack.



- √ Blind 19" rack panel
- √ 4 unit
- √ Built in metal
- √ Dimensions (LxH): 482x177.8mm
- √ Vertical hub spacing: 101.6 mm

CODE	MSRP EUR	MSRP GBP
E399E	€ 6,00	£ 5,40

SRP200-1U - 1 Unit - 19" Rack Panel with ventilation slots

1 Unit - 19" Rack Panel to close unused spaces in a rack and, at the same time, allow good ventilation



- √ Steel Rack Panel
- √ 1 Unit
- √ With Ventilation Slots
- √ Dimensions (LxH): 482x44.4 mm
- √ Vertical hub spacing: 31.75 mm

CODE	MSRP EUR	MSRP GBP
E400E	€ 2,66	£ 2,39

SRP200-2U - 2 Units - 19" Rack Panel with ventilation slots

19" Rack Panel to close unused spaces in a rack and, at the same time, allow good ventilation



- √ Steel Rack Panel
- √ 2 Units
- √ With Ventilation Slots
- √ Dimensions (LxH): 482x88.9 mm
- √ Vertical hub spacing: 76.20 mm

CODE	MSRP EUR	MSRP GBP
E401E	€ 3,76	£ 3,38

SRP200-3U - 3 Unit - 19" Rack Panel with ventilation slots

19" Rack Panel to close unused spaces in a rack and, at the same time, allow good ventilation



- √ Steel Rack Panel
- √ 3 Units
- √ With Ventilation Slots
- √ Dimensions (LxH): 482x133.4 mm
- √ Vertical hub spacing: 57.15 mm

CODE	MSRP EUR	MSRP GBP
E402E	€ 4,86	£ 4,37

SRP200-4U - 4 Unit - 19" Rack Panel with ventilation slots

19" Rack Panel to close unused spaces in a rack and, at the same time, allow good ventilation



- √ Steel Rack Panel
- √ 4 Units
- √ With Ventilation Slots
- √ Dimensions (LxH): 482x177.8 mm
- √ Vertical hub spacing: 101.60 mm

CODE	MSRP EUR	MSRP GBP
E403E	€ 6,00	£ 5,40

SRAD100-1U - 1 Unit - 19" Rack Adapter

19" rack panel to mount devices smaller than 1 rack unit



- √ Steel Rack Panel
- √ 1 Unit
- √ Base with holes to use of a variety of devices smaller than 1 unit.
- √ Dimensions (LxHxD): 484x44x190 mm - Product weight: 0.3 kg

CODE	MSRP EUR	MSRP GBP
E404E	€ 10,98	£ 9,88

SRAD100-2U - 2 Unit - 19" Rack Adapter

19" rack panel to mount devices smaller than 1 rack unit



- √ Steel Rack Panel
- √ 2 Units
- √ Base with holes to use of a variety of devices smaller than 1 unit.
- √ Dimensions (LxHxD): 484x88x190 mm - Product weight: 0.4 kg

CODE	MSRP EUR	MSRP GBP
E405E	€ 12,51	£ 11,26

Cables



STAGE BOXES

SCBD10-008-20 - 8 inputs 20 meters professional stage box on cable drum

SCBD10-008 is a professional stage box featuring 8 XLR 3 pole female sockets input. Coming on cable drum, it's very convenient to use and carry around. High quality XLR connectors Yongsheng by Neutrik® ensures high quality connections and signal transmission. Independent earth plugs consist an additional construction advantage.

- ✓ Input: 8 XLR 3 pole female
- ✓ Independent earth plugs
- ✓ Hi quality XLR connectors Yongsheng by Neutrik®
- ✓ Cable drum to wind /unwind quickly and easy carrying
- ✓ Multicore cable length: 20 mt



CODE	MSRP EUR	MSRP GBP
D744D	€ 91,74	£ 82,57

SCBD10-008-15 - 8 inputs 15 meters professional stage box on cable drum

SCBD10-008 is a professional stage box featuring 8 XLR 3 pole female sockets input. Coming on cable drum, it's very convenient to use and carry around. High quality XLR connectors Yongsheng by Neutrik® ensures high quality connections and signal transmission. Independent earth plugs consist an additional construction advantage.

- ✓ Input: 8 XLR 3 pole female
- ✓ Independent earth plugs
- ✓ Hi quality XLR connectors Yongsheng by Neutrik®
- ✓ Cable drum to wind /unwind quickly and easy carrying
- ✓ Multicore cable length: 15 mt



CODE	MSRP EUR	MSRP GBP
D743D	€ 83,57	£ 75,21

SGBX10-0008 - 8 inputs 15 meters professional stage box

SGB10-0008 is a professional stage box featuring 8 XLR 3 pole female sockets input. Built in epoxy finished aluminium box, features small dimension and weight thanks to its professional printed circuit and integrated handle. Hi quality XLR connectors Yongsheng by Neutrik® and cable mount connections protected with PVC jackets, ensures high quality connections and signal transmission. Independent earth plugs consist an additional construction advantage.

- ✓ Input: 8 XLR 3 pole female
- ✓ Independent earth plugs
- ✓ Hi quality XLR connectors Yongsheng by Neutrik®
- ✓ Metal box
- ✓ Multicore cable length: 15 mt
- ✓ Cable mount connection protected with PVC jackets



CODE	MSRP EUR	MSRP GBP
R112R	€ 74,44	£ 67,00

SGBX20-1204 - Professional aluminium stage box featuring 12 in/ 4 out

SGB20-1204 is a professional stage box with 12 XLR 3 pole panel mount female sockets + 4 XLR 3 pole panel mount male plugs. SGB20-1204 features professional multicore audio cable shielded with aluminium foil, XLR fixed in the PC board and independent earth plugs for great reliability, solid aluminium structure.

- ✓ Input: 12 XLR 3 pole female
- ✓ Output: 4 XLR 3 pole male
- ✓ Yongsheng by Neutrik® connectors
- ✓ Multicore audio cable shielded with aluminium foil
- ✓ Independent earth plugs
- ✓ XLR fixed in the PC board
- ✓ Multicore Cable length: 15 mt



CODE	MSRP EUR	MSRP GBP
N806N	€ 140,54	£ 126,49

SGBX20-1204-20 - Professional aluminium stage box featuring 12 in/ 4 out

SGB20-1604 is a professional stage box with 12 XLR 3 pole panel mount female sockets + 4 XLR 3 pole panel mount male plugs. SGB20-1204 features professional multicore audio cable shielded with aluminium foil, XLR fixed in the PC board and independent earth plugs for great reliability, solid aluminium structure.

- ✓ Input: 12 XLR 3 pole female
- ✓ Output: 4 XLR 3 pole male
- ✓ Yongsheng by Neutrik® connectors
- ✓ Multicore audio cable shielded with aluminium foil
- ✓ Independent earth plugs
- ✓ XLR fixed in the PC board
- ✓ Multicore Cable length: 20 mt

CODE	MSRP EUR	MSRP GBP
D741D	€ 189,36	£ 170,42



SGBX20-1604 - Professional aluminium stage box featuring 16 in/ 4 out

SGBX20-1604 is a professional stage box with 16 XLR 3 pole panel mount female sockets + 4 XLR 3 pole panel mount male plugs. SGB20-1604 features professional multicore audio cable shielded with aluminium foil, XLR fixed in the PC board and independent earth plugs for great reliability, solid aluminium structure.

- √ Input: 16 XLR 3 pole female
- √ Output: 4 XLR 3 pole male
- √ Yongsheng by Neutrik® connectors
- √ Multicore audio cable shielded with aluminium
- √ Independent earth plugs
- √ XLR fixed in the PC board
- √ Multicore Cable length: 20 mt



CODE	MSRP EUR	MSRP GBP
R110R	€ 196,63	£ 176,97

SGBX20-1604-30 - Professional aluminium stage box featuring 16 in/ 4 out

SGBX20-1604 is a professional stage box with 16 XLR 3 pole panel mount female sockets + 4 XLR 3 pole panel mount male plugs. SGB20-1604 features professional multicore audio cable shielded with aluminium foil, XLR fixed in the PC board and independent earth plugs for great reliability, solid aluminium structure.

- √ Input: 16 XLR 3 pole female
- √ Output: 4 XLR 3 pole male
- √ Yongsheng by Neutrik® connectors
- √ Multicore audio cable shielded with aluminium foil
- √ Independent earth plugs
- √ XLR fixed in the PC board
- √ Multicore Cable length: 30 mt



CODE	MSRP EUR	MSRP GBP
D742D	€ 229,39	£ 206,45

SGBX20-2408 - Professional aluminium stage box featuring 24 in/ 8 out

SGB20-2408 is a professional stage box with 24 XLR 3 pole panel mount female sockets + 8 XLR 3 pole panel mount male plugs. SGB20-2408 features professional multicore audio cable shielded with aluminium foil, XLR fixed in the PC board and independent earth plugs for great reliability, solid aluminium structure.

- √ Input: 24 XLR 3 pole female
- √ Output: 8 XLR 3 pole male
- √ Yongsheng by Neutrik® connectors
- √ Multicore audio cable shielded with aluminium foil
- √ Independent earth plugs
- √ Aluminium box with integrated handle
- √ XLR fixed in the PC board
- √ Multicore cable length: 30 mt



CODE	MSRP EUR	MSRP GBP
R111R	€ 362,99	£ 326,69

SGBX20-3208 - Professional aluminium stage box featuring 32 in/ 8 out

SGB20-3208 is a professional stage box with 32 XLR 3 pole panel mount female sockets + 8 XLR 3 pole panel mount male plugs. SGB20-3208 features professional multicore audio cable shielded with aluminium foil, XLR fixed in the PC board and independent earth plugs for great reliability, solid aluminium structure.

- √ Input: 32 XLR 3 pole female
- √ Output: 8 XLR 3 pole male
- √ Yongsheng by Neutrik® connectors
- √ Multicore audio cable shielded with aluminium foil
- √ Independent earth plugs
- √ XLR fixed in the PC board
- √ Multicore Cable length: 30 mt



CODE	MSRP EUR	MSRP GBP
L906L	€ 494,95	£ 445,46



sound^{sation} Wiremaster Series



Premium Quality Cables

SoundSation Wiremaster series is a professional line of microphone, instrument, power and patch cables featuring REAN and YONGSHENG by NEUTRIK premium quality connectors and Oxygen Free Copper construction. Conceived to provide users with high performance products and built with selected materials, Wiremaster series means superior quality construction and shielding, fully preserved tone and unmatched durability.

Wiremaster Series

Soundsation WIREMASTER series is a professional line of microphone, instrument, power and patch cables featuring YONGSHENG/REAN by NEUTRIK® premium quality connectors and Oxygen Free Copper technology. Conceived to provide users with hi performance products and built with top selected materials, WIREMASTER series means superior quality construction and shielding, fully preserved tone and unmatched durability.

WM-BXX Series

- √ XLR(M)-XLR(F) Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x0.30 mm² for high transmission quality
- √ Cable diameter: 6.5mm
- √ Dense copper braided shielding (95%) for noiseless performances
- √ PE insulation grants very low capacity
- √ Flexible, easy winding
- √ Application: stage, mobile, studio, installations



- √ Wire diameter: 2x0.30 mm²
- √ Cable diameter: 6.5mm
- √ Shielding: 95% copper
- √ Connectors: XLR(M)-XLR(F) - Yongsheng by Neutrik®

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R323R	WM-BXX05	5mt	€ 12,35	£ 11,12
R324R	WM-BXX10	10mt	€ 18,59	£ 16,73
R325R	WM-BXX15	15mt	€ 24,80	£ 22,32
R326R	WM-BXX20	20mt	€ 31,16	£ 28,04

WM-UXMJ Series

- √ XLR(M)-6.3mm Jack MONO Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x0.30 mm² for high transmission quality
- √ Cable diameter: 6.5mm
- √ Dense copper braided shielding (95%) for noiseless performances
- √ PE insulation grants very low capacity
- √ Flexible, easy winding
- √ Application: stage, mobile, studio, installations




- √ Wire diameter: 2x0.30 mm²
- √ Cable diameter: 6.5mm
- √ Shielding: 95% copper
- √ Connectors: XLR(M)-6.3mm Jack MONO - Yongsheng by Neutrik®

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R327R	WM-UXMJ05	5 mt	€ 12,57	£ 11,31
R328R	WM-UXMJ10	10 mt	€ 18,84	£ 16,96
R329R	WM-UXMJ15	15 mt	€ 25,08	£ 22,57
R330R	WM-UXMJ20	20 mt	€ 31,41	£ 28,27

WM-UXFJ Series

- √ XLR(F)-6.3mm Jack MONO Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x0.30 mm² for high transmission quality
- √ Cable diameter: 6.5mm
- √ Dense copper braided shielding (95%) for noiseless performances
- √ PE insulation grants very low capacity
- √ Flexible, easy winding
- √ Application: stage, mobile, studio, installations



- √ Wire diameter: 2x0.30 mm²
- √ Cable diameter: 6.5mm

CODICE	MODELLO	MISURA	PREZZO	MSRP GBP
R331R	WM-UXFJ05	5 mt	€ 12,63	£ 11,37
R332R	WM-UXFJ10	10 mt	€ 18,87	£ 16,98
R333R	WM-UXFJ15	15 mt	€ 23,92	£ 21,53
R334R	WM-UXFJ20	20 mt	€ 31,45	£ 28,31



BM-XLR-MXL

- √ Microphone audio cable with XLR M to Mini XLR F connectors
- √ High Quality anti-interference core
- √ Length: 6 mt



CODE	MSRP EUR	MSRP GBP
F765F	€ 10,07	£ 9,06

MICROPHONE CABLES



Soundsation GO-LINK series is a professional line of assembled cables born to provide full reliability for a wide range of applications. Built in Oxygen Free Copper, the GO-LINK series means quality construction, effective shielding, preserved tone and rugged durability. Available for instruments, microphones, speakers, GO-LINKS series also includes cables for data transmission and digital applications.

BMCXX series

Balanced microphone cable XRL 3P M - XLR 3P F

- ✓ XRL 3 pole male - XLR 3 pole female, satin plated Zinc alloy connectors
- ✓ O.F.C. construction
- ✓ Wire diameter 2x0.22 mm² and fine wire stranding for hi quality transmission
- ✓ Cable diameter: 6.0mm
- ✓ Copper spiral shielding (95%) for noiseless performances
- ✓ Sturdy, with thick and soft PVC jacket
- ✓ Flexible, easy winding
- ✓ Application: studio and stage, multipurpose connections



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
I127I	BMCXX-2BK	2mt	€ 4,47	£ 4,02
G401G	BMCXX-5BK	5mt	€ 7,37	£ 6,63
G402G	BMCXX-10BK	10mt	€ 10,99	£ 9,89
G403G	BMCXX-15BK	15mt	€ 14,70	£ 13,23
G404G	BMCXX-20BK	20mt	€ 18,55	£ 16,70

BMCJX Series

Balanced microphone cable XRL 3P F - 6.3mm Jack MONO

- ✓ XRL 3 pole female - 6.3mm Jack MONO, satin plated Zinc alloy connectors
- ✓ O.F.C. construction
- ✓ Wire diameter 2x0.22 mm² and fine wire stranding for hi quality transmission
- ✓ Cable diameter: 6.0mm
- ✓ Copper spiral shielding (95%) for noiseless performances
- ✓ Sturdy, with thick and soft PVC jacket
- ✓ Flexible, easy winding
- ✓ Application: studio and stage



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
G407G	BMCJX-5BK	5mt	€ 6,03	£ 5,43
G408G	BMCJX-10BK	10mt	€ 8,64	£ 7,78

BMCXJ Series - Balanced microphone cable XRL 3P M - 6.3mm Jack MONO / 10mt



- ✓ XRL 3 pole male - 6.3mm Jack MONO, satin plated Zinc alloy connectors
- ✓ O.F.C. construction
- ✓ Wire diameter 2x0.22 mm² and fine wire stranding for hi quality transmission
- ✓ Cable diameter: 6.0mm
- ✓ Copper spiral shielding (95%) for noiseless performances
- ✓ Sturdy, with thick and soft PVC jacket
- ✓ Flexible, easy winding
- ✓ Application: studio and stage

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
G405G	BMCXJ-5BK	5mt	€ 6,03	£ 5,43
G406G	BMCXJ-10BK	10mt	€ 8,64	£ 7,78



EASY-CON series provides affordable and reliable solutions for connecting your creativity with the music world. Featuring instrument and microphone cables, EASY-CON means O.F.C. construction, effective shielding, preserved tone and noiseless performances.

EMCXX- Balanced microphone cable XRL 3P M - XRL 3P F

- √ XRL 3P M - XRL 3P F, nichel plated zinc alloy shell and plastic cap connectors
- √ O.F.C. construction
- √ Wire diameter 2x0.22 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 6.0mm
- √ Copper spiral shielding (95%) for noiseless performances
- √ Sturdy, with thick and soft PVC jacket
- √ Flexible, easy winding
- √ Application: studio and stage

- √ Wire diameter: 2x0.22 mm²
- √ Cable diameter:6.0mm
- √ Shielding: 95%
- √ XRL 3P M - XRL 3P F



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
L686L	EMCXX-3BK	3mt	€ 4,50	£ 4,05
L687L	EMCXX-5BK	5mt	€ 5,61	£ 5,05
L688L	EMCXX-10BK	10mt	€ 8,41	£ 7,57

EMCXJ- Cavo microfonico bilanciato XRL 3P F - 6.3mm Jack MONO

- √ XRL 3 pole female - 6.3mm Jack MONO, nichel plated zinc alloy shell and plastic cap connectors
- √ O.F.C. construction
- √ Wire diameter 2x0.22 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 6.0mm
- √ Copper spiral shielding (95%) for noiseless performances
- √ Sturdy, with thick and soft PVC jacket
- √ Flexible, easy winding
- √ Application: studio and stage

- √ Wire diameter: 2x0.22 mm²
- √ Cable diameter:6.0mm
- √ Shielding: 95%
- √ XRL 3P F - 6.3mm Jack MONO



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
L689L	EMCXJ-5BK	5mt	€ 5,35	£ 4,82
L690L	EMCXJ-10BK	10mt	€ 8,15	£ 7,34

INSTRUMENT CABLES

Wiremaster Series

WM-ICJJ Series

Soundsation WIREMASTER series is a professional line of microphone, instrument, power and patch cables featuring YONGSHENG/REAN by NEUTRIK® premium quality connectors and Oxygen Free Copper technology. Conceived to provide users with hi performance products and built with top selected materials, WIREMASTER series means superior quality construction and shielding, fully preserved tone and unmatched durability.

- √ 6.3mm Jack MONO-6.3mm Jack MONO Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Special stranding and a wire diameter of 0.50 mm² provides outstanding sound image for instruments
- √ Cable diameter: 7.0mm
- √ Combination of copper braided shield and semiconductor shielding for effective double shielding
- √ High quality jacket PVC ensures unmatched durability
- √ Flexible, easy winding
- √ Application: studio and stage, connection of stereo video recorder and DAT-recorder

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R366R	WM-ICJJ3	3 mt	€ 10,28	£ 9,25
R367R	WM-ICJJ6	6 mt	€ 13,98	£ 12,58
R368R	WM-ICJJ9	9 mt	€ 17,65	£ 15,89



GO-Link

Soundsation GO-LINK series is a professional line of assembled cables born to provide full reliability for a wide range of applications. Built in Oxygen Free Copper, the GO-LINK series means quality construction, effective shielding, preserved tone and rugged durability. Available for instruments, microphones, speakers, GO-LINKS series also includes cables for data transmission and digital applications.

Serie BICJJ



- √ 6.3mm Jack MONO - 6.3mm Jack MONO, satin nickel plated Zinc alloy connectors
- √ O.F.C. construction
- √ Wire diameter of 0.22 mm² and fine individual stranding for sturdiness and reliability
- √ Cable diameter: 6.0mm
- √ Double shielding with copper spiral + semiconductor shielding
- √ Flexible, easy winding
- √ Application: studio and stage, connection of stereo video recorder and DAT-recorder

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
G034G	BICJJ-3BK	3 mt	€ 5,25	£ 4,73
G035G	BICJJ-6BK	6 mt	€ 7,21	£ 6,49
G036G	BICJJ-9BK	9 mt	€ 8,84	£ 7,96

Serie BICMJJ



- √ 6.3mm Jack MONO - 6.3mm Jack MONO, nickel plated Zinc alloy connectors with cable spring
- √ O.F.C. construction
- √ Wire diameter of 0.22 mm² and fine individual stranding for sturdiness and reliability
- √ Cable diameter: 6.0mm
- √ Double shielding with copper spiral + semiconductor shielding
- √ Flexible, easy winding
- √ Application: studio and stage, connection of stereo video recorder and DAT-recorder

CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
H533H	BICMJJ-3BK	3 mt	€ 4,92	£ 4,43
G037G	BICMJJ-6BK	6 mt	€ 6,49	£ 5,84
H534H	BICMJJ-9BK	9 mt	€ 9,39	£ 8,45



BICSJJ-6BK



- ✓ O.F.C. construction
- ✓ Wire diameter 2x0.22 mm² and fine wire stranding for hi quality transmission
- ✓ Cable diameter: 6.0mm
- ✓ Copper spiral shielding (95%) for noiseless performances
- ✓ Length: 6mt

CODE	MSRP EUR	MSRP GBP
H621H	€ 7,96	£ 7,16

MICJJF-6BK



- ✓ 6.3mm Jack MONO - 6.3mm Jack female MONO, nickel plated Zinc alloy connectors with cable spring
- ✓ Wire diameter of 0.22 mm² and fine individual stranding for sturdiness and reliability
- ✓ Cable diameter: 6.0mm
- ✓ Length: 6mt

CODE	MSRP EUR	MSRP GBP
G038G	€ 6,91	£ 6,22

MICJJP-6BK



- ✓ 6.3mm Jack MONO - 6.3mm angled Jack MONO, nickel plated Zinc alloy connectors with cable spring
- ✓ Wire diameter of 0.22 mm² and fine individual stranding for sturdiness and reliability
- ✓ Cable diameter: 6.0mm
- ✓ Length: 6mt

CODE	MSRP EUR	MSRP GBP
G039G	€ 6,78	£ 6,10

MEPSET-100



- ✓ 6.3mm Jack MONO - 6.3mm Jack MONO
- ✓ 90° angled golden connectors
- ✓ Length: 0.2 mt
- ✓ Package: 6 pcs

CODE	MSRP EUR	MSRP GBP
H487H	€ 25,52	£ 22,97



EASY-CON series provides affordable and reliable solutions for connecting your creativity with the music world. Featuring instrument and microphone cables, EASY-CON means O.F.C. construction, effective shielding, preserved tone and noiseless performances.

EICJJ- Unbalanced instrument cable 6.3mm Jack MONO - 6.3mm Jack MONO

- ✓ 6.3mm Jack MONO - 6.3mm Jack MONO nickel plated zinc alloy shell connectors
- ✓ O.F.C. construction
- ✓ Wire diameter of 0.22 mm² and fine individual stranding for sturdiness and reliability
- ✓ Cable diameter: 6.0mm
- ✓ Double shielding with copper spiral + semiconductor shielding
- ✓ Flexible, easy winding
- ✓ Application: studio and stage, connection of stereo video recorder and DAT-recorder
- ✓ Shielding: 100%



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
L680L	EICJJ-3BK	3mt	€ 4,01	£ 3,61
L681L	EICJJ-6BK	6mt	€ 5,38	£ 4,84
L682L	EICJJ-9BK	9mt	€ 6,78	£ 6,10

EICJJP- Unbalanced instrument cable 6.3mm Jack MONO - 6.3mm angled Jack MONO / 6mt

- ✓ 6.3mm Jack MONO - 6.3mm angled Jack MONO nickel plated zinc alloy shell connectors
- ✓ O.F.C. construction
- ✓ Wire diameter of 0.22 mm² and fine individual stranding for sturdiness and reliability
- ✓ Cable diameter: 6.0mm
- ✓ Double shielding with copper spiral + semiconductor shielding
- ✓ Flexible, easy winding
- ✓ Application: studio and stage, connection of stereo video recorder and DAT-recorder
- ✓ Length: 6mt
- ✓ Shielding: 100%



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
L684L	EICJJP-6BK	6mt	€ 5,51	£ 4,96

SPEAKER CABLES

Wiremaster Series

Soundsation WIREMASTER series is a professional line of microphone, instrument, power and patch cables featuring YONGSHENG/REAN by NEUTRIK® premium quality connectors and Oxygen Free Copper technology. Conceived to provide users with hi performance products and built with top selected materials, WIREMASTER series means superior quality construction and shielding, fully preserved tone and unmatched durability.

WM-PCJJ - Speaker Cable Jack-Jack

- √ 6.3mm Jack MONO-6.3mm Jack MONO, Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 1x2.5 mm² for high transmission quality
- √ Cable diameter: 7.0mm
- √ Noiseless performances
- √ High quality jacket PVC ensures unmatched durability
- √ Flexible, easy winding
- √ Application: sound systems, installations



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R377R	WM-PCJJ1	1mt	€ 8,40	£ 7,56
R378R	WM-PCJJ2	2mt	€ 9,78	£ 8,80
R379R	WM-PCJJ5	5mt	€ 13,92	£ 12,53
R380R	WM-PCJJ10	10mt	€ 20,85	£ 18,77
R381R	WM-PCJJ15	15mt	€ 27,71	£ 24,94

WM-PCSS - Speaker Cable Speakon-Speakon

- √ Speakon-Speakon REAN by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x2.5 mm² for high transmission quality
- √ Cable diameter: 8.0mm
- √ Noiseless performances
- √ High quality jacket PVC ensures unmatched durability
- √ Flexible, easy winding
- √ Application: sound systems, installations



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R369R	WM-PCSS1	1mt	€ 16,49	£ 14,84
R370R	WM-PCSS5	5mt	€ 25,90	£ 23,31
R371R	WM-PCSS10	10mt	€ 37,65	£ 33,89
R372R	WM-PCSS15	15mt	€ 49,25	£ 44,33
R373R	WM-PCSS20	20mt	€ 60,82	£ 54,74

WM-PCSJ - Speaker Cable Speakon-Jack

- √ Speakon-6.3mm Jack MONO, REAN/Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 1x2.5 mm² for high transmission quality
- √ Cable diameter: 7.0mm
- √ Noiseless performances
- √ High quality jacket PVC ensures unmatched durability
- √ Flexible, easy winding
- √ Application: sound systems, installations



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R374R	WM-PCSJ2	2mt	€ 13,73	£ 12,36
R375R	WM-PCSJ5	5mt	€ 17,90	£ 16,11
R376R	WM-PCSJ10	10mt	€ 24,77	£ 22,29

WM-PCX - Speaker cable XLR (M)-XLR (F)

- √ XLR(M)-XLR(F), Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x2.5 mm² for high transmission quality
- √ Cable diameter: 8.0mm
- √ Noiseless performances
- √ High quality jacket PVC ensures unmatched durability
- √ Flexible, easy winding
- √ Application: sound systems, installations



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R382R	WM-PCX5	5mt	€ 17,59	£ 15,83
R383R	WM-PCX10	10mt	€ 29,03	£ 26,13
R384R	WM-PCX15	15mt	€ 40,54	£ 36,49

Wiremaster Series

WM-PCXFJ - Speaker Cable XLR(F)-Jack

- √ XLR(F)-6.3mm Jack MONO, Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 1x2.5 mm² for high transmission quality
- √ Cable diameter: 7.0mm
- √ Noiseless performances
- √ High quality jacket PVC ensures unmatched durability
- √ Flexible, easy winding
- √ Application: sound systems, installations



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R385R	WM-PCXFJ5	5mt	€ 13,14	£ 11,83
R386R	WM-PCXFJ10	10mt	€ 20,06	£ 18,05
R387R	WM-PCXFJ15	15mt	€ 26,99	£ 24,29

WM-PCXMJ - Speaker Cable XLR(M)-Jack

- √ XLR(M)-6.3mm Jack MONO, Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 1x2.5 mm² for high transmission quality
- √ Cable diameter: 7.0mm
- √ Noiseless performances
- √ High quality jacket PVC ensures unmatched durability
- √ Flexible, easy winding
- √ Application: sound systems, installations



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R388R	WM-PCXMJ5	5mt	€ 13,10	£ 11,79
R389R	WM-PCXMJ10	10mt	€ 20,00	£ 18,00
R390R	WM-PCXMJ15	15mt	€ 26,96	£ 24,26

Soundsation GO-LINK series is a professional line of assembled cables born to provide full reliability for a wide range of applications. Built in Oxygen Free Copper, the GO-LINK series means quality construction, effective shielding, preserved tone and rugged durability. Available for instruments, microphones, speakers, GO-LINKS series also includes cables for data transmission and digital applications.



BPCJJ - Power Cable

- √ 6.3mm Jack MONO - 6.3mm Jack MONO, nickel plated Zinc alloy connectors with springs
- √ O.F.C. construction
- √ Wire diameter of 2x1.3 mm²
- √ Cable diameter: 6.0mm
- √ Noiseless performances
- √ Soft PVC jacket
- √ Flexible, easy winding
- √ Application: sound systems, installations



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
G101G	BPCJJ-10BK	10mt	€ 14,87	£ 13,38
G102G	BPCJJ-15BK	15mt	€ 21,19	£ 19,07

BPCJX - Power Cable

- √ XLR 3 poles female - 6.3mm Jack MONO, nickel plated Zinc alloy connectors with springs
- √ O.F.C. construction
- √ Wire diameter of 2x1.3 mm²
- √ Cable diameter: 6.0mm
- √ Noiseless performances
- √ Soft PVC jacket
- √ Flexible, easy winding
- √ Application: sound systems, installation:



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
G103G	BPCJX-10BK	10mt	€ 15,81	£ 14,23
G104G	BPCJX-15BK	15mt	€ 22,24	£ 20,02

SPEAKER CABLES

BPCXJ - Power Cable

- √ XLR 3 poles male - 6.3mm Jack MONO, nickel plated Zinc alloy connectors with springs
- √ O.F.C. construction
- √ Wire diameter of 2x1.3 mm²
- √ Cable diameter: 6.0mm
- √ Noiseless performances
- √ Soft PVC jacket
- √ Flexible, easy winding
- √ Application: sound systems, installations



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
G105G	BPCXJ-10BK	10mt	€ 15,81	£ 14,23
G106G	BPCXJ-15BK	15mt	€ 22,24	£ 20,02

BPCXX - Power Cable

- √ XLR 3 poles female - XLR 3 poles male, nickel plated Zinc alloy connectors with springs
- √ O.F.C. construction
- √ Wire diameter of 2x1.3 mm²
- √ Cable diameter: 6.0mm
- √ Noiseless performances
- √ Soft PVC jacket
- √ Flexible, easy winding
- √ Application: sound systems, installations



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
G107G	BPCXX-10BK	10mt	€ 16,56	£ 14,90
G108G	BPCXX-15BK	15mt	€ 22,79	£ 20,51

BPSPK - Power Speaker Cable

- √ Speakon 4P - Speakon 4P, plastic connectors with cable strain relief
- √ O.F.C. construction
- √ Wire diameter of 2x1.5 mm²
- √ Cable diameter: 7.0mm
- √ Noiseless performances
- √ Soft PVC jacket
- √ Flexible, easy winding
- √ Application: sound systems, installations



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
I324I	BPSPK-1BK	1mt	€ 5,61	£ 5,05
I325I	BPSPK-5BK	5mt	€ 11,97	£ 10,77
I326I	BPSPK-10BK	10mt	€ 19,79	£ 17,81
I327I	BPSPK-15BK	15mt	€ 28,07	£ 25,26

PHONO FEED CABLES

Professional analog signal and electric power combination cable for active speakers featuring the best solution for both connecting and powering your active systems.

PF100-10 - Audio signal and electric power combination cable for active speakers (3x1.5mm² - 2x0.22mm²)

- √ XLR 3 pole female plug + Schuko 203A
- √ XLR 3 pole male plug + EC standard 3 pole female socket
- √ Power cable: 3x1.5mm²
- √ Conductors: 2x0.22mm²
- √ Cable diameter: 7.0mm



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
I302I	PF100-5	5mt	€ 25,04	£ 22,54
I303I	PF100-10	10mt	€ 46,76	£ 42,08
I304I	PF100-15	15mt	€ 67,62	£ 60,86
I305I	PF100-20	20mt	€ 90,84	£ 81,76

PF200-10 - Audio signal and electric power combination cable for active speakers (3x2.5mm² - 2x0.22mm²)

- √ XLR 3 pole female plug + Schuko 203A
- √ XLR 3 pole male plug + EC standard 3 pole female socket
- √ Power cable: 3x2.5mm²
- √ Conductors: 2x0.22mm²
- √ Cable diameter: 7.0mm



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
I306I	PF200-5	5mt	€ 32,38	£ 29,14
I307I	PF200-10	10mt	€ 61,79	£ 55,61
I308I	PF200-15	15mt	€ 90,32	£ 81,29
I309I	PF200-20	20mt	€ 116,73	£ 105,06

PF-300- Audio signal and electric power combination cable for active speakers (3x2.5mm² - 2x0.22mm²)

- √ XLR 3 pole female plug + Yongsheng by Neutrik powercon
- √ XLR 3 pole male plug + EC standard 3 pole female socket
- √ Power cable: 3x2.5mm²
- √ Conductors: 2x0.22mm²
- √ Cable diameter: 7.0mm



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
L541L	PF300-5	5mt	€ 37,27	£ 33,54
L542L	PF300-10	10mt	€ 62,28	£ 56,05
L543L	PF300-15	15mt	€ 87,38	£ 78,64
L544L	PF300-20	20mt	€ 112,49	£ 101,24

Wiremaster Series

Soundsation WIREMASTER series is a professional line of microphone, instrument, power and patch cables featuring YONGSHENG/REAN by NEUTRIK® premium quality connectors and Oxygen Free Copper technology. Conceived to provide users with hi performance products and built with top selected materials, WIREMASTER series means superior quality construction and shielding, fully preserved tone and unmatched durability. Shielding: 95% copper

WM-JRCA - Unbalanced patch cable Jack MONO-RCA

- √ 6.3mm Jack MONO-RCA Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x0.30 mm² for high transmission quality
- √ Cable diameter: 6.5mm
- √ Dense copper braided shielding (95%) for noiseless performances
- √ PE insulation grants very low capacity
- √ Flexible, easy winding
- √ Application: multipurpose connection



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R363R	WM-JRCA06	0.6mt	€ 8,09	£ 7,28
R364R	WM-JRCA09	0.9mt	€ 8,46	£ 7,61
R365R	WM-JRCA15	1.5mt	€ 9,22	£ 8,30

WM-PJJ - Unbalanced patch cable Jack MONO-Jack MONO

- √ 6.3mm Jack MONO-6.3mm Jack MONO Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x0.30 mm² for high transmission quality
- √ Cable diameter: 6.5mm
- √ Dense copper braided shielding (95%) for noiseless performances
- √ PE insulation grants very low capacity
- √ Flexible, easy winding
- √ Application: multipurpose connection



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R360R	WM-PJJ06	0.6mt	€ 7,40	£ 6,66
R361R	WM-PJJ09	0.9mt	€ 7,78	£ 7,00
R362R	WM-PJJ15	1.5mt	€ 8,56	£ 7,70

WM-PRCA - Unbalanced patch cable Jack MONO-RCA

- √ RCA-RCA Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x0.30 mm² for high transmission quality
- √ Cable diameter: 6.5mm
- √ Dense copper braided shielding (95%) for noiseless performances
- √ PE insulation grants very low capacity
- √ Flexible, easy winding
- √ Application: multipurpose connection



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R357R	WM-PRCA06	0.6mt	€ 8,72	£ 7,85
R358R	WM-PRCA09	0.9mt	€ 9,12	£ 8,21
R359R	WM-PRCA15	1.5mt	€ 9,88	£ 8,89

WM-PJSJS - Balanced patch cable Jack STEREO-Jack STEREO

- √ 6.3mm Jack STEREO-6.3mm Jack STEREO Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x0.30 mm² for high transmission quality
- √ Cable diameter: 6.5mm
- √ Dense copper braided shielding (95%) for noiseless performances
- √ PE insulation grants very low capacity
- √ Flexible, easy winding
- √ Application: multipurpose connection



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R348R	WM-PJSJS05	0.5mt	€ 8,75	£ 7,88
R349R	WM-PJSJS1	1mt	€ 9,37	£ 8,43
R350R	WM-PJSJS2	1.5mt	€ 10,63	£ 9,57

Wiremaster Series

WM-PCBXX - Balanced patch cable XLR(M)-XLR(F)

- √ XLR(M)-XLR(F) Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x0.30 mm² for high transmission quality
- √ Cable diameter: 6.5mm
- √ Dense copper braided shielding (95%) for noiseless performances
- √ PE insulation grants very low capacity
- √ Flexible, easy winding
- √ Application: multipurpose connection



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R335R	WM-PCBXX05	0.5mt	€ 6,71	£ 6,04
R336R	WM-PCBXX1	1mt	€ 7,34	£ 6,61
R337R	WM-PCBXX2	1.5mt	€ 8,59	£ 7,73

WM-PXFRCA - Balanced patch cable XLR(F)-RCA

- √ XLR(F)-RCA Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x0.30 mm² for high transmission quality
- √ Cable diameter: 6.5mm
- √ Dense copper braided shielding (95%) for noiseless performances
- √ PE insulation grants very low capacity
- √ Flexible, easy winding
- √ Application: multipurpose connection



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R351R	WM-PXFRCA06	0.6mt	€ 7,84	£ 7,06
R352R	WM-PXFRCA09	0.9mt	€ 8,18	£ 7,36
R353R	WM-PXFRCA15	1.5mt	€ 8,97	£ 8,07

WM-PXFJS - Balanced patch cable XLR(F)-Jack STEREO

- √ XLR(F)-6.3mm Jack STEREO Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x0.30 mm² for high transmission quality
- √ Cable diameter: 6.5mm
- √ Dense copper braided shielding (95%) for noiseless performances
- √ PE insulation grants very low capacity
- √ Flexible, easy winding
- √ Application: multipurpose connection



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R343R	WM-PXFJS05	0.5mt	€ 7,71	£ 6,94
R344R	WM-PXFJS1	1mt	€ 8,34	£ 7,51
R345R	WM-PXFJS2	2mt	€ 9,59	£ 8,63
R346R	WM-PXFJS5	5mt	€ 13,32	£ 11,99
R347R	WM-PXFJS10	10mt	€ 19,56	£ 17,60

WM-PXMJS - Balanced patch cable XLR(M)-Jack STEREO

- √ XLR(M)-6.3mm Jack STEREO Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x0.30 mm² for high transmission quality
- √ Cable diameter: 6.5mm
- √ Dense copper braided shielding (95%) for noiseless performances
- √ PE insulation grants very low capacity
- √ Flexible, easy winding
- √ Application: multipurpose connection



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R338R	WM-PXMJS05	0.5mt	€ 8,25	£ 7,43
R339R	WM-PXMJS1	1mt	€ 8,37	£ 7,53
R340R	WM-PXMJS2	2mt	€ 9,41	£ 8,47
R341R	WM-PXMJS5	5mt	€ 13,39	£ 12,05
R342R	WM-PXMJS10	10mt	€ 19,63	£ 17,67

WM-PXMRCA - Balanced patch cable XLR(M)-RCA

- √ XLR(M)-RCA Yongsheng by Neutrik® connectors
- √ O.F.C. construction
- √ Large wire diameter of 2x0.30 mm² for high transmission quality
- √ Cable diameter: 6.5mm

- √ Dense copper braided shielding (95%) for noiseless performances
- √ PE insulation grants very low capacity
- √ Flexible, easy winding
- √ Application: multipurpose connection



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R354R	WM-PXMRCA06	0.6mt	€ 7,78	£ 7,00
R355R	WM-PXMRCA09	0.9mt	€ 8,15	£ 7,34
R356R	WM-PXMRCA15	1.5mt	€ 8,94	£ 8,05

ADAPTER CABLES



Soundsation GO-LINK series is a professional line of assembled cables born to provide full reliability for a wide range of applications. Built in Oxygen Free Copper, the GO-LINK series means quality construction, effective shielding, preserved tone and rugged durability. Available for instruments, microphones, speakers, GO-LINKS series also includes cables for data transmission and digital applications. O.F.C. construction Copper spiral shielding (90%) for noiseless performances Every conductor is insulated and individually shielded

GL-2AJM2AJM - Adapter cable angled Jack

- √ 2x6.3mm angled Jack male MONO - 2x6.3mm angled Jack male MONO, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Application: multipurpose connections



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R395R	GL-2AJM2AJM06	0.6mt	€ 3,85	£ 3,47
R396R	GL-2AJM2AJM15	1.5mt	€ 4,37	£ 3,93
R397R	GL-2AJM2AJM3	3mt	€ 5,51	£ 4,96
R398R	GL-2AJM2AJM6	6mt	€ 7,56	£ 6,80

GL-2JM2JM - Adapter cable Jack male MONO

- √ 2x6.3mm Jack male MONO - 2x6.3mm Jack male MONO, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Application: multipurpose connections



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R391R	GL-2JM2JM06	0.6mt	€ 3,62	£ 3,26
R392R	GL-2JM2JM15	1.5mt	€ 4,21	£ 3,79
R393R	GL-2JM2JM3	3mt	€ 5,22	£ 4,70
R394R	GL-2JM2JM6	6mt	€ 7,24	£ 6,52

GL-2RCA2XM1 - Unbalanced adapter cable 2xRCA male - 2xXLR male

- √ 2xRCA male - 2xXLR male, moulded connectors
- √ O.F.C. construction
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm

- √ Copper spiral shielding (90%) for noiseless performances
- √ Every conductor is insulated and individually shielded
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R402R	GL-2RCA2XM1	1mt	€ 4,86	£ 4,37
R403R	GL-2RCA2XM3	3mt	€ 6,00	£ 5,40
R404R	GL-2RCA2XM6	6mt	€ 7,99	£ 7,19

GL-2RCA2XF - Unbalanced adapter cable 2xRC-2xXLR male

- √ 2xRCA male - 2xXLR male, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R399R	GL-2RCA2XF1	1mt	€ 4,86	£ 4,37
R400R	GL-2RCA2XF3	3mt	€ 6,00	£ 5,40
R401R	GL-2RCA2XF6	6mt	€ 7,99	£ 7,19

GL-AJSmJSm - Adapter cable angled Jack STEREO-Jack male STEREO

- √ 3.5mm angled Jack male STEREO - 3.5mm Jack male STEREO, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIZE	MSRP EUR	MSRP GBP
R407R	GL-AJSmJSm15	1.5mt	€ 3,06	£ 2,75
R408R	GL-AJSmJSm3	3mt	€ 3,72	£ 3,35



GL-JS2JSF - Y adapter cable

- √ 6.3mm Jack male STEREO - 2x6.3mm Jack female STEREO, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
R421R	GL-JSm2JSF02	0.2mt	€ 4,99	£ 4,49
R419R	GL-JS2JSF02	3mt	€ 5,28	£ 4,75

GL-JS2JSFm - Y adapter cable

- √ 3.5mm Jack male STEREO - 2x3.5mm Jack female STEREO, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
R420R	GL-JS2JSFm02	0.2mt	€ 3,95	£ 3,56
R422R	GL-JSm2JSFm02	0.2mt	€ 3,33	£ 3,00

GL-JSm2XF - Balanced Y adapter cable

- √ 3.5mm Jack male STEREO - 2xXLR 3P female, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
R415R	GL-JSm2XF1	1.5mt	€ 4,86	£ 4,37
R416R	GL-JSm2XF3	3mt	€ 6,19	£ 5,57

GL-JSm2XM - Balanced Y adapter cable

- √ 3.5mm Jack male STEREO - 2xXLR 3P male, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
R417R	GL-JSm2XM1	1.5mt	€ 4,83	£ 4,35
R418R	GL-JSm2XM3	3mt	€ 6,19	£ 5,57

GL-JSmJS - Adapter cable Jack M/F STEREO

- √ 3.5mm Jack male STEREO - 6.3mm Jack male STEREO, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
R411R	GL-JSmJS15	1.5mt	€ 3,20	£ 2,88
R412R	GL-JSmJS3	3mt	€ 3,81	£ 3,43

GL-JSmJSF - Adapter cable Jack M/F STEREO

- √ 3.5mm Jack male STEREO - 6.3mm Jack female STEREO, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
R413R	GL-JSmJSF15	1.5mt	€ 4,34	£ 3,91
R414R	GL-JSmJSF3	3 mt	€ 4,86	£ 4,37

GL-JSmJSFm - Adapter cable Jack M/F STEREO

- √ 3.5mm Jack male STEREO - 3.5mm Jack female STEREO, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
R409R	GL-JSmJSFm15	1.5 mt	€ 3,06	£ 2,75
R410R	GL-JSmJSFm3	3 mt	€ 3,72	£ 3,35

GL-JSmJSm - Adapter cable Jack M/M STEREO

- √ 3.5mm Jack male STEREO - 3.5mm Jack male STEREO, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
R405R	GL-JSmJSm15	1.5mt	€ 2,77	£ 2,49
R406R	GL-JSmJSm3	3mt	€ 3,39	£ 3,05

ADAPTER CABLES



JJJ-15BK - Y-Adapter cable Jack m/m STEREO-MONO

- √ 6.3mm Jack male STEREO - 2x6.3mm Jack male MONO, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
I125I	JJJ-15BK	1.5mt	€ 3,20	£ 2,88
I126I	JJJ-30BK	3mt	€ 4,11	£ 3,70

JJRR-15BK - Cavo adattatore Jack maschio STEREO

- √ 2x6.3mm Jack male STEREO - 2xRCA male, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
H613H	JJRR-15BK	1.5mt	€ 3,13	£ 2,82
H614H	JJRR-30BK	3mt	€ 4,21	£ 3,79
I078I	JJRR-50BK	5mt	€ 5,35	£ 4,82

JRR-15BK - Adapter cable Jack male STERE-2xRCA male

- √ 6.3mm Jack male STEREO - 2xRCA male, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
H617H	JRR-15BK	1.5mt	€ 2,93	£ 2,64
H618H	JRR-30BK	3mt	€ 3,88	£ 3,49
I080I	JRR-50BK	5mt	€ 4,96	£ 4,46

RRRR-15BK - Adapter cable 2x2 RCA male

- √ 2xRCA male - 2xRCA male, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
H615H	RRRR-15BK	1.5mt	€ 3,23	£ 2,91
H616H	RRRR-30BK	3mt	€ 4,40	£ 3,96
I079I	RRRR-50BK	5mt	€ 5,12	£ 4,61

SJJJ-15BK - Y-Adapter cable Jack male STEREO-MONO

- √ 3.5mm Jack male STEREO - 2x6.3mm Jack male MONO, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
H611H	SJJJ-15BK	1.5mt	€ 3,03	£ 2,73
H612H	SJJJ-30BK	3mt	€ 3,88	£ 3,49
I076I	SJJJ-50BK	5mt	€ 5,05	£ 4,55

SJRR-15BK - Cavo adattatore a Y Jack M/M STEREO

- √ 3.5mm Jack male STEREO - 2xRCA male, moulded connectors
- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Individual stranding ensures flexibility
- √ Application: multipurpose connections



CODE	MODEL	SIDE	MSRP EUR	MSRP GBP
H619H	SJRR-15BK	1.5mt	€ 2,77	£ 2,49
H620H	SJRR-30BK	3mt	€ 3,75	£ 3,38
I077I	SJRR-50BK	5mt	€ 4,79	£ 4,31

USB CABLES/MIDI CABLES



USB Cable

Available in different versions/length, Soundsation GO-LINK USB cables are the perfect choice for connecting your devices/interfaces and for facing an ever growing set of applications.

U100-15			U100-30			U120-15			U120-30			U130-15		
√ USB-A/USB-B cable (1,5 mt)			√ USB-A/USB-B cable (3 mt)			√ USB-A/USB-A cable (1,5 mt)			√ USB-A/USB-A cable (3 mt)			√ USB-A/USB-miniB cable (1,5 mt)		
CODE	MSRP EUR	MSRP GBP	CODE	MSRP EUR	MSRP GBP	CODE	MSRP EUR	MSRP GBP	CODE	MSRP EUR	MSRP GBP	CODE	MSRP EUR	MSRP GBP
I263I	€ 3,13	£ 2,82	I264I	€ 4,30	£ 3,87	I265I	€ 3,16	£ 2,84	I266I	€ 4,34	£ 3,91	I267I	€ 3,06	£ 2,75

MIDI Cable

Soundsation GO-LINK series is a professional line of assembled cables born to provide full reliability for a wide range of applications. Built in Oxygen Free Copper, the GO-LINK series means quality construction, effective shielding, preserved tone and rugged durability. Available for instruments, microphones, speakers, GO-LINKS series also includes cables for data transmission and digital applications. Oxygen-Free Copper (O.F.C.) conductors

BMD-1BK			BMD-2BK			BMD-3BK			BMD-5BK		
√ 5 pin DIN - 5 pin DIN √ Designed to connect MIDI devices √ Nickel-plated plugs ensure durability and efficient signal transfer √ Length: 1 mt			√ 5 pin DIN - 5 pin DIN √ Designed to connect MIDI devices √ Nickel-plated plugs ensure durability and efficient signal transfer √ Length: 2 mt			√ 5 pin DIN - 5 pin DIN √ Designed to connect MIDI devices √ Nickel-plated plugs ensure durability and efficient signal transfer √ Length: 3 mt			√ 5 pin DIN - 5 pin DIN √ Designed to connect MIDI devices √ Nickel-plated plugs ensure durability and efficient signal transfer √ Length: 5 mt		
CODE	MSRP EUR	MSRP GBP	CODE	MSRP EUR	MSRP GBP	CODE	MSRP EUR	MSRP GBP	CODE	MSRP EUR	MSRP GBP
H483H	€ 2,84	£ 2,56	H484H	€ 3,36	£ 3,02	H485H	€ 3,78	£ 3,40	H486H	€ 5,15	£ 4,64

BDCXX-10BK - AES/EBU&DMX cable

- √ 100% shielded
- √ Conductors: 2x0.34mm²
- √ Diameter: 6.5mm
- √ Length: 10mt
- √ Applications: digital connections and DMX

CODE	MSRP EUR	MSRP GBP
I249I	€ 11,12	£ 10,01





Soundsation GO-LINK series is a professional line of assembled cables born to provide full reliability for a wide range of applications. Built in Oxygen Free Copper, the GO-LINK series means quality construction, effective shielding, preserved tone and rugged durability. Available for instruments, microphones, speakers, GO-LINKS series also includes cables for data transmission and digital applications.

100mREELL4x4 - Bulk AES/EBU - DMX cable (100 mt)

- √ AES/EBU - DMX cable
- √ OFC construction (Oxygen Free Copper)
- √ High conductivity
- √ Shielding: 100% with spiral copper 80x0,10 mm + AL/PT foil + PE filter
- √ Inner conductors: 2x0,34 mm²
- √ Copper strand per conductors: 7x0,25 mm
- √ Diameter: 6,5 mm
- √ Jacket: PVC

- √ Temp. range: -20(min)/70 (max)
- √ AWG: 24
- √ Capac. cond/cond per 1 m: <65pF
- √ Capac. cond/shield per 1 m: 115pF
- √ Cond. resistance per 1 km: 53 Ohm
- √ Shield resistance per 1 km: 17 Ohm
- √ Insulation resist. per 1 km: > 10G Ohm
- √ Surge impedance: 110 Ohm



CODE	MSRP EUR	MSRP GBP
1248I	€ 93,48	£ 84,13

GO-LINK FAC100B - Flat Audio cable reel (100mt)

- √ Wire diameter 2x1x0.14 mm² and fine wire stranding for hi quality transmission
- √ Cable diameter: 4.0mmx8.0mm
- √ Copper spiral shielding (90%) for noiseless performances
- √ Every conductor is insulated and individually shielded
- √ Individual stranding ensures flexibility



CODE	MSRP EUR	MSRP GBP
R321R	€ 61,95	£ 55,76

GL-FHIF100T - Flat Hi-Fi speaker cable reel (100mt)

- √ Wire diameter 2x1.5 mm² for hi quality transmission
- √ Cable diameter: 3.5mmx7.0mm
- √ Flexible
- √ Application: multipurpose connections in dry and indoor environments



CODE	MSRP EUR	MSRP GBP
R322R	€ 123,90	£ 111,51

ICR1022-100 - Bulk instrument cable (100 mt)

- √ OFC construction (Oxygen Free Copper)
- √ High conductivity
- √ Shielding: 100% with spiral copper 48x0,10 mm
- √ Inner conductors: 1x0,22 mm²
- √ Copper strand per conductors: 28x0,10 mm
- √ Diameter: 6 mm

- √ Jacket: PVC
- √ Temp. range: -20(min)/70 (max)
- √ AWG: 24
- √ Capac. cond/cond per 1 m: 85pF
- √ Capac. cond/shield per 1 m: 85pF
- √ Cond. resistance per 1 km: 90 Ohm
- √ Insulation resist. per 1 km: > 1G Ohm



CODE	MSRP EUR	MSRP GBP
1245I	€ 59,76	£ 53,78

MCR2022-100 - Bulk balanced microphonic cable (100 mt)

- √ OFC construction (Oxygen Free Copper)
- √ High conductivity
- √ Shielding: 95% with spiral copper 80x0,10 mm
- √ Inner conductors: 2x0,22 mm²
- √ Copper strand per conductors: 28x0,10 mm
- √ Diameter: 6 mm
- √ Jacket: PVC
- √ Temp. range: -20(min)/70 (max)
- √ AWG: 24

- √ Capac. cond/cond per 1 m: 68pF
- √ Capac. cond/shield per 1 m: 130pF
- √ Cond. resistance per 1 km: 53 Ohm
- √ Shield resistance per 1 km: 25 Ohm
- √ Insulation resist. per 1 km: > 1G Ohm
- √ Surge impedance: approx 100 Ohm



CODE	MSRP EUR	MSRP GBP
1244I	€ 73,56	£ 66,20

SCR215-100 - Bulk speaker cable (100 mt)

- √ Passive speaker cable
- √ OFC construction (Oxygen Free Copper)
- √ High conductivity
- √ Inner conductors: 2x1,5 mm²
- √ Copper strand per conductors: 48x0,20 mm
- √ Diameter: 7 mm
- √ Jacket: PVC

- √ Temp. range: -20(min)/70 (max)
- √ AWG: 16
- √ Insulation resist. per 1 km: > 1G Ohm



CODE	MSRP EUR	MSRP GBP
1246I	€ 142,52	£ 128,27

SCR220-100 - Bulk speaker cable (100 mt)

- √ Passive speaker cable OFC construction (Oxygen Free Copper)
- √ High conductivity
- √ Inner conductors: 2x2,0 mm²
- √ Copper strand per conductors: 64x0,80 mm
- √ Diameter: 7,5 mm
- √ Jacket: PVC

- √ Temp. range: -20(min)/70 (max)
- √ AWG: 16
- √ Insulation resist. per 1 km: > 1G Ohm



CODE	MSRP EUR	MSRP GBP
1247I	€ 188,49	£ 169,64

Wiremaster Series

Conceived to provide users with hi performance products and built with top selected materials, WIREMASTER series means superior quality construction and shielding, fully preserved tone and unmatched durability. Cable reels available for: microfono, instrument and speakers. O.F.C. construction High quality jacket PVC ensures unmatched durability

WM-BC100B - Wiremaster balanced microphone cable reel (100mt)

- √ Professional balanced microphone cable (100 mt)
- √ Large wire diameter of 2x0.30 mm² for high transmission quality
- √ Cable diameter: 6.5mm
- √ Dense copper braided shielding (95%) for noiseless performances
- √ PE insulation grants very low capacity
- √ Flexible, easy winding
- √ Application: stage, mobile, studio, installations
- √ Shielding: 95% copper

CODE	MSRP EUR	MSRP GBP
R318R	€ 124,78	£ 112,30



WM-IC100B - Wiremaster unbalanced instrument cable reel (100mt)

- √ Professional unbalanced instrument cable (100 mt)
- √ Special stranding and a wire diameter of 0.50 mm² provides outstanding sound image for instruments
- √ Cable diameter: 7.0mm
- √ Combination of copper braided shield and semiconductor shielding for effective double shielding
- √ Flexible, easy winding
- √ Application: studio and stage, connection of stereo video recorder and DAT-recorder
- √ Shielding: 100%

CODE	MSRP EUR	MSRP GBP
R319R	€ 119,92	£ 107,93



WM-SC100B - Wiremaster speaker cable reel (2x2.5 mm² - 100mt)

- √ Professional speaker cable (100 mt)
- √ Large wire diameter of 2x2.5 mm² for high transmission quality
- √ Cable diameter: 8.0mm
- √ Noiseless performances
- √ Flexible, easy winding
- √ Application: sound systems, installations
- √ Cable reel length: 100mt

CODE	MSRP EUR	MSRP GBP
R320R	€ 224,85	£ 202,37



WM-SC140B - Wiremaster speaker cable reel (4x2.5 mm² - 100mt)

- √ Professional speaker cable (100 mt)
- √ Large wire diameter of 4x2.5 mm² for high transmission quality
- √ Cable diameter: 11mm
- √ Noiseless performances
- √ Flexible, easy winding
- √ Application: sound systems, installations

CODE	MSRP EUR	MSRP GBP
R509R	€ 389,00	£ 350,10



WM-SC144B - Wiremaster speaker cable reel (4x4 mm² - 100mt)

- √ Professional speaker cable (100 mt)
- √ Large wire diameter of 4x4 mm² for high transmission quality
- √ Cable diameter: 13.2mm
- √ Noiseless performances and zero signal loss due to special stranding
- √ Flexible, easy winding
- √ Application: professional sound systems/PA, installations, surround and woofer systems

CODE	MSRP EUR	MSRP GBP
R510R	€ 614,48	£ 553,03



WM-SC124B - Wiremaster speaker cable reel (2x4 mm² - 100mt)

- √ Professional Speaker cable (100 mt)
- √ Large wire diameter of 2x4 mm²
- √ Cable diameter: 11mm
- √ Noiseless performances
- √ Flexible, easy winding
- √ Application: sound systems, hi-fi systems, installations

CODE	MSRP EUR	MSRP GBP
E086E	€ 377,62	£ 339,86



POWER CABLES

Wiremaster Series

WM-PCS-15 - Power cable featuring 3P EC standard (VDE) - Shuko plug



- √ 3P EC standard (VDE) - Shuko plug
- √ Conductors: 3x1mmq
- √ Length: 1.5 meters

CODE	MSRP EUR	MSRP GBP
E442E	€ 4,20	£ 3,78

WM-PCI-15 - Power cable featuring 3P EC standard (VDE) - Italian plug



- √ 3P EC standard (VDE) - Italian plug
- √ Conductors: 3x1mmq
- √ Length: 1.5 meters

CODE	MSRP EUR	MSRP GBP
E443E	€ 4,20	£ 3,78

WM-PCAS-15 - Power cable featuring Powercon A - Italian plug



- √ Powercon A - Italian plug
- √ Conductors: 3x1.5mmq
- √ Length: 1.5 meters

CODE	MSRP EUR	MSRP GBP
E444E	€ 6,62	£ 5,96

WM-PCBA-15 - Power cable featuring Powercon A - Powercon B



- √ Powercon A - Powercon B
- √ Conductors: 3x2.5mmq
- √ Length: 1.5 meters

CODE	MSRP EUR	MSRP GBP
E445E	€ 8,18	£ 7,36

WM-PCIPS-15 - Power cable featuring IP65 powercon female (E249E) - Shuko plug



- √ IP65 powercon female (E249E) - Shuko plug
- √ Conductors: 3x2.5mmq
- √ Length: 1.5 meters

CODE	MSRP EUR	MSRP GBP
E448E	€ 11,22	£ 10,10

CONNECTORS & ADAPTERS

Adapter



Conceived to provide users with professional solutions for a wide range of applications, Soundsation WIREMASTER adapters mean reliability, fully preserved tone and noiseless performances thanks to hand soldered connections and internal wiring moulded with resin. Color: black and grey **1 pc blister**

<p>WM-A200</p>  <p>√ 1x3.5 Angled Stereo male - 1x3.5 Stereo female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R312R</td> <td>€ 1,07</td> <td>£ 0,96</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R312R	€ 1,07	£ 0,96	<p>WM-A220</p>  <p>√ 1x3.5 Stereo male - 1x6.3 Stereo female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R313R</td> <td>€ 1,60</td> <td>£ 1,44</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R313R	€ 1,60	£ 1,44	<p>WM-A240</p>  <p>√ 1x6.3 Stereo male - 1x3.5 Stereo female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R314R</td> <td>€ 1,35</td> <td>£ 1,22</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R314R	€ 1,35	£ 1,22	<p>WM-A260</p>  <p>√ 1x6.3 Stereo male - 1xRCA female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R315R</td> <td>€ 1,13</td> <td>£ 1,02</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R315R	€ 1,13	£ 1,02	<p>WM-A280</p>  <p>√ 1x6.3 Angled Stereo male - 1x6.3 Stereo female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R316R</td> <td>€ 1,94</td> <td>£ 1,75</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R316R	€ 1,94	£ 1,75
CODE	MSRP EUR	MSRP GBP																																
R312R	€ 1,07	£ 0,96																																
CODE	MSRP EUR	MSRP GBP																																
R313R	€ 1,60	£ 1,44																																
CODE	MSRP EUR	MSRP GBP																																
R314R	€ 1,35	£ 1,22																																
CODE	MSRP EUR	MSRP GBP																																
R315R	€ 1,13	£ 1,02																																
CODE	MSRP EUR	MSRP GBP																																
R316R	€ 1,94	£ 1,75																																
<p>WM-A285</p>  <p>√ 1x6.3 Stereo female - 1x6.3 Stereo female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R317R</td> <td>€ 2,38</td> <td>£ 2,14</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R317R	€ 2,38	£ 2,14	<p>WM-A300</p>  <p>√ 1x6.3 Stereo male - 2x6.3 Stereo female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R305R</td> <td>€ 3,04</td> <td>£ 2,74</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R305R	€ 3,04	£ 2,74	<p>WM-A310</p>  <p>√ 1xRCA male - 1xRCA female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R309R</td> <td>€ 1,16</td> <td>£ 1,04</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R309R	€ 1,16	£ 1,04	<p>WM-A320</p>  <p>√ 1x3.5 Stereo male - 2x6.3 Stereo female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R306R</td> <td>€ 2,79</td> <td>£ 2,51</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R306R	€ 2,79	£ 2,51	<p>WM-A330</p>  <p>√ 1x6.3 Stereo male - 2xRCA female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R310R</td> <td>€ 1,54</td> <td>£ 1,39</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R310R	€ 1,54	£ 1,39
CODE	MSRP EUR	MSRP GBP																																
R317R	€ 2,38	£ 2,14																																
CODE	MSRP EUR	MSRP GBP																																
R305R	€ 3,04	£ 2,74																																
CODE	MSRP EUR	MSRP GBP																																
R309R	€ 1,16	£ 1,04																																
CODE	MSRP EUR	MSRP GBP																																
R306R	€ 2,79	£ 2,51																																
CODE	MSRP EUR	MSRP GBP																																
R310R	€ 1,54	£ 1,39																																
<p>WM-A340</p>  <p>√ 1x6.3 Stereo male - 2x3.5 Stereo female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R307R</td> <td>€ 1,94</td> <td>£ 1,75</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R307R	€ 1,94	£ 1,75	<p>WM-A350</p>  <p>√ 1x3.5 Stereo male - 2x6.3 RCA female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R311R</td> <td>€ 1,16</td> <td>£ 1,04</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R311R	€ 1,16	£ 1,04	<p>WM-A360</p>  <p>√ 1x3.5 Stereo maschio - 2x3.5 Stereo femmina</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R308R</td> <td>€ 1,54</td> <td>£ 1,39</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R308R	€ 1,54	£ 1,39	<p>WM-S4PFJF</p>  <p>√ Professional 4P Speakon female - 6.3mm Jack MONO female adapter</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R434R</td> <td>€ 4,95</td> <td>£ 4,46</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R434R	€ 4,95	£ 4,46	<p>WM-S4PFXF</p>  <p>√ Professional 4P Speakon female - 3P XLR female adapter</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R437R</td> <td>€ 4,95</td> <td>£ 4,46</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R437R	€ 4,95	£ 4,46
CODE	MSRP EUR	MSRP GBP																																
R307R	€ 1,94	£ 1,75																																
CODE	MSRP EUR	MSRP GBP																																
R311R	€ 1,16	£ 1,04																																
CODE	MSRP EUR	MSRP GBP																																
R308R	€ 1,54	£ 1,39																																
CODE	MSRP EUR	MSRP GBP																																
R434R	€ 4,95	£ 4,46																																
CODE	MSRP EUR	MSRP GBP																																
R437R	€ 4,95	£ 4,46																																
<p>WM-S4PMJF</p>  <p>√ Professional 4P Speakon female - 6.3mm Jack MONO male adapter</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R435R</td> <td>€ 4,95</td> <td>£ 4,46</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R435R	€ 4,95	£ 4,46	<p>WM-S4PFXM</p>  <p>√ Professional 4P Speakon female - 3P XLR male adapter</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R436R</td> <td>€ 4,95</td> <td>£ 4,46</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R436R	€ 4,95	£ 4,46	<p>WM-S4PMS4PM</p>  <p>√ Professional 4P Speakon male - 4P Speakon male</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R440R</td> <td>€ 5,11</td> <td>£ 4,60</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R440R	€ 5,11	£ 4,60	<p>WM-S4PMXF</p>  <p>√ Professional 4P Speakon male - 3P XLR female adapter</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R438R</td> <td>€ 4,95</td> <td>£ 4,46</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R438R	€ 4,95	£ 4,46	<p>WM-S4PMXM</p>  <p>√ Professional 4P Speakon male - 3P Speakon male adapter</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R439R</td> <td>€ 4,95</td> <td>£ 4,46</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R439R	€ 4,95	£ 4,46
CODE	MSRP EUR	MSRP GBP																																
R435R	€ 4,95	£ 4,46																																
CODE	MSRP EUR	MSRP GBP																																
R436R	€ 4,95	£ 4,46																																
CODE	MSRP EUR	MSRP GBP																																
R440R	€ 5,11	£ 4,60																																
CODE	MSRP EUR	MSRP GBP																																
R438R	€ 4,95	£ 4,46																																
CODE	MSRP EUR	MSRP GBP																																
R439R	€ 4,95	£ 4,46																																

CONNECTORS & ADAPTERS

Wiremaster
Series

Adapter

WM-SACPOWER-IN



- ✓ Professional 3 pole AC Powercon mount connector
- ✓ Cable strain relief
- ✓ 20A/250V AC
- ✓ Power-IN (blue)
- ✓ 1 pc blister

CODE	MSRP EUR	MSRP GBP
R441R	€ 2,51	£ 2,26

WM-SACPOWER-OUT



- ✓ Professional 3 pole AC Powercon mount connector
- ✓ Cable strain relief
- ✓ 20A/250V AC
- ✓ Power-OUT (grey)
- ✓ 1 pc blister

CODE	MSRP EUR	MSRP GBP
E085E	€ 2,51	£ 2,26

WM-FX3



- ✓ True mains connector IP-65 (female)
- ✓ Lockable with twist lock system
- ✓ Dust and water resistant (IP 65)

CODE	MSRP EUR	MSRP GBP
E249E	€ 5,24	£ 4,72

WM-MX3



- ✓ True mains connector IP-65 (maschio)
- ✓ Lockable with twist lock system
- ✓ Dust and water resistant (IP 65)

CODE	MSRP EUR	MSRP GBP
E250E	€ 4,98	£ 4,48

WM-A-4M4M



- ✓ 4P M receptable/4P M receptable adapter

CODE	MSRP EUR	MSRP GBP
E439E	€ 4,89	£ 4,40



Adapter

SADA010-1



√ XLR Female - 6.3mm Jack Female

CODE	MSRP EUR	MSRP GBP
I762I	€ 2,02	£ 1,82

SADA011-1



√ XLR Male - RCA Male

CODE	MSRP EUR	MSRP GBP
I763I	€ 2,01	£ 1,81

SADA012-1



√ XLR Female - RCA Male

CODE	MSRP EUR	MSRP GBP
I764I	€ 2,18	£ 1,96

SADA013-1



√ XLR Male - RCA Female

CODE	MSRP EUR	MSRP GBP
I765I	€ 2,01	£ 1,81

SADA028-1



√ 6.3mm jack Male - RCA Female

CODE	MSRP EUR	MSRP GBP
I769I	€ 1,16	£ 1,04

SADA031-1



√ 6.3mm Jack Male MONO - 6.3mm Jack Female

CODE	MSRP EUR	MSRP GBP
I770I	€ 0,92	£ 82

SADA032-1



√ 6.3mm Jack Female - 6.3mm Jack Male STEREO

CODE	MSRP EUR	MSRP GBP
I771I	€ 0,92	£ 82

SADA033-1



√ 6.3mm Jack Male MONO - 3.5mm Jack Female

CODE	MSRP EUR	MSRP GBP
I772I	€ 0,81	\$0.93

SADA034-1



√ 3.5mm Jack Female - 6.3mm Jack Male STEREO

CODE	MSRP EUR	MSRP GBP
I773I	€ 0,77	\$ 0.89

SADA035-1



√ 3.5mm Jack Male MONO - 6.3mm Jack Female

CODE	MSRP EUR	MSRP GBP
I774I	€ 0,74	£ 0.67

SADA04-1



√ XLR Female - 6.3mm Jack Female

CODE	MSRP EUR	MSRP GBP
I756I	€ 2,46	£ 2,21

SADA049-1



√ Poles: 5F-3M

CODE	MSRP EUR	MSRP GBP
I768I	€ 2,46	£ 2,21

SADA05-1



√ XLR Male - 6.3mm Jack Female

CODE	MSRP EUR	MSRP GBP
I757I	€ 2,32	£ 2,09

SADA050-1



√ Poles: 3F-5M
√ DMX adapter

CODE	MSRP EUR	MSRP GBP
I767I	€ 2,32	£ 2,09

SADA051-1



√ XLR Female - 6.3mm Jack Female

CODE	MSRP EUR	MSRP GBP
I766I	€ 2,11	£ 1,90

SADA06-1



√ XLR Female - 6.3mm Jack Male

CODE	MSRP EUR	MSRP GBP
I758I	€ 2,29	£ 2,06

SADA07-1



√ XLR Male - 6.3mm Jack Male MONO

CODE	MSRP EUR	MSRP GBP
I759I	€ 2,11	£ 1,90

SADA08-1



√ XLR Female - 6.3mm Jack Male STEREO (balanced)

CODE	MSRP EUR	MSRP GBP
I760I	€ 2,39	£ 2,15

SADA09-1



√ XLR Male - 6.3mm Jack Male STEREO (balanced)

CODE	MSRP EUR	MSRP GBP
I761I	€ 2,22	£ 2,00

SADA036-1



√ 3.5mm Jack Male STEREO - 6.3mm Jack Female STEREO

CODE	MSRP EUR	MSRP GBP
I775I	€ 0,81	£ 0.73



Adapter

<p>SADA99-1</p>  <p>√ 3,5mm Jack Male STEREO - 2,5mm Jack Female STEREO</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>R626R</td> <td>€0,85</td> <td>£ 0.77</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	R626R	€0,85	£ 0.77	<p>SADA031</p>  <p>√ 6,3mm jack Male - 6,3mm jack Female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>L106L</td> <td>€ 3,11</td> <td>£ 2,80</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	L106L	€ 3,11	£ 2,80	<p>SADA033</p>  <p>√ 6,3mm jack Male - 3,5mm jack Female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>L108L</td> <td>€ 2,27</td> <td>£ 2,04</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	L108L	€ 2,27	£ 2,04	<p>SADA038</p>  <p>√ 3,5mm jack Male stereo - 3,5mm jack Female stereo</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>L112L</td> <td>€ 2,27</td> <td>£ 2,04</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	L112L	€ 2,27	£ 2,04	<p>SADA041</p>  <p>√ 3,5mm jack Male MONO - 2 x 3,5mm jack Female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>L115L</td> <td>€ 2,99</td> <td>£ 2,69</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	L115L	€ 2,99	£ 2,69
CODE	MSRP EUR	MSRP GBP																																
R626R	€0,85	£ 0.77																																
CODE	MSRP EUR	MSRP GBP																																
L106L	€ 3,11	£ 2,80																																
CODE	MSRP EUR	MSRP GBP																																
L108L	€ 2,27	£ 2,04																																
CODE	MSRP EUR	MSRP GBP																																
L112L	€ 2,27	£ 2,04																																
CODE	MSRP EUR	MSRP GBP																																
L115L	€ 2,99	£ 2,69																																
<p>SADA043</p>  <p>√ 2 x RCA Female - 3,5mm jack Male</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>L117L</td> <td>€ 2,27</td> <td>£ 2,04</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	L117L	€ 2,27	£ 2,04	<p>SADA045</p>  <p>√ 2xRCA Female - RCA Female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>L119L</td> <td>€ 2,57</td> <td>£ 2,31</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	L119L	€ 2,57	£ 2,31	<p>SADA046</p>  <p>√ 2xRCA Female - RCA Male</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>L120L</td> <td>€ 2,78</td> <td>£ 2,50</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	L120L	€ 2,78	£ 2,50	<p>SADA047</p>  <p>√ 3,5mm jack Male stereo - 2 x 6,3mm jack Female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>L121L</td> <td>€ 2,90</td> <td>£ 2,61</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	L121L	€ 2,90	£ 2,61	<p>SADA051</p>  <p>√ XLR Female - 6,3mm Jack Female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>L123L</td> <td>€ 5,71</td> <td>£ 5,14</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	L123L	€ 5,71	£ 5,14
CODE	MSRP EUR	MSRP GBP																																
L117L	€ 2,27	£ 2,04																																
CODE	MSRP EUR	MSRP GBP																																
L119L	€ 2,57	£ 2,31																																
CODE	MSRP EUR	MSRP GBP																																
L120L	€ 2,78	£ 2,50																																
CODE	MSRP EUR	MSRP GBP																																
L121L	€ 2,90	£ 2,61																																
CODE	MSRP EUR	MSRP GBP																																
L123L	€ 5,71	£ 5,14																																
<p>SADA038-1</p>  <p>√ 2,5mm Jack Male STEREO - 3,5mm Jack Female STEREO</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>I776I</td> <td>€ 0,84</td> <td>£ 0.76</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	I776I	€ 0,84	£ 0.76	<p>SADA039-1</p>  <p>√ 6,3mm Jack Male MONO - 2x6,3mm Jack Female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>I777I</td> <td>€ 1,09</td> <td>£ 0.98</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	I777I	€ 1,09	£ 0.98	<p>SADA040-1</p>  <p>√ 6,3mm Jack Male STEREO - 2x6,3mm Jack Female STEREO</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>I778I</td> <td>€ 0,96</td> <td>£ 0.86</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	I778I	€ 0,96	£ 0.86	<p>SADA041-1</p>  <p>√ 3,5mm Jack Male MONO - 2x3,5mm Jack Female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>I779I</td> <td>€ 0,74</td> <td>£ 0.67</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	I779I	€ 0,74	£ 0.67	<p>SADA047-1</p>  <p>√ 3,5mm Jack Male STEREO - 2x6,3mm Jack Female MONO</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>I780I</td> <td>€ 0,81</td> <td>£ 0.73</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	I780I	€ 0,81	£ 0.73
CODE	MSRP EUR	MSRP GBP																																
I776I	€ 0,84	£ 0.76																																
CODE	MSRP EUR	MSRP GBP																																
I777I	€ 1,09	£ 0.98																																
CODE	MSRP EUR	MSRP GBP																																
I778I	€ 0,96	£ 0.86																																
CODE	MSRP EUR	MSRP GBP																																
I779I	€ 0,74	£ 0.67																																
CODE	MSRP EUR	MSRP GBP																																
I780I	€ 0,81	£ 0.73																																
<p>SADA043-1</p>  <p>√ 2xRCA Female - 3,5mm Jack Male MONO</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>I783I</td> <td>€ 0,84</td> <td>£ 0.76</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	I783I	€ 0,84	£ 0.76	<p>SADA044-1</p>  <p>√ 2xRCA Female - 3,5mm Jack Male STEREO</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>I784I</td> <td>€ 0,77</td> <td>£ 0.69</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	I784I	€ 0,77	£ 0.69	<p>SADA045-1</p>  <p>√ 2xRCA Female - RCA Female</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>I785I</td> <td>€ 0,84</td> <td>£ 0.76</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	I785I	€ 0,84	£ 0.76	<p>SADA046-1</p>  <p>√ 2xRCA Female - RCA Male</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>I786I</td> <td>€ 0,77</td> <td>£ 0.69</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	I786I	€ 0,77	£ 0.69	<p>SADA042-1</p>  <p>√ 3,5mm Jack Male STEREO - 2x6,3mm Jack Female STEREO</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>MSRP EUR</th> <th>MSRP GBP</th> </tr> </thead> <tbody> <tr> <td>I781I</td> <td>€0,95</td> <td>£ 0.86</td> </tr> </tbody> </table>	CODE	MSRP EUR	MSRP GBP	I781I	€0,95	£ 0.86
CODE	MSRP EUR	MSRP GBP																																
I783I	€ 0,84	£ 0.76																																
CODE	MSRP EUR	MSRP GBP																																
I784I	€ 0,77	£ 0.69																																
CODE	MSRP EUR	MSRP GBP																																
I785I	€ 0,84	£ 0.76																																
CODE	MSRP EUR	MSRP GBP																																
I786I	€ 0,77	£ 0.69																																
CODE	MSRP EUR	MSRP GBP																																
I781I	€0,95	£ 0.86																																

CONNECTORS & ADAPTERS



Adapter

SADA048-1



√ 2xRCA Female - 6.3mm Jack Male MONO

CODE	MSRP EUR	MSRP GBP
I787I	€ 1,06	£ 0.95

SJ06S



√ Metal connector (6,3" jack stereo - 4pcs)

CODE	MSRP EUR	MSRP GBP
L064L	€ 4,55	£ 4,10

SJ033S



√ Metal pipe connector (6,3" jack stereo - 4pcs)

CODE	MSRP EUR	MSRP GBP
L072L	€ 5,90	£ 5,31

SJ037M



√ Metal pipe connector (3,5" jack mono - 4pcs)

CODE	MSRP EUR	MSRP GBP
L073L	€ 2,42	£ 2,18

SADA01Z



√ XLR Female - RCA Male

CODE	MSRP EUR	MSRP GBP
L104L	€ 7,96	£ 7,16

SRCAD28F



√ Package: 4 pcs

CODE	MSRP EUR	MSRP GBP
L090L	€ 7,03	£ 6,33

SRCAD29F



√ Package: 4 pcs

CODE	MSRP EUR	MSRP GBP
L092L	€ 6,10	£ 5,49

SRCAD30F



√ Package: 25 pcs

CODE	MSRP EUR	MSRP GBP
L094L	€ 6,10	£ 5,49



Connectors

WM-CX-5F



√ Professional 5 pole XLR cable mount female plug

CODE	MSRP EUR	MSRP GBP
E433E	€ 1,72	£ 1,55

WM-CX-5M



√ Professional 5 pole XLR cable mount male plug

CODE	MSRP EUR	MSRP GBP
E434E	€ 1,69	£ 1,52

WM-PMX-3F



√ Professional 3 pole XLR panel mount female receptacle

CODE	MSRP EUR	MSRP GBP
E435E	€ 1,03	£ 0.93

WM-PMX-3M



√ Professional 3 pole XLR panel mount male receptacle

CODE	MSRP EUR	MSRP GBP
E436E	€ 0.97	£ 0.87

WM-PMS-4M



√ Professional 4 poli speaker panel mount male receptacle

CODE	MSRP EUR	MSRP GBP
E437E	€ 0.94	£ 0.85

WM-PMS-8M



√ Professional 8 poli speaker panel mount male receptacle

CODE	MSRP EUR	MSRP GBP
E438E	€ 2,23	£ 2,01

WM-AC3P-IN



√ 3 pole AC Power-In receptable (blue)

CODE	MSRP EUR	MSRP GBP
E440E	€ 1,40	£ 1,26

WM-AC3P-OUT



√ 3 pole AC Power-Out receptable (grey)

CODE	MSRP EUR	MSRP GBP
E441E	€ 1,40	£ 1,26

CONNECTORS & ADAPTERS



Pack Connettori

Package: 25 pcs

SSPK01F-B



√ 8 pole Speakon female

CODE	MSRP EUR	MSRP GBP
I744I	€ 105,18	£ 94,66

SSPK05F-B



√ 4 pole Speakon female

CODE	MSRP EUR	MSRP GBP
I748I	€ 50,44	£ 45,40

SSPK03M-B



√ 4 pole Speakon male

CODE	MSRP EUR	MSRP GBP
I746I	€ 36,75	£ 33,08

SSPK02F-B



√ 4 pole Speakon female

CODE	MSRP EUR	MSRP GBP
I745I	€ 34,01	£ 30,61

SSPK04F-B



√ 4 pole Speakon female

CODE	MSRP EUR	MSRP GBP
I747I	€ 33,22	£ 29,90

SXLR034F-B



√ Metal angled connector
XLR 3P female (25 pcs box)

CODE	MSRP EUR	MSRP GBP
I742I	€ 69,71	£ 62,74

SXLR034M-B



√ Metal angled connector
XLR 3P male (25 pcs box)

CODE	MSRP EUR	MSRP GBP
I743I	€ 69,71	£ 62,74

SXLR025F-B



√ Metal connector XLR 3P
female (25 pcs box)

CODE	MSRP EUR	MSRP GBP
I740I	€ 30,68	£ 27,61

SXLR025M-B



√ Metal connector XLR 3P
male (25 pcs box)

CODE	MSRP EUR	MSRP GBP
I741I	€ 30,00	£ 27,00

SXLR01F-B



√ Metal connector XLR 3P
female (25 pcs box)

CODE	MSRP EUR	MSRP GBP
I736I	€ 26,54	£ 23,89

SXLR01M-B



√ Metal connector XLR 3P male
(25 pcs box)

CODE	MSRP EUR	MSRP GBP
I737I	€ 25,86	£ 23,27

SXLR04F-B



√ Metal connector XLR 3P
female (25 pcs box)

CODE	MSRP EUR	MSRP GBP
I738I	€ 22,14	£ 19,93

SXLR04M-B



√ Metal connector XLR 3P male
(25 pcs box)

CODE	MSRP EUR	MSRP GBP
I739I	€ 21,45	£ 19,31

SRCAD030F-B



√ RCA female (satin)

CODE	MSRP EUR	MSRP GBP
I755I	€ 50,02	£ 45,02

SRCAD029F-B



√ RCA femmina (black)

CODE	MSRP EUR	MSRP GBP
I753I	€ 48,71	£ 43,84

SRCAD028F-B



√ RCA female (satin)

CODE	MSRP EUR	MSRP GBP
I751I	€ 48,71	£ 43,84

SRCAD026M-B



√ RCA male (satin)

CODE	MSRP EUR	MSRP GBP
I750I	€ 48,06	£ 43,25



Pack Connettori

Package: 25 pcs

SRCA023M-B



√ RCA male (satin)

CODE	MSRP EUR	MSRP GBP
1754I	€ 48,71	£ 43,84

SRCA01M-B



√ RCA male (gold)

CODE	MSRP EUR	MSRP GBP
1749I	€ 34,95	£ 31,46

SRCA018M-B



√ RCA male (black)

CODE	MSRP EUR	MSRP GBP
1752I	€ 48,71	£ 43,84

SJ011M-B



√ 6.3mm jack MONO

CODE	MSRP EUR	MSRP GBP
1726I	€ 19,40	£ 17,46

SJ011S-B



√ 6.3mm jack STEREO

CODE	MSRP EUR	MSRP GBP
1727I	€ 22,14	£ 19,93

SJ024M-B



√ 6.3mm jack MONO

CODE	MSRP EUR	MSRP GBP
1728I	€ 22,43	£ 20,19

SJ024S-B



√ 6.3mm jack STEREO

CODE	MSRP EUR	MSRP GBP
1729I	€ 25,17	£ 22,65

SJ029M-B



√ 6.3mm jack MONO 90° angled

CODE	MSRP EUR	MSRP GBP
1730I	€ 28,20	£ 25,38

SJ029S-B



√ 6.3mm jack STEREO 90° angled

CODE	MSRP EUR	MSRP GBP
1731I	€ 32,47	£ 29,22

SJ02M-B



√ 6.3mm jack MONO gold tip

CODE	MSRP EUR	MSRP GBP
1722I	€ 23,93	£ 21,54

SJ02S-B



√ 6.3mm jack STEREO gold tip

CODE	MSRP EUR	MSRP GBP
1723I	€ 26,70	£ 24,03

SJ033M-B



√ 6.3mm jack MONO 90° angled with gold tip

CODE	MSRP EUR	MSRP GBP
1732I	€ 29,70	£ 26,73

SJ033S-B



√ 6.3mm jack STEREO 90° angled with gold tip

CODE	MSRP EUR	MSRP GBP
1733I	€ 32,47	£ 29,22

SJ037M-B



√ 3.5mm jack MONO 90°

CODE	MSRP EUR	MSRP GBP
1734I	€ 10,37	£ 9,33

SJ037S-B



√ 3.5mm jack STEREO

CODE	MSRP EUR	MSRP GBP
1735I	€ 13,56	£ 12,20

SJ06M-B



√ 6.3mm jack MONO gold tip

CODE	MSRP EUR	MSRP GBP
1724I	€ 24,23	£ 21,81

CONNECTORS & ADAPTERS



Pack Connettori

Package: 25 pcs

SJ06S-B



√ 6.3mm jack STEREO gold tip

CODE	MSRP EUR	MSRP GBP
I725I	€ 26,96	£ 24,26

GL-SJSPEAKER



√ 6.3mm Jack MONO male connector

CODE	MSRP EUR	MSRP GBP
R433R	€ 34,01	£ 30,61

NAC3FCA



√ Quick lock with securing lever

CODE	MSRP EUR	MSRP GBP
L647L	€ 17,18	£ 15,46

SDMX-3



√ DMX terminator 3 poles SDMX-3

CODE	MSRP EUR	MSRP GBP
I613I	€ 14,13	£ 12,72



Wiremaster series features REAN/Yongsheng by Neutrik® connectors, products conceived to provide hi quality performances for a wide range of professional applications. - 25 pcs box

Y207E-BG



√ Yongsheng by Neutrik® professional 6.3mm Mono Male right angle Jack plug
√ Black plated Zinc-alloy shell
√ Gold contacts

CODE	MSRP EUR	MSRP GBP
R427R	€ 51,10	£ 45,99

Y208E-BG



√ Yongsheng by Neutrik® 6.3mm Jack STEREO right angle connector (25 pcs box)
√ Black plated Zinc-alloy shell
√ Cable clamping system
√ Gold contacts

CODE	MSRP EUR	MSRP GBP
R428R	€ 62,03	£ 55,83

Y224E-BG



√ Yongsheng by Neutrik® 6.3mm Jack MONO male connector (25 pcs box)
√ Black plated Zinc-alloy shell
√ Cable clamping system
√ Gold contacts

CODE	MSRP EUR	MSRP GBP
R425R	€ 61,31	£ 55,18

Y228E-BG



√ Yongsheng by Neutrik® 6.3mm Jack STEREO male connector (25 pcs box)
√ Black plated Zinc-alloy shell
√ Cable clamping system
√ Gold contacts

CODE	MSRP EUR	MSRP GBP
R426R	€ 78,82	£ 70,94

YS373-BG



√ Yongsheng by Neutrik® RCA male (25 pcs box)
√ Black plated Brass shell with red and black rings
√ Cable spring
√ Gold contacts

CODE	MSRP EUR	MSRP GBP
R430R	€ 77,38	£ 69,64

YS2203P-B



√ Yongsheng by Neutrik® 6.3mm MONO male/STEREO female connector (25 pcs box)
√ Nickel plated brass shell
√ Cable clamping system
√ Silver contacts

CODE	MSRP EUR	MSRP GBP
R431R	€ 98,54	£ 88,69

YS240L-BG



√ Yongsheng by Neutrik® 3.5mm Jack MONO male/STEREO female connector (25 pcs box)
√ Nickel plated brass shell
√ Cable clamping system
√ Silver contacts

CODE	MSRP EUR	MSRP GBP
R432R	€ 47,43	£ 42,69

YI36L-BG



√ Yongsheng by Neutrik® XLR 3P-F connector (25 pcs box)
√ Black plated Zinc-alloy shell
√ Plastic cap
√ Cable clamping system with PVC cable guide

CODE	MSRP EUR	MSRP GBP
R423R	€ 54,02	£ 48,62



YI37L-BG



- √ Yongsheng by Neutrik® XLR 3P-M connector (25 pcs box)
- √ Black plated Zinc-alloy shell
- √ Plastic cap
- √ Cable clamping system with PVC cable guide

CODE	MSRP EUR	MSRP GBP
R424R	€ 53,27	£ 47,94

YS231L-BG



- √ Yongsheng by Neutrik® 3.5mm Jack STEREO male connector (25 pcs box)
- √ Black plated Zinc-alloy shell
- √ Cable clamping system
- √ Gold contacts

CODE	MSRP EUR	MSRP GBP
R429R	€ 34,31	£ 30,88

CABLE ACCESSORIES

SCT100 - Universal cable tester

Compact and light, a truly universal cable tester perfect for checking your cables and connectors anytime, anywhere.

- √ USB
- √ Speakon (4/8 pole)
- √ Jack 6,3"/3,5"
- √ XLR
- √ RCA
- √ MIDI
- √ S-video
- √ RJ-45
- √ Din (8 pole)



CODE	MSRP EUR	MSRP GBP
N324N	€ 40,48	£ 36,43

WM-STRAP02



- √ Velcro for safe and quick use
- √ Dimensions: 170mmx20mm

CODE	MSRP EUR	MSRP GBP
R442R	€ 0,19	£ 0.17

WM-STRAP04



- √ Velcro for safe and quick use
- √ Dimensions: 270mmx25mm

CODE	MSRP EUR	MSRP GBP
R443R	€ 0,25	£ 0.23

Cases



FLIGHT CASES & DJ CASES

CA-1 - Microphone Flight case

Rugged and comfortable flight case for storage and transportation of microphones and accessories. Internal foam layer absorbs eventual unwanted shocks. Perfect also for effect pedals, half-rack electronic modules, cables.



√ Dimensions (D x L x H): 280x380x100 cm

CODE	MSRP EUR	MSRP GBP
M347M	€ 29,94	£ 26,95

CA-2 - Microphone Flight case

Rugged and comfortable flight case for storage and transportation of wireless microphones and accessories. Internal foam layer absorbs eventual unwanted shocks. Perfect also for MI effect pedal boards, rack 1U electronic modules, cables.



√ Dimensions (D x L x H): 295x560x85 cm

CODE	MSRP EUR	MSRP GBP
M348M	€ 47,86	£ 43,07

CA-3 - Microphone Flight case

Rugged and comfortable flight case for storage and transportation of microphones and accessories. Internal foam layer absorbs eventual unwanted shocks. Perfect also for audio interfaces, cables.



√ Dimensions (D x L x H): 250x320x150 cm

CODE	MSRP EUR	MSRP GBP
M349M	€ 30,00	£ 27,00

DU3 BAG - DJ Controller carrying bag


Exclusively designed by SOUNDSATION for DDJ controllers. Very light and easy to carry compared to a traditional flight case, the DDJ BU3 has an additional front slot to carry other accessories. The bag is protected against shocks through a special 5 mm padding material



- √ Designed for DJ controller of max size 440x300x100 mm (WxDxH)
- √ Shoulder straps for easy carrying
- √ Antishock concept
- √ Accessories front slot
- √ Lightweight and comfortable

CODE	MSRP EUR	MSRP GBP
B560B	€ 49,00	£ 44,10

Show Lighting



BEAM MOVING HEADS

SPIRE 280 BEAM - SPIRE 280 BEAM Moving Head (with carton)

SPIRE series is a new line of professional beam moving heads designed to meet the needs of show lighting in rental and fixed installations contexts. The lineup consists of three models with standard 5R (200W), 7R (230W) and 10R (280W) metal-halide lamps, and a color temperature of 6000K. Ideal for medium-large environments, the emission angle of the light beam is 4° with a maximum luminance that in the model with 10R lamp reaches 38,000 Lux @ 20m (288,000 Lux @ 1m), with diameters ranging from 1.5m to 0.35m. PAN and TILT movements are driven by three-step motors and give greater accuracy and silence. SPIRE Series is equipped with 0° - 4° linear electronic focus which determines a powerful and well-defined beam, even at long distances. All models mount wheels-colors with 14 dichroic + white with rainbow effect, and a fixed gobo wheel with 17 gobos + white (6 colors + 11 neutral). There are an 8-facet prism and a 16-facet prism (which can be overlap) with self-rotation and shaking effect. The shutter creates strobe effects at a maximum of 13 Hz; the dimmer is linear from 0% to 100%. The DMX512 control is at 16 and 20 channels. Packing includes self-locking brackets for fixing the fixture to trusses (hooks not included), power cables and DMX.

- √ Standard 10R (280W) metal-halide lamps
- √ Pan 540° / Tilt 265° indexing, high precision Pan/Tilt movement, with 16bit automatic error correction, extra speed movements
- √ 3-phase motor for both PAN and TILT with faster moving speed and low-noise
- √ Luminous Flux: up to 288.000 Lux@1m
- √ 14+open color wheel with color correction devices. 2 CTO filters (3200K and 2500K) + 1 CTB filter, two-way rainbow effect, half color effects
- √ Gobo wheel: 11+open stamped fixed variable rotating metal gobos combine with 6 HQ dichroic / indexing / overlapping glass gobos; 3 beam diameter reducer filters on the fixed gobo wheel
- √ Gobo-Shaking function
- √ Gobo motorized focusing
- √ Frost filter for soft-edge projections

- √ Lamp: Standard metal-halide 10R (280W)
- √ Voltage: AC110V-240V
- √ Frequency: 50/60Hz
- √ Power Consumption: 400W
- √ Fuse: F5A/250V (20x5mm)
- √ Color Temperature: 6000K
- √ Scan: Pan 540°, Tilt 265°, 16bit precision, photoelectric reset and correction
- √ Shutter: 1-13t/s mechanical control and speed adjustable
- √ Control: DMX512
- √ Channel Modes: 16CH /20CH switchable
- √ Control Mode: DMX/Sound Active/Auto
- √ Gobo wheel: 11 metal gobo + 6 glass gobo + open, electronic focus
- √ Color wheel: 14+open, rainbow effect, electronic focus correction



CODE	MODEL	MSRP EUR	MSRP GBP
E500E	SPIRE 280 BEAM (CARTON)	€ 995,93	£ 896,34
E498E	SPIRE 280 BEAM SET	€ 2215,57	£ 1994,01

√ Practical and robust Flight Case for 2 Units with wheels, featuring a cable/accessories compartment

SPIRE 230 BEAM - SPIRE 230 BEAM Moving Head (with carton)

SPiRE series is a new line of professional beam moving heads designed to meet the needs of show lighting in rental and fixed installations contexts. The lineup consists of three models with standard 5R (200W), 7R (230W) and 10R (280W) metal-halide lamps, and a color temperature of 6000K. Ideal for medium-large environments, the emission angle of the light beam is 4 ° with a maximum luminance that in the model with 7R lamp reaches 20,000 Lux @ 20m (217,500 Lux @ 1m), with diameters ranging from 1.47m to 0.37m. PAN and TILT movements are driven by three-step motors and give greater accuracy and silence. SPiRE Series is equipped with 0° - 4° linear electronic focus which determines a powerful and well-defined beam, even at long distances. All models mount wheels-colors with 14 dichroic + white with rainbow effect, and a fixed gobo wheel with 17 gobos + white (6 colors + 11 neutral). There are an 8-facet prism and a 16-facet prism (which can be overlap) with self-rotation and shaking effect. The shutter creates strobe effects at a maximum of 13 Hz; the dimmer is linear from 0% to 100%. The DMX512 control is at 16 and 20 channels. Packing includes self-locking brackets for fixing the fixture to trusses (hooks not included), power cables and DMX.

- √ Standard 7R (230W) metal-halide lamps
- √ Pan 540° / Tilt 265° indexing, high precision Pan/Tilt movement, with 16bit automatic error correction, extra speed movements
- √ 3-phase motor for both PAN and TILT with faster moving speed and low-noise
- √ Luminous Flux: up to 217.500 Lux@1m
- √ 14+open color wheel with color correction devices. 2 CTO filters (3200K and 2500K) + 1 CTB filter, two-way rainbow effect, half color effects
- √ Gobo wheel: 11+open stamped fixed variable rotating metal gobos combine with 6 HQ dichroic / indexing / overlapping glass gobos; 3 beam diameter reducer filters on the fixed gobo wheel
- √ Gobo-Shaking function
- √ Gobo motorized focusing
- √ Frost filter for soft-edge projections

- √ Lamp: Standard metal-halide 7R (230W)
- √ Voltage: AC110V-240V
- √ Frequency: 50/60Hz
- √ Power Consumption: 380W
- √ Fuse: F5A/250V (20x5mm)
- √ Color Temperature: 6000K
- √ Scan: Pan 540°, Tilt 265°, 16bit precision, photoelectric reset and correction
- √ Shutter: 1-13t/s mechanical control and speed adjustable
- √ Control: DMX512
- √ Channel Modes: 16CH /20CH switchable
- √ Control Mode: DMX/Sound Active/Auto
- √ Gobo wheel: 11 metal gobo + 6 glass gobo + open, electronic focus
- √ Color wheel: 14+open, rainbow effect, electronic focus correction



√ Practical and robust Flight Case for 2 Units with wheels, featuring a cable/accessories compartment

CODE	MODEL	MSRP EUR	MSRP GBP
E503E	SPiRE 230 BEAM (CARTON)	€ 904,00	£ 813,60
E501E	SPiRE 230 BEAM SET	€ 2031,71	£ 1828,54

BEAM MOVING HEADS

SPIRE 200 BEAM- SPIRE 200 BEAM Moving Head (with carton)

SPIRE series is a new line of professional beam moving heads designed to meet the needs of show lighting in rental and fixed installations contexts. The lineup consists of three models with standard 5R (200W), 7R (230W) and 10R (280W) metal-halide lamps, and a color temperature of 6000K. Ideal for medium-large environments, the emission angle of the light beam is 4° with a maximum luminance that in the model with 5R lamp reaches 21,700 Lux @ 20m (205.000 Lux @1m), with diameters ranging from 1.5m to 0.35m. PAN and TILT movements are driven by three-step motors and give greater accuracy and silence. SPIRE Series is equipped with 0° - 4° linear electronic focus which determines a powerful and well-defined beam, even at long distances. All models mount wheels-colors with 14 dichroic + white with rainbow effect, and a fixed gobo wheel with 17 gobos + white (6 colors + 11 neutral). There are an 8-facet prism and a 16-facet prism (which can be overlap) with self-rotation and shaking effect. The shutter creates strobe effects at a maximum of 13 Hz; the dimmer is linear from 0% to 100%. The DMX512 control is at 16 and 20 channels. Packing includes self-locking brackets for fixing the fixture to trusses (hooks not included), power cables and DMX.

- √ Standard 5R (200W) metal-halide lamps
- √ Pan 540° / Tilt 265° indexing, high precision Pan/Tilt movement, with 16bit automatic error correction, extra speed movements
- √ 3-phase motor for both PAN and TILT with faster moving speed and low-noise
- √ Luminous Flux: up to 205.000 Lux@1m
- √ 14+open color wheel with color correction devices. 2 CTO filters (3200K and 2500K) + 1 CTB filter, two-way rainbow effect, half color effects
- √ Gobo wheel: 11+open stamped fixed variable rotating metal gobos combine with 6 HQ dichroic / indexing / overlapping glass gobos; 3 beam diameter reducer filters on the fixed gobo wheel
- √ Gobo-Shaking function
- √ Gobo motorized focusing
- √ Frost filter for soft-edge projections



- √ Lamp: Standard metal-halide 5R (280W)
- √ Voltage: AC110V-240V
- √ Frequency: 50/60Hz
- √ Power Consumption: 350W
- √ Fuse: F5A/250V (20x5mm)
- √ Color Temperature: 6000K
- √ Scan: Pan 540°, Tilt 265°, 16bit precision, photoelectric reset and correction
- √ Shutter: 1-13t/s mechanical control and speed adjustable
- √ Control: DMX512
- √ Channel Modes: 16CH /20CH switchable
- √ Control Mode: DMX/Sound Active/Auto
- √ Gobo wheel: 11 metal gobo + 6 glass gobo + open, electronic focus
- √ Color wheel: 14+open, rainbow effect, electronic focus correction



√ Practical and robust Flight Case for 2 Units with wheels, featuring a cable/accessories compartment



CODE	MODEL	MSRP EUR	MSRP GBP
E506E	SPIRE 200 BEAM (CARTON)	€ 873,36	£ 786,02
E504E	SPIRE 200 BEAM SET	€ 1970,42	£ 1773,38

MHL-230-MKII - Beam moving head with 230W standard 7R lamp

MHL-230-MKII is a beam moving head with beam angle 4°. It is capable of emitting a beam of 62180 @ 20m, 8250 lumen and 8000K color temperature. It's equipped with electronic linear focus 0° - 3.8°, for a powerful and very concentrated beam. It is Ideal for large-medium venues or live applications. It features a 14+white color wheel with rainbow effect and one gobo wheel with 17+white gobos, plus wheel rotation effect. DMX512 control is at 16 channels.

- √ Powerful 230 watt discharge standard 7R lamp
 - √ Projection type : beam with 4° projection angle
 - √ High speed rotating 8-facet prism rotating in both directions at different speed
 - √ Color system: One color wheel with 14 color diachronic filters plus white, with half colors and rainbow effect
 - √ 17 interchangeable gobos plus white, with high speed gobo rotation effect
 - √ Onboard LCD Display with touch screen
 - √ Control mode : DMX512 16/20CH, Master/slave, Auto, Sound
 - √ Strobe flash rate: 15f/s
 - √ Pan/Tilt : high speed 540°/270° with electronic position monitoring and error correction system
 - √ Electronic Linear Focus 0° - 3.8°
 - √ Automatic DMX data transmission fault diagnosis system
 - √ IP20 protection degree
- √ Max consumption rate : 480W
 - √ Power requirements : AC 110-240V / 50~60Hz
 - √ Socket DMX IN : 3 pin XLR F
 - √ Socket DMX OUT : 3 pin XLR M
 - √ Lamp: 7R standard, 2000h lifespan
 - √ Fixture Dimensions: 40 x 34 x 47 cm
 - √ Packing Dimension: 45,5 x 42 x 55 cm
 - √ Net Weight: 16 kg



CODE	MSRP EUR	MSRP GBP
L691L	€ 924,66	£ 832,19

MHL-230 MKII SET - Set of 2 Beam Moving Heads with 230W standard 7R lamp and flight case

- √ Rugged flight case to transport and store 2 moving heads. Heads up side down.

CODE	MSRP EUR	MSRP GBP
L528L	€ 1987,59	£ 1788,83



7R-LAMP - Standard 5R Lamp for MHL-230 & MHL-230-MKII

Spare Metal-halide 5R Lamp for MHL-230 & MHL-230-MKII moving heads

- √ Color Temperature: 8000K
- √ Power: 230W
- √ Luminous Flux (nominal): 9500 lm

CODE	MSRP EUR	MSRP GBP
L521L	€ 99,59	£ 89,63



BEAM MOVING HEADS

MHL-200-MKII -200W Beam Moving Head with standard 5R Lamp

MHL-200 is high-performance moving head with superior lamp Brightness. Best installed in dance large clubs where very powerful beams are essentials to the scene. The 20 Channels DMX allow to control all the built-in function. Master/slave, Auto and Sound Controlled modes are also available onboard.

- √ Powerful 200 watt 5R lamp - 2000 hours of lifespan
- √ Projection type : beam
- √ High speed rotating 8-facet prism rotating in both directions at different speed
- √ Color system: One color wheel with fourteen kinds of different color dichroic filters plus white
- √ Seventeen interchangeable gobos plus white, with high speed gobo rotation effect
- √ Onboard Touch Screen Display LCD user interface that can be used even if the head is in power off state(thanks to a battery)
- √ Control mode : DMX512 16/20CH, Master/slave, Auto, Sound
- √ Strobe flash rate: 15f/s
- √ Pan/Tilt : 540°/270°
- √ Mechanical multi-step Focus with three different angles (15 degree, 18 degree and 22 degree)- DMX control
- √ Mechanical Shutter (non step can be adjusted) shutter are suitable for different line angles
- √ Effects: Seven big prism gobos; preprogrammed and changing Shutter Pulse Effect
- √ Firmware update function
- √ Remaining lamp life shown in LCD display

- √ Max consumption rate : 480 watt
- √ Power requirements : AC 110-240V / 50~60Hz
- √ Socket DMX IN : 3 pin XLR F
- √ Socket DMX OUT : 3 pin XLR M
- √ Lamp: standard 5R
- √ Dimensions: 40x34x47 cm
- √ Net weight : 16 Kg

CODE	MSRP EUR	MSRP GBP
L434L	€ 825,70	£ 743,13



MHL-200-MKII-SET - Set of 2 MHL-200-MKII Beam Mobile Heads with SR Lamp and Flight Case

- √ Flight case dimensions (WxHxD): 745 x 680 x 500 mm (wheels included)
- √ Total set weight (2 MHL-200MKII + Flight case): 63 Kg

CODE	MSRP EUR	MSRP GBP
L696L	€ 1843,13	£ 1658,82



SR-LAMP - Standard 5R Lamp for MHL-200 & MHL-200-MKII

Spare Metal-halide 5R Lamp for MHL-200 & MHL-200-MKII moving heads

- √ Color Temperature: 8000K
- √ Power: 189W
- √ Luminous Flux (nominal): 7950 lm

CODE	MSRP EUR	MSRP GBP
L225L	€ 92,95	£ 83,66



MHL-132 PRO - 132W PRO Beam Moving Head Light with standard 2R Lamp

MHL-132 PRO is a 2R Beam moving head designed to overcome the rigors of the stage. All main hardware parts – like switching power supply, electronic ballast, overheating protection system and engine drivers – are oversized than other normal beam 2R mobile heads, in order to provide greater reliability, duration, and ensure full compatibility with all main 2R lamp brands. The MHL-132 PRO professional optics is equipped with a 13 colors + white and rainbow effect color wheel with electronic positioning; a gobo wheel with 8 gobos + 7 beams of different diameter, linear focus effect and electronic positioning; and one 8-faced prism with double direction rotation. Control modes are DMX, Manual, Automatic, Voice and Master / Slave. The DMX control is 14 channels. PAN and TILT scans (630 ° and 235 ° respectively) are accurate and silent with 16bit control. The user interface is simple and intuitive, thanks to the LCD display and the wheel for software navigation.

- √ 132W standard 2R lamp
- √ Color temperature: 8000K
- √ Strobe: 1 - 10t/s
- √ Color Wheel: 13 color + white and rainbow effect with electronic positioning
- √ Gobo wheel: 8 gobos + 7 different size circular holes
- √ 8-facet prism with two-way rotation
- √ Control Mode: DMX, Sound, Auto / Master-Slave / Manual Control
- √ Pan 630°, Tilt 235°
- √ DMX512 control with 14 channels

- √ Lamp: Standard 2R 132W lamp
- √ Color temperature: 8000K
- √ Voltage: AC100V-240V, 50/60Hz
- √ Power Consumption: 260W
- √ Shutter: 1-10t/s
- √ Control: DMX512
- √ Channel: 14CH
- √ Control Mode: DMX / sound active / auto / master-slave / Manual
- √ Gobo wheel: 8 gobo + 7 different size circular hole, flowage effect, gobo electric linear focus, electronic positioning
- √ Color wheel: 13 + open with electronic positioning
- √ Pan: 630°
- √ Tilt: 235°
- √ Effect wheel: 8 facet prism
- √ Beam Angle: 0°~2.5°
- √ Fixture Dimensions (LxDxH): 338 x 430 x 247 mm
- √ Fixture weight: 12 kg



Kit composed by two 2R Beam Moving Heads and one flight case with wheels



CODICE	MODEL	RSP EUR	MSRP GBP
L985L	MHL-132 PRO	€ 790,62	£ 711,56
L987L	MHL-132 PRO SET	€ 1780,43	£ 1602,39

2R-LAMP -Standard 2R Lamp for MHL-132 & MHL-132-MKII

Spare Metal-halide 2R Lamp for MHL-132 & MHL-132-MKII

- √ Color Temperature: 8000K
- √ Power: 132W
- √ Luminous Flux: 5150 lm

CODE	MSRP EUR	MSRP GBP
L223L	€ 82,99	£ 74,69



BEAM MOVING HEADS

Twilight

series

TWILIGHT 150 BEAM - 150W LED Beam Moving Head

This LED beam moving-head of TWILIGHT Series combines the benefits of LED technology (energy saving, low heat emission, increased reliability and durability over time) with the quality of digital control systems and the accuracy of its optics. The TWILIGHT 150 BEAM is, therefore, a tool suitable for professionals of entertainment, both in touring and fixed installations. The optical system is able to emit a beam of 210.000 Lux @ 1m with 5° angle. The focus is motorized; dimmer is linear with a 0-20Hz frequency for strobe effects. The TWILIGHT 150 BEAM offers a 7 + white color wheel with rainbow effect, a first gobo wheel with 6 rotating gobos (3 metal + 3 glass) and shake effect, and a second wheel with 8 fixed gobos + open. Both gobo wheels have rainbow effect. Finally, two prisms (one 8-facet, one 16-facet) with controllable rotation and direction, allow creating rich and varied light effects thanks to the overlapping feature. The chassis is largely made up of aluminum and allows to reduce the final weight in just 10kg. The fixture is available both in single carton and in two-unit professional flight case.

- √ LED: Ultra-bright 150W LED
- √ Lux: 210.000 @ 1m
- √ Beam angle: 5°
- √ Motorized Focus
- √ 1 Color wheel and 2 Rotating Gobo wheels
- √ 2 prisms (8-facet + 16 facet) with overlap function
- √ Stand-alone, DMX, Master/Slave modes
- √ 13CH / 17CH DMX modes
- √ Lightweight yet tough housing

- √ Light emitting source: 1pc Ultra-bright 150W LED
- √ Beam intensity: 210.000 Lux @ 1m
- √ Beam angle: 2°
- √ Focus: Variable motorized focus
- √ Color wheel: 7 colors + white, split colors, rainbow effect
- √ Rotating Gobo wheel: 3 glass gobos + 3 metal gobos + open, gobo flow effect, gobo shake
- √ Static gobo wheel: 8 static gobos + open, gobo flow effect
- √ Effect wheel: 8 facet prism and 16 facet prism, adjustable rotating speed and direction. The two prisms can be overlapped
- √ Dimmer/Strobe: Dimmer variable electronic dimmer (0-100%), 0-20Hz
- √ PAN/TILT: Pan: 540°, Tilt: 222°, with adjustable speed
- √ Working modes: Stand-alone mode, DMX mode, Master/Slave synchronization mode
- √ DMX Control: 13CH / 17CH modes
- √ Housing: High temperature resistant engineering plastic + aluminum alloy
- √ Voltage: 100-240V, 50-60Hz
- √ Power consumption: 250W
- √ Fixture Size (LxHxD): 328 x 352min/406max x 328 mm
- √ Fixture Weight: 10.6kg



CODE	MSRP EUR	MSRP GBP
E069E	€ 811,34	£ 730,21

Twilight

series

TWILIGHT 60 ENDLESS - 60W RGBW 4in1 LED Moving Head with Infinite PAN/TILT Movement

This LED spot moving-head of TWILIGHT Series combines the benefits of LED technology (energy saving, low heat emission, increased reliability and durability over time) with the quality of digital control systems and the accuracy of its mechanics. The TWILIGHT 60 ENDLESS is, therefore, a tool suitable for professionals of entertainment, both in touring and fixed installations. The light source consists of 1 high-brightness RGBW 4in1 LEDs, capable of emitting a beam of 30,000 LUX @ 1m. The front lens, with 4° opening, ensures optimal mixing of the four base colors, thus obtaining an extremely smooth and concentrated light beam. PAN and TILT movements are equipped with high-precision motors and 8/16bit digital control. In addition to the traditional PAN-TILT movements at 540° and 270°, you can use 360° endless motion, creating dynamic effects that are highly appreciated in both live and disco applications. The chassis is largely made up of aluminum and allows to reduce the final weight in just 3.3kg. The fixture is available both in single carton and in 4-unit professional flight case.

- √ LED: Ultra-bright 60W RGBW 4in1 LED
- √ Lux: 30.000 @ 1m
- √ Beam angle: 4°
- √ PAN-TILT: 540° / 280° + Endless function
- √ Stand-alone, DMX, Master/Slave modes
- √ 14CH / 16CH DMX modes
- √ Lightweight yet tough housing

- √ Light emitting source: 1x60W RGBW 4in1 LED
- √ Beam intensity: 30.000 Lux @ 1m
- √ Beam angle: 4°
- √ Dimmer/Strobe: Dimmer variable electronic dimmer (0-100%), 0-20Hz
- √ PAN/TILT: Pan: 540°, Tilt: 270°, with endless function
- √ Working modes: Stand-alone mode, DMX mode, Master/Slave synchronization mode
- √ DMX Control: 14CH / 16CH modes
- √ Housing High temperature resistant engineering plastic + aluminum alloy
- √ Voltage: 100-240V, 50-60Hz
- √ Fuse: T3A-250V, 5x20mm
- √ Power consumption: 115W
- √ Fixture Size (LxHxD): 170 x 262 x 202 mm
- √ Fixture Weight: 3.3kg



CODE	MSRP EUR	MSRP GBP
E070E	€ 335,63	£ 302,07

TWILIGHT 150 BEAM CASE - Flight Case for 2 TWILIGHT 150 BEAM

Flight Case for 2 TWILIGHT 150 BEAM moving heads

- √ Wheel Diameter: 75 mm
- √ Case Size (WxHxD): 74x63.5x38 cm
- √ Net Weight (Only Case): 5 kg



CODE	MSRP EUR	MSRP GBP
E251E	€ 160,52	£ 144,47

TWILIGHT 60 ENDLESS CASE - Flight Case for 4 TWILIGHT 60 ENDLESS

Flight Case for 4 TWILIGHT 60 ENDLESS moving heads

- √ Wheel Diameter: 75 mm
- √ Case Size (WxHxD): 49x44x47 cm
- √ Net Weight (Only Case): 5 kg



CODE	MSRP EUR	MSRP GBP
E252E	€ 154,68	£ 139,21

BEAM MOVING HEADS

MHL-60 MKII ZOOM - LED Beam Mobile Head with one 60W RGBW 4in1 LED and Zoom

MHL-60-MKII is a compact beam moving head equipped with a single high brightness 60W RGBW 4in1 LED, extremely bright and reliable. Pan/Tilt movements are accurate and silent with 16-bit resolution. Zoom ranges from 2.5° and 60°. It can be used in either Master / Slave DMX, Manual, Auto (7 different modes) and Sound (2 modes). DMX512 control is 14CH.

- √ RGBW 4in1 60W ultra-bright LED
 - √ BZoom: 2.5° - 60°
 - √ Electronic dimmer: 0 - 100% linear
 - √ Strobe: 1 - 10t/s
 - √ Control mode : DMX512 15CH, Manual, Master/slave, Auto, Sound
 - √ Pan: 540°
 - √ Tilt: 220°
 - √ LCD Display user interface
 - √ Accessories: 1m Powercon mains cable; 1.5m DMX cable
- √ Max consumption rate : 85 watt
 - √ Power requirements : AC 110-240V / 50~60Hz
 - √ Socket DMX IN: 3 pin XLR F
 - √ Socket DMX OUT: 3 pin XLR M
 - √ Mains socket: Powercon
 - √ IP Protection: IP20
 - √ Controllo DMX: 15CH
 - √ Dimensions: 20.1 x 19.6 x 31.7 cm
 - √ Net weight : Kg 3.8

CODE	MSRP EUR	MSRP GBP
L801L	€ 413,70	£ 372,33



MHL-60 MKII - LED Beam Mobile Head with one 60W RGBW 4in1 LED

MHL-60-MKII is a compact beam moving head equipped with a single high brightness 60W RGBW 4in1 LED, extremely bright and reliable. Pan/Tilt movements are accurate and silent with 16-bit resolution. It can be used in either Master / Slave DMX, Manual, Auto (7 different modes) and Sound (2 modes). DMX512 control is 14CH.

- √ RGBW 4in1 60W ultra-bright LED
- √ Beam Angle: 2.5°
- √ Electronic dimmer: 0 - 100% linear
- √ Strobe: 1 - 10t/s
- √ Control mode : 14 CH DMX512, Manual, Master/slave, Auto, Sound
- √ Pan: 540°
- √ Tilt: 220°
- √ LCD Display user interface
- √ Accessories: 1m Powercon mains cable; 1.5m DMX cable

- √ Max consumption rate : 85 watt
- √ Power requirements : AC 110-240V / 50~60Hz
- √ Socket DMX IN: 3 pin XLR F
- √ Socket DMX OUT: 3 pin XLR M
- √ Mains socket: Powercon
- √ Dimensions: 20.1 x 19.6 x 31.7 cm
- √ Net weight : Kg 3.4

CODE	MSRP EUR	MSRP GBP
L317L	€ 386,56	£ 347,90



DFB-1 - Discobar Fancy Lighting Bundle

Discobar, beach clubs and parties to light up your hot summer nights. 4 60 watt beam creating intense and beautiful rays on the dance floor and 2 fancy beam making the difference thanks to their custom light effects. The bundle is supplied with a DMX controller making possible to setup simple automatic program to handle your evening. Light up your ambience with SOUNDSATION, turn up fun !

- √ Comes with 4 moving heads MHL-60-MKII, 2 moving head fancy beam MHL-12-12W-RGBW, 1 DMX controller LC100



CODE	MSRP EUR	MSRP GBP
L736L	€ 2380,00	£ 2142,00



MHL-12-12W-RGBW - Beam LED Moving Head 12-12W RGBW 4in1

MHL-12-12W-RGBW LED Wash offers great flexibility and fancy lighting effects. High efficient and long life LEDs ensure completely smooth color mixing and it emphasizes dynamic array of true colors and hues. This lightweight compact fixture is ideal for all small-to-medium applications, particularly those where space and accessibility is an issue.

- √ 12 pieces 12W RGBW (four in one) high brightness LED
- √ RGBW color technology
- √ Control channel: 18 DMX 512 channels
- √ Function: 12 pieces multi-angle lens, which can rotate clockwise or counter-clockwise. When rotating, it shows out fantastic effects: 24 pieces small beam or combine with a big beam, with the effect of point-shaped which can change to flower point or combine with a big flower-shaped
- √ User interface with Display LCD
- √ Pan scan: 540° (16 bit accurately scan)
- √ Tilt scan: 265° (16 bit accurately scan)
- √ Control signal: DMX512, master/slave, sound control, and auto

- √ Power requirements : AC 110-240V / 50~60Hz
- √ Power requirement: 150W
- √ Socket DMX IN : 3 pin XLR F
- √ Socket DMX OUT : 3 pin XLR M
- √ Product size: 26 x 17 x 38 cm
- √ Package size: 52 x 35 x 50.5 cm
- √ Net weight: 5.7 kg

CODE	MSRP EUR	MSRP GBP
L316L	€ 649,42	£ 584,48



MHL-MINI-BEAM - LED Mini Beam Mobile Head 1-10W RGBW 4in1

MHL-MINI_BEAM is small compact moving head with superior beam LED brightness. Its rotations and movements are very speedy and it is best installed in small size clubs and show apps where powerful beams are essentials to the scene, but portable equipment is the only choice. The 13CH Channels DMX allow to control all the built-in function. Master/slave, Auto and Sound Controlled modes are also available onboard.

- √ Powerful 10W LED QuadCromo
- √ Projection type : Beam
- √ Color System: RGBW
- √ Beam Angle: 6°
- √ Dimmer: 0-100% Adjusting Electronic Dimmer
- √ Strobe: 1-10t/s
- √ Control mode : DMX512 11/13CH, Master/slave,Auto,Sound
- √ Onboard Display LCD user interface
- √ Pan/Tilt : 540°/270°

- √ Max consumption rate : 50 watt
- √ Power requirements : AC 110-240V / 50~60Hz
- √ Socket DMX IN : 3 pin XLR F
- √ Socket DMX OUT : 3 pin XLR M
- √ Dimensions: : 20*19*25 cm
- √ Net weight : Kg 2

CODE	MSRP EUR	MSRP GBP
L210L	€ 194,83	£ 175,35





soundSation

Feel the Sound

show lighting

MHL-4H-BAR - 4x10W RGBW CREE LED 4 Head Beam Moving Head

Give the sense of motion even to small stages or DJ performances has never been easier. This bar offers 4 moving heads able to swivel by up to 540° horizontally and 270° vertically, with movements extremely fast and accurate. It can be mounted on a truss and on lighting supports with D35mm pole, thanks to the supplied adapter. Each head mounts a 10W RGBW 4in1 LED with beam angle from 8° made by the well-known manufacturer Cree, which ensures brilliant colors, high performance in terms of brightness and duration. Each head, also, can be controlled independently both in PAN/TILT movements and colors. Control modes are Sound, DMX Master/Slave, and Automatic.

- √ Light source: 4pcs x 10W RGBW 4in1, CREE LEDs
- √ Beam angle: 8°
- √ Dimmer: 0-100%
- √ Strobe: 0-20 times/sec., various strobe effects
- √ Built-in Master/Slave, Sound Control, and Show Mode
- √ LED display, easy to control
- √ Suitable for indoor venues like disco, club, bar, party and DJ moving show
- √ DMX Channel Modes: 6CH, 12CH, 14CH and 27CH
- √ 4 Operation Mode: Sound test, Show mode, DMX and Master/slave mode

- √ PAN/TILT: 540°/270°
- √ Auto repositioning after unexpected movements
- √ Voltage: AC100-240V, 50/60Hz
- √ Power Consumption: 100W
- √ Fuse: F7A, L250V
- √ Light size (WxHxD): 80 x 23 x 9 cm
- √ Net Weight: 8.5 kg



CODE	MSRP EUR	MSRP GBP
L748L	€ 459,66	£ 413,69

AXIS III - 3-Head Moving Light with 3 x 10W 4IN1 CREE LEDs

AXIS III is an intelligent fixture with 3 mini moving heads, each equipped with 1 high-brightness CREE 10W RGBW 4in1 LED. Thanks to the DMX modes at 6CH, 9CH, 11CH and 21CH it is possible to access different levels of control complexity, up to the complete independence of each movement and color for each of the three heads. It is also possible to use the AXIS III without a DMX control unit, thanks to the 16 automatic Show modes, Master / Slave and Sound.

- √ 3 pieces of 10W RGBW 4in1 CREE high brightness LEDs
- √ LED lifetime between 80,000 and 100,000 hours
- √ 4 operation mode: DMX control, Master/slave, Auto run, Sound
- √ DMX Mode: 6CH, 9CH, 11CH, and 21CH
- √ User Interface with LED display, easy to be controlled
- √ Luminance: Red - 3400 Lux @ 1m, Verde - 4900 Lux @ 1m, Blue - 8200 Lux @ 1m, White - 11000 Lux

- √ Light Source: 3 pieces of 10W RGBW 4in1 CREE high brightness LEDs
- √ LED lifetime: Between 80,000 and 100,000 hours
- √ Beam Angle: 8°
- √ Luminance (Lux @ 1m): Red 9000, Green 14000, Blue 20000, White 26000
- √ PAN: 540°, 16bit fine
- √ TILT: 270°, 16 bit fine
- √ Operation mode: DMX control, Master/slave, Auto run, Sound
- √ DMX Mode: 6CH, 9CH, 11CH, and 21CH
- √ Dimmer: Electronic Linear Dimming 0-100%
- √ Voltage: AC 100-240V / 50~60Hz
- √ Power consumption: 50W
- √ Fuse: F3A L250V (5x20mm)
- √ Fixture Size (LxHxD): 34 x 25 x 34 cm

CODE	MSRP EUR	MSRP GBP
E369E	€ 413,70	£ 372,33



SPOT MOVING HEADS

Twilight

series

TWILIGHT 150 SPOT - 150W LED SPOT Moving Head

This LED spot moving-head of TWILIGHT Series combines the benefits of LED technology (energy saving, low heat emission, increased reliability and durability over time) with the quality of digital control systems and the accuracy of its optics. The TWILIGHT 150 SPOT is, therefore, a tool suitable for professionals of entertainment, both in touring and fixed installations. The optical system is able to emit a beam of 50.000 Lux @ 1m with 15° angle. The focus is motorized; dimmer is linear with a 0-20Hz frequency for strobe effects. The TWILIGHT 150 SPOT offers a 8 + white color wheel with rainbow effect, a first gobo wheel with 7 rotating gobos (4 metal + 2 glass + 1 water ripple gobo) and a second wheel with 9 fixed gobos + open. Both gobo wheels have rainbow and shake effects. Finally, a 3-facet and a linear prisms (both with controllable rotation and direction) and frost, allow creating rich and varied light effects. The chassis is largely made up of aluminum and allows to reduce the final weight in just 9.2kg. The fixture is available both in single carton and in two-unit pr

- √ LED: Ultra-bright 150W LED
- √ Lux: 50.000 @ 1m
- √ Beam angle: 15°
- √ Motorized Focus
- √ 1 Color wheel and 2 Gobo wheels
- √ Prism: 1 circular, 1 linear + Frost and overlapping feature
- √ Stand-alone, DMX, Master/Slave modes
- √ 13CH / 16CH DMX modes
- √ Lightweight yet tough housing

- √ Light emitting source: 1pc Ultra-bright 150W LED
- √ Beam intensity: 50.000 Lux @ 1m
- √ Beam angle: 15°
- √ Focus: Variable motorized focus
- √ Color wheel: 8 colors + white, split colors, rainbow effect
- √ Rotating Gobo wheel: 2 glass gobos + 4 metal gobos + 1 Water Ripple Gobo + Open, gobo flow effect, gobo shake
- √ Static gobo wheel: 9 static gobos + open, gobo flow and shake effects
- √ Effect Wheel: 3-facet circular prism, 6 facet linear prism and frost, adjustable rotating speed and direction
- √ Dimmer/Strobe: Dimmer variable electronic dimmer (0-100%), 0-20Hz
- √ PAN/TILT: Pan: 540°, Tilt: 222°, with adjustable speed
- √ Working modes: Stand-alone mode, DMX mode, Master/Slave synchronization mode
- √ DMX Control: 13CH / 16CH modes
- √ Housing: High temperature resistant engineering plastic + aluminum alloy
- √ Voltage: 100-240V, 50-60Hz - Fuse T5A-250V, 5x20mm
- √ Power consumption: 230W
- √ Fixture Size (LxHxD): 328 x 352min/400max x 216 mm
- √ Fixture Weight: 9.2kg



CODE	MSRP EUR	MSRP GBP
E071E	€ 752,97	£ 677,67

TWILIGHT 150 SPOT CASE - Flight Case for 2 TWILIGHT 150 SPOT

Flight Case for 2 TWILIGHT 150 SPOT moving heads

- √ Wheel Diameter: 75 mm
- √ Case Size (WxHxD): 62x58x38 cm
- √ Net Weight (Only Case): 15.1 kg

CODE	MSRP EUR	MSRP GBP
E253E	€ 160,52	£ 144,47



Twilight

series

TWILIGHT 60 SPOT - 60W LED SPOT Moving Head

This LED spot moving-head of TWILIGHT Series combines the benefits of LED technology (energy saving, low heat emission, increased reliability and durability over time) with the quality of digital control systems and the accuracy of its optics. The TWILIGHT 60 SPOT is, therefore, a tool suitable for professionals of entertainment, both in touring and fixed installations. The optical system is able to emit a beam of 28.500 Lux @ 1m with 15° angle. The focus is motorized; dimmer is linear with a 0-20Hz frequency for strobe effects. The TWILIGHT 60 SPOT offers a 7 + white color wheel with split color and rainbow effect, a first gobo wheel with 6 rotating gobos (2 glass + 4 metal) + open/white, and a second wheel with 8 fixed gobos + open. Both gobo wheels have rainbow and shake effects. Finally, a 3-facet prism with controllable rotation and direction allow creating rich and varied light effects. The chassis is largely made up of aluminum and allows to reduce the final weight in just 6.8kg. The fixture is available both in single carton and in two-unit professional flight case.

- √ LED: Ultra-bright 60W LED
- √ Lux: 28.500 @ 1m
- √ Beam angle: 15°
- √ Motorized Focus
- √ 1 Color wheel and 2 Gobo wheels
- √ Prism: 1 circular
- √ Stand-alone, DMX, Master/Slave modes
- √ 11CH / 14CH / 16CH DMX modes
- √ Lightweight yet tough housing

- √ Light emitting source: 1pc Ultra-bright 60W LED
- √ Beam intensity: 28.500 Lux @ 1m
- √ Beam angle: 15°
- √ Focus: Variable motorized focus
- √ Color wheel: 7 colors + white, split colors, rainbow effect
- √ Rotating Gobo wheel: 2 glass gobos + 4 metal gobos + Open, gobo flow effect, gobo shake
- √ Static gobo wheel: 8 static gobos + open, gobo flow and shake effects
- √ Effect Wheel: 3-facet circular prism, adjustable rotating speed and direction
- √ Dimmer/Strobe: Dimmer variable electronic dimmer (0-100%), 0-20Hz
- √ PAN/TILT: Pan: 540°, Tilt: 270°, with adjustable speed
- √ Working modes: Stand-alone mode, DMX mode, Master/Slave synchronization mode
- √ DMX Control: 11CH / 13CH / 16CH modes
- √ Housing: High temperature resistant engineering plastic + aluminum alloy
- √ Voltage: 100-240V, 50-60Hz - Fuse T3A-250V, 5x20mm
- √ Power consumption: 115W
- √ Fixture Size (LxHxD): 250 x 309min/349max x 246 mm
- √ Fixture Weight: 6.8kg



CODE	MSRP EUR	MSRP GBP
E072E	€ 402,75	£ 362,48

TWILIGHT 60 SPOT CASE - Flight Case for 2 TWILIGHT 60 SPOT

Flight Case for 2 TWILIGHT 60 SPOT moving heads

- √ Wheel Diameter: 75 mm
- √ Case Size (WxHxD): 65x55x36 cm
- √ Net Weight (Only Case): 14.7 kg

CODE	MSRP EUR	MSRP GBP
E254E	€ 160,52	£ 144,47



WASH MOVING HEADS

MOOD 185 WASH - Wash Moving Head with 5x18W RGBWA+UV 6in1 LEDs

This moving head is compact, lightweight, and very easy to use. It is ideal for any rental job or installation. The unit can be controlled by any DMX controller or in standalone mode. Light source features 5 pieces high brightness 18W RGBWA+UV 6in1 LEDs. Beam angle is 45°.

- √ LED Source: 5 pieces of 18W RGBWA+UV 6in1 high brightness LEDs
- √ LED lifetime between 80,000 and 100,000 hours
- √ 4 operation mode: DMX control, Master/slave, Auto run, Sound
- √ DMX Mode: 11CH and 15CH

- √ Light Source: 5 pieces of 18W RGBWA+UV 6in1 high brightness LEDs
- √ LED lifetime: Between 80,000 and 100,000 hours
- √ Beam Angle: 45°
- √ PAN 540°, 16bit fine
- √ TILT 270°, 16 bit fine
- √ Operation mode: DMX control, Master/slave, Auto run, Sound
- √ DMX Mode: 11CH and 15CH
- √ Dimmer: Electronic Linear Dimming 0-100%
- √ Voltage: AC 100-240V / 50~60Hz
- √ Power consumption: 75W
- √ Fuse: F3A/250V (5x20mm)
- √ Fixture Size (LxHxD): 175 x 240 x 175 mm - Fixture Weight: 2.9 Kg+



CODE	MSRP EUR	MSRP GBP
E368E	€ 189,99	£ 170,99

MOOD 107 WASH - Wash Moving Head with 7pcs 10W RGBW 4in1 LEDs

This moving head is compact, lightweight, and very easy to use. It is ideal for any rental job or installation. The unit can be controlled by any DMX controller or in standalone mode. Light source features 7 pieces high brightness 10W RGBW 4in1 LEDs. Beam angle is 25°.

- √ LED Source: 7 pieces of 10W RGBW 4in1 high brightness
- √ LED lifetime between 80,000 and 100,000 hours
- √ 4 operation mode: DMX control, Master/slave, Auto run, Sound
- √ DMX Mode: 9CH and 13CH
- √ LED display user interface, easy to control

- √ Light Source: 7 pieces of 10W RGBW 4in1 high brightness LEDs
- √ LED lifetime: Between 80,000 and 100,000 hours
- √ Beam Angle: 25°
- √ PAN 540°, 16bit fine
- √ TILT 270°, 16 bit fine
- √ Operation mode: DMX control, Master/slave, Auto run, Sound
- √ DMX Mode: 9CH and 14CH
- √ Dimmer: Electronic Linear Dimming 0-100%
- √ Voltage: AC 100-240V / 50~60Hz
- √ Power consumption: 75W
- √ Fuse: T2A/250V (5x20mm)
- √ Fixture Size (LxHxD): 175 x 240 x 175 mm - Fixture Weight: 2.9 Kg+



CODE	MSRP EUR	MSRP GBP
E367E	€ 153,22	£ 137,90

THESIS 1912 ZOOM - 19 x 12W 4IN1 LED Moving Head With Zoom (Carton)

THESIS 1912 ZOOM LED moving head is part of a wider range of SOUNDSATION DMX intelligent LED Moving Head Lights. This lighting is compact, lightweight and very easy to use. It's been designed to meet more customers' demand, thanks to the ultra-smooth dimmer, the Zoom function (15°-60°), and the 3 light-emitting zones with DMX RGBW independent control. It can be used as both spot and wash light, in order to meet various lighting applications. Not only, but thanks to the 16-bit of precision on movement driving and dimming, it creates extremely fine strobe, dimmer and positioning effects. Finally, the multi-function LCD operation is developed to help the user setting the unit up, making this fixture easy to use, reliable in performance and versatile in applications. A MUST for all lighting professionals.

- √ 19 x 12W RGBW CREE LEDs with max 42400 Lux (full bright @ 1m - 15° beam)
- √ Super long-life LED with 100000 hours operation, low energy consumption, energy saving, and environmental protection LED
- √ Uniform RGBW color mixing system and rainbow effect with 3 concentric Zones (12pcs LED on external ring, 6pcs LED in the middle, 1pc LED in the centre)
- √ 0-100% Linear Dimmer with 65536 brightness levels, to achieve a truly 16-bit dimming and eliminate the eight-dimming low light jitter
- √ Smooth Zoom function from 15° to 60°
- √ Lens without attenuation
- √ 3 kinds of control modes: DMX, Master/Slave Auto, Sound Control
- √ 22/14 DMX Channel Modes
- √ 1~25t/s Strobe effects (with Electronic regulating or Random)
- √ Horizontal scanning: 540° (16-bit precision scanning)
- √ Vertical scanning: 265° (16-bit precision scanning)
- √ TFT LCD display with user-friendly interface

- √ Light Source: 19 pieces of 12W RGBW 4in1 high brightness CREE LEDs
- √ Luminance: Max 42400 Lux @ 1m (Full bright, 15° Beam Angle)
- √ LED lifetime: Around 100,000 hours
- √ Beam Angle: From 15° to 60° with DMX controlled zoom
- √ PAN: 540° (16bit precision scanning)
- √ TILT: 265° (16bit precision scanning)
- √ Operation mode: DMX control, Master/slave, Auto run, Sound
- √ DMX Mode: 14CH and 22CH
- √ Dimmer: 0-100% Linear Dimmer with 65536 brightness levels
- √ Strobe: 1~25t/s Strobe effects
- √ Noise: 48.1dB @ 7m; 48.2dB @ 6m; 49.2 dB @ 1m
- √ Voltage: AC 100-240V / 50~60Hz
- √ Power consumption: max 300W
- √ Fuse: F10A L250V (5x20 mm)
- √ Fixture Size (LxHxD): 300 x 410 x 200 mm - Fixture Weight: 7.4 kg



CODE	MSRP EUR	MSRP GBP
E388E	€ 796,75	£ 717,08

THESIS 1912 ZOOM SET - 4pcs THESIS 1912 ZOOM Set with Flight Case

√ Professional Flight Case with wheels (two wheels with brake)

√ Flight Case Size: 810 x 560 x 720 mm

CODE	MSRP EUR	MSRP GBP
E391E	€ 3407,63	£ 3066,87

LED MOVING BARS

MHL-7-12W-RGBW-BAR - LED Moving Head Beam Bar 7x12W RGBW 4in1

This moving head is designed for both live applications and fixed installations in clubs and other entertainment venues. The Osram LEDs guarantee maximum reliability, constant brightness over time and long life. Quality of motors and 16-bit control drivers make MHL-7-12W-RGBW-BAR very quiet and precise in movements.

- √ LED: 7 pieces 12W Osram RGBW four in one LED
- √ Light: 5600K with distance of 10 meters
- √ Individual LED control
- √ Lens: 8° lens
- √ Control: 11/35 DMX512 channel modes
- √ Control Modes: DMX512, Master/Slave, Sound control and Auto
- √ Strobe: strobe frequency up to 15 times/second
- √ PAN/TILT scan: 540°/360° (16 bit accurately scan)

- √ Voltage: AC100~240V, 50~60Hz
- √ Power Consumption: 130W
- √ IP20 degree of protection
- √ Product Size: 46 x 21 x 24 cm
- √ Package Size: 52.5 x 27 x 34 cm
- √ Net Weight: 6.5 kg

CODE	MSRP EUR	MSRP GBP
L520L	€ 587,57	£ 528,81



MHL-DH - LED Double Heads Beam Moving Head Light

MHL-DH is a moving head with into two independent beams, each of them with 3 light emissions. It features 6 pieces 12W Osram RGMW 4-in-1 LEDs (3 per side) with total output of 2500 lumens; 8900K @ 10m. Extremely fast and quiet movement, the MLH-DH is equipped with an electronic positioning system that guarantees high precision in movements as well as any adjustments. Both 540° PAN and 280° TILT have an accuracy of 16 bits for maximum precision. Strobe effect reaches a maximum of 15 times/second. It is provided with a 10/30 channels DMX control allowing, in addition to dimmer, strobe and 3 motors control, the adjustemt of the four basic colors of each LED. The result is a multi-beam powerful and extremely iridescent effect. It's a product suitable for both live entertainment and fixed installations applications.

- √ DMX 512 10/30 channels control with master/slave, sound control and auto mode
- √ 6 pieces 12W OSRAM RGBW 4in1 long-life LEDs
- √ Up to 15 times/second strobe effect
- √ PAN: 540° with 16 bit accurately scan
- √ TILT: 280° with 16 bit accurately scan and separated control of the left/right motors

- √ Light emission: 8900K @ 10m
- √ Flux: 2500 lumens
- √ Voltage: AC100-250V, 50-60Hz
- √ Power: 120W
- √ IP20 degree of protection
- √ Fixture dimensions: 420x205x295mm - 16.53x8.07x11.61in - Net weight: 7kh

CODE	MSRP EUR	MSRP GBP
L228L	€ 609,22	£ 548,30



Motorized arc LED-BEAM

Targeting the showlighting professionals panorama, SOUNDSATION introduces a new high emission motorized LED BEAM device. The system is based on 5 high power LED sources with Quadcromo technology (they are natively able to reproduce each of the 4 color RGBW). BEAM-ARC5 design concept is a 180° rotative system through a moving bar incorporating the LED sources. Syscontrol can be obtained directly by onboard console & LCD Display or remotely by DMX512 protocol with 12CH or 17CH selectable control mode. All modern standard functions can be controlled like dimmer, tilt, Strobe, Chase and others. Automode, Master/slave, DMX, Sound activation with adjustable sensibility are available.

BEAM-ARC5-32W - Motorized arc LED BEAM 5-32W RGBW 4in1

- √ Motorized BEAM system
- √ 5 extremely powerful 32W LED sources
- √ Quadcromo technology (RGBW)
- √ 12CH / 17CH switchable DMX control mode
- √ LCD Display
- √ Function modes : Auto, Master/Slave/DMX/Sound
- √ Adjustable Sound Mode sensitivity
- √ Tilt/rotation : 180°
- √ Strobe, Dimmer, Tilt, Chase functions
- √ 2 mounting brackets on bottom with 9mm holes

CODE	MSRP EUR	MSRP GBP
L212L	€ 514,82	£ 463,34

BEAM-ARC5-10W - Motorized arc LED BEAM 5-10W RGBW 4in1

- √ Motorized BEAM system
- √ 5 extremely powerful 10W LED sources
- √ Quadcromo technology (RGBW)
- √ 12CH / 17CH switchable DMX control mode
- √ LCD Display
- √ Function modes : Auto, Master/Slave/DMX/Sound
- √ Adjustable Sound Mode sensitivity
- √ Tilt/rotation : 180°
- √ Strobe, Dimmer, Tilt, Chase functions
- √ 2 hanging brackets on bottom with D9mm hole

CODE	MSRP EUR	MSRP GBP
L213L	€ 324,83	£ 292,35




BEAM-988-10W-6 - Moving Led Beam Bar with 6 RGBW 10W LEDs

New designed this LED Beam bar with powerful 10W Led lamps. It give audience fresh beam feelings, dramatically and vividly. Highly proposed in application of live mid event, disco bar, gallery and wall. It is frequently used on stage as backlight powerful scene light source.

- √ 6 powerful Quadcromo 10w LED RGBW (4in1)
- √ Color mixing: RGB
- √ DMX512 12/18 channel control mode
- √ Control mode: DMX, Master/Slave, Auto, manuale, sound activated
- √ Linear dimmer: 0-100%
- √ Strobe Flash: 1-13t/s
- √ Tilt: 180° (8 - 16 bit)
- √ Light beam angel: 2°
- √ IP rate: IP33
- √ Power requirements: AC 220-240V /50-60 Hz
- √ max consumption: 150 watt
- √ Dimensions: 96 x 10 x 16 cm - Weight: Kg 6.6

CODE	MSRP EUR	MSRP GBP
L215L	€ 383,05	£ 344,75



BATTERY POWERED PARS

PAR-18W-5-BW SET - Kit with 8 Battery-powered 5x18W RGBWA+UV 6in1 LED PAR, Wireless DMX, and Flight Case

PAR-18W-5-BW combines all the benefits of LED technology with the portability of battery power and convenience of wireless DMX control. It is equipped with 5 pieces of high brightness, long-life 18W RGBWA+UV 6in1 LEDs. In addition to the wired DMX512 control (through the XLR In / Out connectors) and the wireless DMX512 control, this fixture can also be controlled by a handy IR remote control. The PAR-18W-5-BW is thus the perfect answer to all those lighting needs where you do not always have MAINS and DMX connections at hand or simply do not have time to prepare them, ensuring an operation by up to 5-8 hours depending on the type of use. The kit is composed by 8 PARs, a 2.4GHz Wireless DMX Transmitter WDX-100, which manages 7 IDs for a maximum of 126CH, and a flight case with wheels and internal connections for charging, even if closed due to fan cooling.

- √ LED source (1 PAR): 5pcs 18W RGBWA+UV 6in1 LEDs
- √ Built-in Master-Slave, Sound, Jump, Fade and Auto modes
- √ Built-in various strobe functions
- √ LED display, easy to control user interface
- √ Suitable for disco, club, bar, party and DJ shows
- √ DMX Channel Modes: 2CH, 3CH1, 3CH2, 4CH, 5CH, 6CH and 9CH
- √ 2.4GHz DMX wireless control SOUNDSTATION WDX-100, total 7 IDs and 126 channels
- √ Rechargeable battery pack for up 7-8 hrs in Auto Mode or Single Color at 100% intensity; 5 hrs in full color at 100% intensity
- √ Battery charge level readout
- √ IR remote control (one for each PAR)
- √ 2 metal brackets for hanging up (two for each PAR)
- √ Lens Angle: 18°
- √ Light output (full bright): 7840Lux @ 1m; 1908Lux @ 2m; 319Lux @ 3m
- √ Flight cases for 8 PAR housing. Provided with mains connection for charging all 8 PARs, even with closed cover, thanks to the fan cooling circuit.

- √ Voltage: AC100-240V 50/60Hz
- √ Power consumption: 100W
- √ Built-in 22Vcc/4Ah rechargeable battery pack
- √ Light size: 256 x 233 x 151 mm (brackets not included)
- √ Net weight: 3.0kg
- √ Flight Case Size (WxHxD): 800 x 470 (wheels included) x 680 mm

CODE	MSRP EUR	MSRP GBP
L912L	€ 3240,37	£ 2916,33



PAR-18W-5-BW - Battery powered 5x18W RGBWA+UV 6in1 LED PAR with wireless DMX

PAR-18W-5-BW combines all the benefits of LED technology with the portability of battery power and convenience of wireless DMX control. It is equipped with 5 pieces of high brightness, long-life 18W RGBWA+UV 6in1 LEDs. In addition to the wired DMX512 control (through the XLR In / Out connectors) and the wireless DMX512 control, this fixture can also be controlled by a handy IR remote control. The PAR-18W-5-BW is thus the perfect answer to all those lighting needs where you do not always have MAINS and DMX connections at hand or simply do not have time to prepare them, ensuring an operation by up to 5-8 hours depending on the type of use.

- √ LED source: 5pcs 18W RGBWA+UV 6in1 LEDs
- √ Built-in Master-Slave, Sound, Jump, Fade and Auto modes
- √ Built-in various strobe functions
- √ LED display, easy to control user interface
- √ Suitable for disco, club, bar, party and DJ shows
- √ DMX Channel Modes: 2CH, 3CH1, 3CH2, 4CH, 5CH, 6CH and 9CH
- √ 2.4GHz DMX wireless control, total 7 IDs and 126 channels (you need SOUNDSTATION WDX-100 DMX wireless transmitter)
- √ Rechargeable battery pack for up 7-8 hrs in Auto Mode or Single Color at 100% intensity; 5 hrs in full color at 100% intensity
- √ Battery charge level readout
- √ IR remote control
- √ 2 metal brackets for hanging up
- √ Lens Angle: 18°
- √ Light output (full bright): 7840Lux @ 1m; 1908Lux @ 2m; 319Lux @ 3m

- √ Voltage: AC100-240V 50/60Hz
- √ Power consumption: 100W
- √ Built-in 22Vcc/4Ah rechargeable battery pack
- √ Light size: 256 x 233 x 151 mm (brackets not included) - Net weight: 3.0kg

CODE	MSRP EUR	MSRP GBP
L411L	€ 352,41	£ 317,17



PAR-18W-5-B - Battery powered 5x18W RGBWA+UV 6in1 LED PAR

PAR-18W-5-B combines all the benefits of LED technology with the portability of battery power. It is equipped with 5 pieces of high brightness, long-life 18W RGBWA+UV 6in1 LEDs. In addition to the wired DMX512 control, this fixture can also be controlled by a handy IR remote control. The PAR-18W-5-B is thus the perfect answer to all those lighting needs where you do not always have mains connections at hand or simply do not have time to prepare them, ensuring an operation by up to 5-8 hours depending on the type of use.

- √ LED source: 5pcs 18W RGBWA+UV 6in1 LEDs
- √ Built-in Master-Slave, Sound, Jump, Fade and Auto modes
- √ Built-in various strobe functions
- √ LED display, easy to control user interface
- √ Suitable for disco, club, bar, party and DJ shows
- √ DMX Channel Modes: 2CH, 3CH1, 3CH2, 4CH, 5CH, 6CH and 9CH
- √ Rechargeable battery pack for up 7-8 hrs in Auto Mode or Single Color at 100% intensity; 5 hrs in full color at 100% intensity
- √ Battery charge level readout
- √ IR remote control
- √ 2 metal brackets for hanging up
- √ Lens Angle: 18°
- √ Light output (full bright): 7840Lux @ 1m; 1908Lux @ 2m; 319Lux @ 3m

- √ Voltage: AC100-240V 50/60Hz
- √ Power consumption: 100W
- √ Built-in 22Vcc/4Ah rechargeable battery pack
- √ Light size: 256 x 233 x 151 mm (brackets not included) - Net weight: 3.0kg

CODE	MSRP EUR	MSRP GBP
L412L	€ 291,12	£ 262,01



BATTERY POWERED PARS

PAR-10W-5-BW - Battery powered 5x10W RGBW 4in1 LED PAR with wireless DMX

PAR-10W-5-BW combines all the benefits of LED technology with the portability of battery power and convenience of wireless DMX control. It is equipped with 5 pieces of high brightness, long-life 10W RGBW 4in1 LEDs. In addition to the wired DMX512 control (through the XLR In / Out connectors) and the wireless DMX512 control, this fixture can also be controlled by a handy IR remote control. The PAR-10W-5-BW is thus the perfect answer to all those lighting needs where you do not always have MAINS and DMX connections at hand or simply do not have time to prepare them, ensuring an operation by up to 5-8 hours depending on the type of use.

- √ LED source: 5pcs 18W RGBW 4in1 LEDs
- √ Built-in Master-Slave, Sound, Jump, Fade and Auto modes
- √ Built-in various strobe functions
- √ LED display, easy to control user interface
- √ Suitable for disco, club, bar, party and DJ shows
- √ DMX Channel Modes: 2CH, 3CH1, 3CH2, 4CH, 5CH, 6CH and 9CH
- √ 2.4GHz DMX wireless control, total 7 IDs and 126 channels (you need SOUNDSTATION WDX-100 DMX wireless transmitter)
- √ Rechargeable battery pack for up 7-8 hrs in Auto Mode or Single Color at 100% intensity; 5 hrs in full color at 100% intensity
- √ Battery charge level readout
- √ IR remote control
- √ 2 metal brackets for hanging up
- √ Lens Angle: 18°

- √ Voltage: AC100-240V 50/60Hz
- √ Power consumption: 100W
- √ Built-in 22Vcc/4Ah rechargeable battery pack
- √ Light size: 256 x 233 x 151 mm (brackets not included) - Net weight: 3.0kg

CODE	MSRP EUR	MSRP GBP
L413L	€ 306,44	£ 275,80



PAR-10W-5-B - Battery powered 5x10W RGBW 4in1 LED PAR

PAR-10W-5-B combines all the benefits of LED technology with the portability of battery power. It is equipped with 5 pieces of high brightness, long-life 10W RGBW 4in1 LEDs. In addition to the wired DMX512 control, this fixture can also be controlled by a handy IR remote control. The PAR-10W-5-B is thus the perfect answer to all those lighting needs where you do not always have mains connections at hand or simply do not have time to prepare them, ensuring an operation by up to 5-8 hours depending on the type of use.

- √ LED source: 5pcs 10W RGBW 4in1 LEDs
- √ Built-in Master-Slave, Sound, Jump, Fade and Auto modes
- √ Built-in various strobe functions
- √ LED display, easy to control user interface
- √ Suitable for disco, club, bar, party and DJ shows
- √ DMX Channel Modes: 2CH, 3CH1, 3CH2, 4CH, 5CH, 6CH and 9CH
- √ Rechargeable battery pack for up 7-8 hrs in Auto Mode or Single Color at 100% intensity; 5 hrs in full color at 100% intensity
- √ Battery charge level readout
- √ IR remote control
- √ 2 metal brackets for hanging up
- √ Lens Angle: 18°

- √ Voltage: AC100-240V 50/60Hz
- √ Power consumption: 100W
- √ Built-in 22Vcc/4Ah rechargeable battery pack
- √ Light size: 256 x 233 x 151 mm (brackets not included) - Net weight: 3.0kg

CODE	MSRP EUR	MSRP GBP
L414L	€ 245,15	£ 220,64



BATTERY POWERED PARS ACCESSORIES

WDX-100 - 2.4GHz DMX512 wireless transmitter for Soundsation 5x18W and 5x10W Battery Powered Pars

WDX-100 is a 2.4GHz wireless DMX512 interface for Soundsation PAR-18-4-BW and PAR-10-5-BW and allows them to be controlled without the use of DMX cables. The system operates on 2,400-2,525 GHz licence-free band and can be used on maximum 7 transmitter-receiver pairs, for a total of 126 DMX channels. Setting it up is easy and immediate. The device requires an external power supply (included).

- √ Up to 7 transmitter-receiver pairs simultaneously
- √ Up to 126 DMX512 channels
- √ Controls: 1 setup button to change ID value; 1 LED to show 7 different colors according to the chosen ID; 1 power connector.
- √ Power requirement: 5Vcc, 1A (adapter included)
- √ Dimension (without antenna): 137mm x D18mm
- √ Dimension (with antenna): 215 x D18mm
- √ Net weight: 0.08 kg

CODE	MSRP EUR	MSRP GBP
L416L	€ 107,25	£ 96,53



FC-8-PAR-BAT - Flight Case for 8 5x18W / 5x10W Battery powered PARs

FC-8-PAR-BAT allows not only to preserve and transport of up to 8 Soundsation 5x18W / 5x10W battery powered pars, but also to charge them through the internal power connections.

CODE	MSRP EUR	MSRP GBP
L417L	€ 292,21	£ 262,99



LED PAR PROJECTORS

PAR-10W-7-R - 7x10W RGBW+AV 6in1 PAR Light with Remote Control

PAR-10W-7-R is equipped with 7 pcs ultra-brightness 10 W LED (6in1) so that it meets most of live or fixed installation application. Compact housing design help the heat radiation so it works more stably in despite of how rigorous condition it is. What's more, it is driven by the latest dimmer technology so it brings you more smooth and excellent color mixture. Finally, the IR remote control function make it very easy use. Even without a DMX controller.

- √ 2300 lux @ 2 meter
- √ Advanced dimmer system
- √ IR remote control
- √ Lightweight; only 1.1kg

- √ Mains Voltage: 110V ~ 240V, 50-60HZ
- √ Power Consumption: 80W
- √ LED: 7x 10W High-brightness 6in1 (RGBWA+UV) LEDs
- √ Full Color Lux: 2300 lux @ 2m; 990 lux @ 1m
- √ Control mode: DMX512 9CH, Master/Slave, Manual, Sound Active, Auto
- √ Housing Material: ABS
- √ Optical System: 25° angle lens
- √ IP Rate: IP20
- √ Working Temperature: -20 °C to 50 °C
- √ Dimension (WxHxD): 19 x 14 x 16 cm - Net Weight: 1.1 kg
- √ Accessory: Remote Control



CODE	MSRP EUR	MSRP GBP
L650L	€ 95,00	£ 85,50

PAR-181R - 18x1W (6R, 6G, 6B) LED PAR Light with remote control

PAR-181R combines LED technology benefits with DMX and IR remote control in a lightweight housing. It is equipped with 18pcs ultra-brightness 1W LED (6 Red, 6 Green, 6 Blue) and it meets many live or fixed installation applications. The compact housing design helps heat radiation so it works more stably in despite of how rigorous condition it is. What's more, it is driven by the latest dimmer technology so it brings you more smooth and excellent color mixture. Finally, the IR remote control function make it very easy use. Even without a DMX controller.

- √ Light source: 18x1W (R6, G6, B6)
- √ Color temperature: 6000-6500K
- √ LED lamps Life Time: 60000 hours
- √ Beam angle: 25°
- √ Control panel: 4 Digital LED display digits
- √ Control mode: Sound activation, Auto, Master/Slave, DMX512, IR remote
- √ DMX Control: 7CH
- √ IR remote: up to 10 meters

- √ Voltage: AC100-240V, 50Hz/60Hz
- √ Power consumption: 25W
- √ Working environment: Indoor, -20°C to 40°C
- √ Protection rate: IP20
- √ Dimension size (WxHxD): 177 x 180 x 150 mm (brackets installed)
- √ Net Weight: 0.8 kg



CODE	MSRP EUR	MSRP GBP
L991L	€ 39,90	£ 35,91

SESTETTO

"Sestetto" slim PAR series offers to light designers and professionals a complete lineup of slim wash PARs with 10W LEDs, featuring up-to-date RGBWAV 6in1 technology and high quality lenses with 25 ° beam. The series consists of 3 models with 18, 12 and 7 LEDs, respectively, to fit different size environments. All models, however, offer the same color palette by perfect mixing the 6 basic colors: red, green, blue, cold white, amber and UV. Illuminance at 2 meters is 2280 Lux (Sestetto 1007 Slim), 2950 Lux (Sestetto 1012 Slim) and 4500 Lux (Sestetto 1018 Slim). They can work in DMX, Master / Slave, Sound, Auto and Manual modes; DMX control features 11 channels. Cooling fan speed varies according to internal temperature and minimizes overall noise. The rugged, lightweight, and plastic slim chassis (only 11 cm), and the double mount bracket greatly increase the value for money of this series and make it suitable for use even in tight places.

- √ Beam Angle: 25°
- √ Slim Housing Design (11cm)
- √ Control Modes: DMX, Master/Slave, Sound, Auto and Manual
- √ DMX Control: 11 or 7 channels

- √ Intelligent Fan Speed Control
- √ Mains: AC110V-240V - 50/60Hz
- √ Protection Degree: IP20
- √ Fixture Size: 310 x 260 x 220 mm - Fixture Weight: 2.8 kg



SESTETTO 1018 SLIM
18x10W RGBWAV 6IN1 Slim LED Projector

- √ 18 pieces of 10W RGBWAV 6in1 LED
- √ Illuminance @ 2 meters: 4500LUX (all colors)
- √ Power Consumption: 200W

CODE	MSRP EUR	MSRP GBP
L989L	€ 223,70	£ 201,33



SESTETTO 1007 SLIM
7x10W RGBWAV 6IN1 Slim LED Projector

- √ 7 pieces of 10W RGBWAV 6in1 LED
- √ Illuminance @ 2 meters: 2280LUX (all colors)
- √ Power Consumption: 100W

CODE	MSRP EUR	MSRP GBP
L990L	€ 183,86	£ 165,47



SESTETTO 1012 SLIM
12x10W RGBWAV 6IN1 Slim LED Projector

- √ 12 pieces of 10W RGBWAV 6in1 LED
- √ Illuminance @ 2 meters: 2950LUX (all colors)
- √ Power Consumption: 150W

CODE	MSRP EUR	MSRP GBP
L218L	€ 199,19	£ 179,27

SESTETTO 1012 SLIM SILENT - Indoor Slim PAR with 12 x 10W 6in1 LED no Fan

SOUNDSTATION SESTETTO 1012 SLIM SILENT meets the needs of those professionals who need a powerful PAR for indoor applications, with 6IN1 LED technology, and suitable for quiet environments (such as theaters, conference rooms, or venues where noise has to be avoided as much as possible). The aluminum housing, able to dissipate the most of the heat produced by LED chips and circuitry, allows convection cooling and makes unnecessary the use of fans that, as silent they might be, however, can cause trouble in particular environments. The light source consists of 12 x 10W LEDs, selected for maximum durability and color emission. In total, they are capable of emitting 5800Lux at 2 meters (with all 6 colors at full). The 6IN1 technology enriches the color palette by adding, in addition to the classic R/G/B/W, amber, and ultra-violet, allowing you to create shades even more special. Finally, a special note deserves the attention to reliability and durability. The SESTETTO 1012 SLIM SILENT, in fact, adopts a new technology that adjusts the dimmer curve to the internal temperature. This, in addition to increase security, considerably lengthens LED chip lifespan.

- √ High level aluminum housing design
- √ No fan indoor par light, which can provide you a perfect quiet environment
- √ High brightness (5800Lux @ 2m, full color)
- √ 6IN1 Led, which give more color tints with UV and Amber components
- √ Half power under high temperature with Dimmer Curve adjusting

- √ Light source: 12pcs x 10W LED
- √ Color: RGBWA+UV (6IN1)
- √ Brightness: 5800Lux @ 2m (full color)
- √ Beam Angle: 15°
- √ Dimmer: 0 ~ 100%, linear
- √ Strobe: 0 ~ 20t/s
- √ DMX512: 13/8 channel modes, switchable
- √ Master/slave Modes: Yes
- √ Manual control: Yes
- √ Sound Active Mode: Yes
- √ Auto Mode: Yes
- √ Voltage: 110V ~ 240V, 50/60Hz
- √ Power consumption: 150W
- √ Operating temperature: -10°C ~ 45°C
- √ Fixture Size (WxHxD): 28 x 22.7 x 22 cm (excluding brackets)
- √ Fixture Weight: 3.6 kg



CODE	MSRP EUR	MSRP GBP
L774L	€ 275,80	£ 248,22

OUTDOOR LED PARS

PAR-5-18W-IP65 - 5x18W RGBWA+UV 6in1 Waterproof Flat Par Can

Especially designed for outdoor use thanks to the IP65 protection degree, this fixture really flat (only 13 cm). Despite its size, it has a maximum light emission capacity of 7000 Lux and, thanks to the 6in1 LED technology is able to offer a wide color palette. The PAR-5-18W-IP65 can be used for external architectural applications and in contexts with high presence of moisture. DMX control is from 2CH to 9CH. The control modes are Master-Slave, Sound, Jump, Fade and Auto.

- √ Light source: 5pcs 18W RGBWA+UV 6in1 LEDs
- √ IP Rate: IP65
- √ Lens Angle: 18°
- √ Up to 7000 Lux
- √ Built-in Master-Slave, Sound Control, Jump Mode, Fade Mode and Auto mode
- √ Built-in Various Strobe Functions
- √ Static LED dimmer and color selectable internally and through DMX512
- √ LED display, easy to control
- √ Suitable for outdoor venues like disco, club, bar, party and DJ moving show
- √ DMX Channel Modes: 2CH, 3CH1, 3CH2, 4CH, 5CH, 6CH, 9CH



- √ Voltage: AC100-240V 50/60Hz
- √ Power Consumption: 100W
- √ Product Size (WxHxD): 19 x 19 x 13 cm
- √ Net Weight: 3 kg

CODE	MSRP EUR	MSRP GBP
L752L	€ 205,32	£ 184,79

PAR-9-18W-IP65 - 5x18W RGBWA+UV 6in1 Waterproof Flat Par

Especially designed for outdoor use thanks to the IP65 protection degree, this fixture really flat (only 22 cm). It has a maximum light emission capacity of 8300 Lux and, thanks to the 6in1 LED technology is able to offer a wide color palette. The PAR-5-18W-IP65 can be used for external architectural applications and in contexts with high presence of moisture. DMX control is from 2CH to 9CH. The control modes are Master-Slave, Sound, Jump, Fade and Auto.

- √ Light source: 9pcs 18W RGBWA+UV 6in1 LEDs
- √ IP Rate: IP65
- √ Lens Angle: 25°
- √ Up to 8300 Lux
- √ Built-in Master-Slave, Sound Control, Jump Mode, Fade Mode and Auto mode
- √ Built-in Various Strobe Functions
- √ Static LED dimmer and color selectable internally and through DMX512
- √ LED display, easy to control
- √ Suitable for outdoor venues like disco, club, bar, party and DJ moving show
- √ DMX Channel Modes: 2CH, 3CH1, 3CH2, 4CH, 5CH, 6CH, 9CH



- √ Voltage: AC100-240V 50/60Hz
- √ Power Consumption: 180W
- √ Product Size (WxHxD): 27 x 23,5 x 22 cm
- √ Net Weight: 3.5 kg

CODE	MSRP EUR	MSRP GBP
L753L	€ 257,41	£ 231,67

Cavi IP65

WEC-17DMX-03

3m Waterproof DMX Extension Cable D17mm



√ IP Rate: IP65
√ Cable Type: DMX
√ Length: 3m

CODE	MSRP EUR	MSRP GBP
L757L	€ 11,64	£ 10,48

WEC-24DMX-03

3m Waterproof DMX Extension Cable D24mm



√ IP Rate: IP65
√ Cable Type: DMX
√ Length: 3m

CODE	MSRP EUR	MSRP GBP
L758L	€ 11,64	£ 10,48

WEC-21POWER-03

3m Waterproof Mains Extension Cable D21mm



√ IP Rate: IP65
√ Cable Type: Mains Cable
√ Length: 3m

CODE	MSRP EUR	MSRP GBP
L759L	€ 11,64	£ 10,48

WEC-30POWER-03

3m Waterproof Mains Extension Cable D30mm



√ IP Rate: IP65
√ Cable Type: Mains Cable
√ Length: 3m

CODE	MSRP EUR	MSRP GBP
L760L	€ 11,64	£ 10,48

CAB-IP65-POW

1.5m Waterproof Power Cable



√ 1.5m Power Cable, 3x2.5mmq conductors, Schuko plug, IP65 Female Connector with 29mm Diameter - Length: 1.5m

CODE	MSRP EUR	MSRP GBP
L904L	€ 13,13	£ 11,82

CAB-IP65-DMX

1.5m Waterproof DMX Cable



√ 1.5m Waterproof DMX Cable with 3-Poles XLR Plug and D23.5mm 3-Poles IP65 Female Connector - Length: 1.5m

CODE	MSRP EUR	MSRP GBP
L905L	€ 9,28	£ 8,35

LED PAR PROJECTORS

SCENIC 100W WW-CW - 1x100W COB Warm White + Cool White LED Studio Projector with barn door

SOUNDSTATION SCENIC 100W COB WW-CW combines lightness and compactness with cutting-edge LED technology. The light source is provided by a 100W LED with COB (Chip On Board) technology, which in addition to increasing heat resistance and cooling area of the chip itself, improves brightness and the emission efficiency. The LED chip is composed of two zones with different color temperatures (50W warm white; 50W cool white). The two colors are managed separately, so it is possible to mix them at your leisure and get all possible shades of white. The fixture comes with Fresnel lens and adjustable barn doors for up to 60° angle. Finally, it is important to underline the care for reliability and durability of SCENIC 100W COB WW-CW. In fact, it is entirely operated by a digital processor that controls dimming curve and fan speed according to the internal temperature. This increases security, reliability and considerably lengthens LED chip lifespan.

- √ High brightness / long lifespan LED (2260lux @2meter, full color)
- √ Warm and Cold white mixing (2 independent LED chips)
- √ Fresnel Lens and adjustable barn-doors for up to 60° angle
- √ Fan speed controlled by temperature
- √ Advanced dimmer system
- √ Extremely lightweight (only 1.5kg)
- √ Light source: 100W COB LED
- √ Color: 50W WW + 50W PW
- √ Optical System: 60° Lens with adjustable barn-doors
- √ Lux@ 1m: 10500 (full color); 5700 (cool white); 5000 (warm white)
- √ Lux@ 1m: 7570 (full color); 3900 (cool white); 3680 (warm white)
- √ Lux@ 2m: 2680 (full color); 1400 (cool white); 1300 (warm white)
- √ Lux@ 2m: 2260 (full color); 1210 (cool white); 1100 (warm white)
- √ Control mode: DMX512 5CH/2CH
- √ Master/slave modes: Yes
- √ Manual Control: Yes
- √ Fan: Threshold 58~60°C (it stops when LED board temperature reduce to 40°C)
- √ Fan Noise: 0dB (under 58°C); 44.0 dBA @ 0.5m (above 58°C); 46.1 dBA close to fixture.
- √ IP Rate: IP20
- √ Working Temperature: -20°C ~ 40°C
- √ Housing: ABS
- √ Voltage: 110V ~ 240V, 50-60Hz
- √ Power Consumption: 100W
- √ Fixture Size (LxHxD): 150 x 195 x 220 mm - Fixture Weight: 1.5 kg



CODE	MSRP EUR	MSRP GBP
L776L	€ 183,86	£ 165,47

SCENIC 200W COB WW - 1x200W COB Warm White LED Studio Projector with barn door

SCENIC 200W COB WW brings the benefits of LED technology, such as lower power consumption, color temperature purity and light source durability, to photo and television studios, theaters and all those venues where a large amount of warm white lighting is required. Its light source consists of a single 200W COB (Chip On Board) LED chip with color temperature ranging from 3206 to 3284K, high CRI (Color Rendering Index - that is, the ability to show objects illuminated as "realistic" or "natural"), and flicker-free feature (essential for use in front of cameras). Chip life is about 50,000 hours and beam angle is 60°. The 0-100% electronic dimmer provides a shutter speed ranging from 0 and 20t/s. The intelligent fan speed control according to internal temperature makes it suitable for quiet environments. In short, the SCENIC 200W COB WW is a professional lighting tool that cannot be missed in the technical equipment of any rental company or light designer.

- | | |
|---|---|
| √ 200W COB LED Light Source | √ Flicker Free |
| √ Color Temperature between 3206K and 3284K | √ Control Modes: DMX512, Master/Slave, Auto |
| √ 60° Beam Angle | √ DMX Control: 3CH |
| √ High Energy Saving | √ Temperature and Intelligent fan control |

- | | |
|---------------------------|--------------------------------------|
| √ Voltage: 100V ~240V | √ Level of Protection: IP20 |
| √ Power consumption: 220W | √ Running Environment & Temperature: |
| √ Life Span: 50000 Hours | Indoor, -10°C ~ 40°C |
| √ Shutter: 0~20/s | √ Fixture Size: 250 x 160 x 435 mm |
| √ Dimmer: 0-100% | √ Fixture Weight: 4.05 kg |
| √ Beam angle: 60° | |

CODE	MSRP EUR	MSRP GBP
L988L	€ 505,63	£ 455,07



LIGHTBLASTER 102 COB - 2x100W Warm White + Cold White COB LED Blinder

Lightblaster LED blinders series combines the benefits of LED technology (energy saving, reliability and durability over time) with lighting requirements in the photographic, television and stage industry. The design is very essential and functional; the chassis is completely metal to facilitate the cooling of light sources. Programming and setting are extremely simple, and DMX512 allows these blinders to be remote controlled. All PARs are equipped with color temperature regulation system, which allows you to mix cold and warm white (3200 - 6500K) depending on your needs. The advanced cooling system reduces fan noise according to the internal temperature and allows them to be used even in situations where low noise is required. The advanced dimmer system provides various adjustment curves to fit the device to different requirements. Finally, the absence of flicker and dithering allows the use in television studios. The fixtures come with 100W COB LEDs (50W CW + 50W WW) with high brightness and durability.

- √ 2x100W COB LED (50W Cold White + 50W Warm White)
- √ Color Temperature: 3200-6500K with mixing regulation
- √ Light Intensity: 11600 Lux @1m
- √ Advanced Dimmer System with different Variation Curves
- √ Long life span (50000 - 100000 hours)
- √ Lens Angle: 60°
- √ No flicker, No dithering, No Jitter
- √ Advanced cooling system for fan noise reduction

- √ Voltage: 110V ~ 240V, 50-60HZ
- √ Power Consumption: 250W max
- √ LED: 100W x 2PCS COB
- √ Operative Modes: DMX, Master/Slave, Manual, Sound, Auto
- √ DMX512 Modes: 8CH, 4CH, 2CH, 1CH
- √ Light Body Material: Aluminum
- √ Lens Angle: 60°
- √ Strobe: 1-10t/s
- √ Dimmer Frequency: 1000Hz
- √ Fixture Size: 37x18x19cm
- √ Fixture Weight: 4.5kg



CODE	MSRP EUR	MSRP GBP
E259E	€ 251,28	£ 226,15

LIGHTBLASTER 104 COB - 4x100W Warm White + Cold White COB LED Blinder

Lightblaster LED blinders series combines the benefits of LED technology (energy saving, reliability and durability over time) with lighting requirements in the photographic, television and stage industry. The design is very essential and functional; the chassis is completely metal to facilitate the cooling of light sources. Programming and setting are extremely simple, and DMX512 allows these blinders to be remote controlled. All PARs are equipped with color temperature regulation system, which allows you to mix cold and warm white (3200 - 6500K) depending on your needs. The advanced cooling system reduces fan noise according to the internal temperature and allows them to be used even in situations where low noise is required. The advanced dimmer system provides various adjustment curves to fit the device to different requirements. Finally, the absence of flicker and dithering allows the use in television studios. The fixtures come with 100W COB LEDs (50W CW + 50W WW) with high brightness and durability.

- √ 4x100W COB LED (50W Cold White + 50W Warm White)
- √ Color Temperature: 3200-6500K with mixing regulation
- √ Light Intensity: 16900 Lux @1m
- √ Advanced Dimmer System with different Variation Curves
- √ Long life span (50000 - 100000 hours)
- √ Lens Angle: 60°
- √ No flicker, No dithering, No Jitter
- √ Advanced cooling system for fan noise reduction

- √ Voltage: 110V ~ 240V, 50-60HZ
- √ Power Consumption: 250W max
- √ LED: 100W x 4PCS COB
- √ Operative Modes: DMX, Master/Slave, Manual, Sound, Auto
- √ DMX512 Modes: 8CH, 4CH, 2CH, 1CH
- √ Light Body Material: Aluminum
- √ Lens Angle: 60°
- √ Strobe: 1-10t/s
- √ Dimmer Frequency: 1000Hz
- √ Fixture Size: 37x35x19cm
- √ Fixture Weight: 8.25kg



CODE	MSRP EUR	MSRP GBP
E260E	€ 398,37	£ 358,53

LED STROBE LIGHTS

LIGHTBLASTER 616 LED - LED Strobe Light with 616pcs of 0.5W Pure White (6500K) LEDs

LIGHTBLASTER 616 LED is a high brightness Strobe light that combines reliability, lifespan, and brilliance of the Pure White LED chips (6500K) with the very low power consumption compared to traditional Xenon lamps. The beam angle is 120° but, thanks to the supplied barn-door (removable), it is possible to reduce it to 0°. Its light source consists of 616 high-brightness long-lifetime 0.5W LEDs. Color Temperature is Pure White (6500K). The electronic dimming control offers 5 different curves, to adapt this fixture to any type of use. The internal temperature is controlled by sensors that, in case of overheating, lower power to 50% and adjust cooling fan speed. The result is a powerful yet extremely silent strobo-light. Not only, but the robust ABS housing makes it lightweight, durable and with an excellent value for money.

- √ Light source: 616 pieces of 0.5W Pure White (6500K) high brightness LEDs
- √ Beam Angle: 120°, with adjustable Barn-door
- √ 5 Dimmer Curves: 1 Linear + 4 with different Attack/Release times
- √ Intelligent Temperature Control (When temperature goes up to 80°C, power consumption reduces to 50%; when temperature goes down to 65°C, the unit recovers 100% power consumption)
- √ Intelligent Fan speed Control (Fan speed automatically adjusts according to machine temperature)
- √ Maximum Noise: 43dB @1m distance
- √ Built-in Programs: strobe, auto, sound active, and preset colors
- √ DMX Modes: 2CH / 5CH and 9CH

- √ Light source: 616 pieces of 0.5W Pure White (6500K) high brightness LEDs
- √ Beam Angle: 120°
- √ Detachable Barn-door system
- √ Strobe: 0~30Hz
- √ Dimmer: Electronic Linear 0-100% with 5 curves (1 standard + 4 with different Attack/Release Times)
- √ Control Mode: DMX512 / Manual / Master-Slave / Sound
- √ DMX Modes: 11CH / 6CH (selectable)
- √ Built in programs: 5 Strobe + 6 Auto + 2 Voice Control
- √ Cooling Systems: Fan with temperature detection and over-heating protection
- √ Maximum Noise: 43dB (@1m)
- √ IP Rate: IP20
- √ Voltage: AC110V/240V - 50/60Hz
- √ Max Power Consumption: 350W
- √ Housing Material: ABS
- √ Fixture Size: 430 x 220 x 84 mm
- √ Fixture Net weight: 4.5kg (6.2kg with barn-door)



CODE	MSRP EUR	MSRP GBP
E497E	€ 260,48	£ 234,43

LED-STR864 - LED Strobe Light (864*0.5W Cold White)

- √ Light source: 864 pieces 0.5W (S5730) white high brightness LED
- √ Luminance: more than 4000 lux @ 2m
- √ Control mode: DMX512, master/slave, auto
- √ Control Channel: 3 DMX 512 channels (CH1: All Dimmer, CH 2: Strobe, CH 3: Dimmer)



- √ Voltage: AC100~240V, 50~60Hz
- √ Power consumption: 450W
- √ Product size: 43.5*24*6.5 cm - Net Weight: 5 kg

CODE	MSRP EUR	MSRP GBP
L824L	€ 293,79	£ 264,41

LED-STR432 - LED Strobe Light (432*0.5W Cold White)

- √ Light source: 432 pcs 0.5W (S5730) white high brightness LED
- √ Luminance: more than 2000 lux @ 2m
- √ Control mode: DMX512, master/slave, auto
- √ Control Channel: 3 DMX 512 channels (CH1: All Dimmer, CH 2: Strobe, CH 3: Dimmer)



- √ Voltage: AC100~240V, 50~60Hz
- √ Power consumption: 250W
- √ Product size: 43.5*12.5*6.5 cm - Net Weight: 3 kg

CODE	MSRP EUR	MSRP GBP
L825L	€ 185,55	£ 167,00

LAMP STROBE LIGHTS

LIGHTBLASTER 3000 DMX - 3000W DMX Strobe Projector

LST-3000 is an extremely powerful and professional strobe light. It is equipped with a 3000W Xenon long lasting lamp and can be controlled by DMX512 protocol. The unit has a smart overheating electronic protection.

- √ 3000 W long-lasting Xenon lamp
- √ Color temperature: 5600K
- √ Lux: 5200 @ 2m (blinder mode)
- √ Continuous blinder effects with auto fade
- √ Smart integrated heat control
- √ Fan cooling
- √ 4 channels DMX, flash intensity, flash duration, flash rate and pre-programmed effects
- √ Control modes: DMX, manual, master/slave
- √ Dimmer: 0-100%



- √ Power requirements: 220V, 50Hz
- √ Power Consumption: 3000W
- √ Typical Current Consumption: 8A in normal Mode; 15A in High Power Mode
- √ Peak Current Consumption: 33A
- √ Minimum Wire Size: 2.5 mm² trailing cable
- √ Fuse: 20AT- 220V/50Hz
- √ Strobe Lamp: Standard Xenon (200-250V Power supply)
- √ Size (without bracket): 245 x 425 x 240 mm
- √ Net Weight : 7.5 kg (16.5 lb)

CODE	MSRP EUR	MSRP GBP
E394E	€ 270,59	£ 243,53

LIGHTBLASTER 1500 DMX - 1500W DMX Strobe Projector

LIGHTBLASTER 1500 DMX is an extremely powerful and professional strobe light. It is equipped with a 3000W Xenon long-lasting lamp, and can be controlled by DMX512. The unit has an intelligent overheating electronic protection.

- √ 1500 W long-lasting XOP15 Xenon lamp
- √ Color temperature: 5600K
- √ Smart integrated heat control
- √ Control modes: DMX, manual
- √ 2 channels DMX, flash speed and dimmer
- √ Dimmer: 0-100%
- √ Flash speed: 1-15t/s



- √ Power requirements: AC 220V, 50 Hz
- √ Fuse: T15A -250V
- √ Dimensions: 51 x 19 x 26 cm
- √ Net Weight: 3.2 Kg

CODE	MSRP EUR	MSRP GBP
E393E	€ 75,08	£ 67,57

LIGHTBLASTER 3000 LAMP - Replacement lamp for Soundsation strobo projector SOUNDSATION LST-3000

Longlasting usage, power 3000 watt

CODE	MSRP EUR	MSRP GBP
L235L	€ 30,45	£ 27,41



LIGHTBLASTER 1500 LAMP - Replacement lamp for Soundsation strobo projector SOUNDSATION LST-1500

Longlasting usage, power 1500 watt

CODE	MSRP EUR	MSRP GBP
L234L	€ 10,75	£ 9,68



MATRICES & BLINDERS

MTR-25-10W-SET - Set of 4x slim 25x10W RGBW blinders with Flight case

Soundsation MTR-25-10W-4IN1 RGBW combines 4IN1 LED technology and modular mechanical design to provide a powerful matrix system and create graphic Pixel-Art effects, to be used as blinders and much more. The set consists of 4 units and a flight case with wheels. The enclosure of each module is equipped with robust and reliable fastening system that allows you to create real LED-walls. The Master/Slave DMX control system allows a maximum of 1, 4 or 16 modules controllable without any software. You just need a DMX controller with an adequate number of channels (see the manual for details). But if you add a PC/DMX interface (not supplied), the potential become enormous, and the limit is established only by the characteristics of the interface and the software used (not supplied). About software, the SOUNDSATION MTR-25-10W-RGBW is compatible with all major packages on the market, such as Emulation Pro Control Software ® by Elation, DMX Eclipse ™ Software by Blizzard Lighting, Sunlite Suite 2 ™ by Nicolaudie, Madrix 3 by Madrix®, and many others.

- √ Light source: 25 x 10W RGBW 4in1 High Brightness LED
- √ Pixel by pixel control, delivering versatile effects
- √ Coupling system cabinet to create structures with more units
- √ Flight case to transport 4 units and store accessories
- √ Control modes: Sound Active, LED Auto Run, DMX Master/slave, ArtNet
- √ DMX Channel Modes: 1CH, 4CH, 5CH, 25CH, 75CH and 100CH
- √ Controllable by external controllers or computers (this requires third party equipment)
- √ Smooth 0-100% dimmer
- √ Versatile Strobe Effects
- √ Flicker Free
- √ LED display interface, easy to control
- √ LED self test: R, G, B, W, RGBW

- √ Voltage: AC100-240V 50/60HZ
- √ Power Consumption: 300W (1 Unit)
- √ Data In/Out: 3-Pin XLR and RJ45
- √ Fuse: F5A, 250V
- √ Unit Size: 58 x 58 x 12cm
- √ Unit Weight: 13kg



CODE	MSRP EUR	MSRP GBP
L763L	€ 3095,06	£ 2785,55

MTR-16-30W-SET - Set of 4x slim 16x30W RGB COB blinders with Flight case

Soundsation MTR-16-30W-COB combines 3IN1 COB LED technology and modular mechanical design to provide a powerful matrix system and create graphic Pixel-Art effects, to be used as blinders and much more. The set consists of 4 units and a flight case with wheels. The enclosure of each module is equipped with robust and reliable fastening system that allows you to create real LED-walls. The Master/Slave DMX control system allows a maximum of 1, 4 or 16 modules controllable without any software. You just need a DMX controller with an adequate number of channels (see the manual for details). But if you add a PC/DMX interface (not supplied), the potential become enormous, and the limit is established only by the characteristics of the interface and the software used (not supplied). About software, the SOUNDSATION MTR-25-10W-RGBW is compatible with all major packages on the market, such as Emulation Pro Control Software ® by Elation, DMX Eclipse™ Software by Blizzard Lighting, Sunlite Suite 2™ by Nicolaudie, Madrix 3 by Madrix®, and many others.

- √ Light source: 16 x 30W COB RGB 3in1 High Brightness LEDs
- √ Pixel by pixel control, delivering versatile effects
- √ Coupling system cabinet to create structures with more units
- √ Flight case to transport 4 units and store accessories
- √ Functions: Color mix, automatic color change, built-in program and strobe effect with adjustable speed, dimmer, master/slave
- √ DMX Channel Modes: 3CH, 4CH, 6CH, 16CH, 18CH, 48CH, 49CH, 50CH, 51CH
- √ Controllable by external controllers or computers (this requires third party equipment)
- √ Smooth 0-100% dimmer
- √ Versatile Strobe Effects
- √ LED display interface, easy to control
- √ LED self test: R, G, B, RGB

- √ Voltage: AC100-240V 50/60HZ
- √ Power Consumption: 500W (1 Unit)
- √ Data In/Out: 3-Pin XLR and RJ45
- √ Unit Size: 47.5 x 47.5 x 13.5cm
- √ Unit Weight: 11kg



CODE	MSRP EUR	MSRP GBP
L766L	€ 3033,77	£ 2730,39

PORTABLE LED KITS

4LEDKIT-PRO - Compact 4 LED panel set

4 LED kit complete bundle - the hottest and comfortable solution for bands and entertainers. Successor of 4LEDKIT, the new MKII version is 70% more brilliant and over 50% lower in weight and dimensions. Ultra-bright RGB LEDs, easy setup and a never seen power saving thanks to the LED technology make of this product a must-have. Comes with a carrying bag for simple transportation .

- ✓ 4 lightweight LED light panels with 4 High-brilliant 10W LED per panel - totally 16 LED
- ✓ 50.000 hours long life LED
- ✓ RGBW color mixing
- ✓ DMX Control Channels mode: 6 or 18CH
- ✓ Color Strobe
- ✓ Master/Slave synchronization
- ✓ DMX-512 protocol
- ✓ Electronic Dimmer 0-100%
- ✓ Operating Modes: Sound activation, Auto, Static color, DMX mode
- ✓ LED operation menu with function buttons and DMX control mode
- ✓ Foot controller
- ✓ Digital display for address and function setting
- ✓ Each fixture can be operated independently
- ✓ Built in microphone
- ✓ Carrying softcase



70% brighter, 50%
more compact and 50%
lighter than 4LEDKIT

- ✓ LED lamps per panel: 4 LED 10w
- ✓ Illuminance : 2642 Lux @ 2 mt
- ✓ Power requirements : AC 100-240V /50~60Hz - Fuse 2A
- ✓ Max Power Consumption : 150W
- ✓ Colors : RGBW Color Mixing
- ✓ DMX - 6 channels/18 channels
- ✓ Carrying bag sizes : 96x29x15 cm
- ✓ Total package net weight : 8.5 Kg
- ✓ Bar LED dimensions: 86 x 4.5 x 7 cm
- ✓ LED Bar weight: 5.5 Kg

CODE	MSRP EUR	MSRP GBP
L219L	€ 492,25	£ 443,03



4LEDKIT-COB - 4x30W RGB COB LED PAR bar with Fresnel lens and light stand

4LEDKIT-COB is a kit consisting of a bar with 4 PARs, each of them featuring a 30W RGB 3in1 COB LEDs. COB technology - literally Chip On Board - allows better mixing of basic colors emitted by each 3in1 CHIP, maintaining the same brightness, reliability and heat dissipation of normal LED CHIPS. The 4 PARs have then clear 90° lens and 30° Fresnel lens, easily removable, allowing use in any environment: bands, DJs, plays and other kind of entertainment. This versatility, combined with lightweight (about 10kg) and portability, thanks to the practical soft case with large front pocket, make it the ideal companion for all your performances.

- √ Bar with 4 ultralight PARs with 30W RGB 3in1 COB LEDs
- √ Up to 1775 lux @ 1m (RGB emission of single PAR with Fresnel lens)
- √ Clear lens with 90° beam angle
- √ Fresnel lens - easily removable - with 30° beam angle
- √ 4 operation mode: Sound test, Auto run, Strobe, DMX control and Master/Slave
- √ LED display and control panel easy to control
- √ DMX512 modes: 1CH, 3CH,7CH,12CH and 16CH
- √ Pedalboard with 3 switches. 4m cable with 5 poles connector
- √ Soft-case for the bar, pedalboard and cables
- √ 2.5m height lighting support (included)



- √ LED source: 4pcs 30W RGB 3in1 COB LEDs
- √ Lux data: up to 1775 lux @ 1m on each PAR
- √ DMX IN / OUT connectors: M/F 3poles XLR 3poles
- √ VDE IN/OUT Mains connectors
- √ D36mm standard adaptor for lightstand
- √ Max Power Consumption : 120W
- √ Voltage: AC100-240V, 50-60Hz.
- √ Bar Dimension: 995 x 233 x 95 mm
- √ Soft-case Dimension: 1090 x 330 x 145 mm
- √ Pedalboard Dimension: 318 x 145 x 45 mm
- √ Kit total weight (bar, pedalboard, cables): 9.8kg - stand non included



CODE	MSRP EUR	MSRP GBP
L410L	€ 383,05	£ 344,75

PORTABLE LED KITS

4LEDKIT-DJ - 7x3W LED Tricolor 4-PAR Lighting Kit

SOUNDSATION 4LEDKIT-DJ brings you a complete light system including all accessories in only one package. It is the smartest solution for all musicians, DJs, and small rental companies. It comes complete with 4 compact LED spots. Each spot contains 7pcs 3Watt RGB 3in1 LEDs in order to create a complete color palette. The spots are mounted on a T-bar which has a built-in controller unit. The T-bar can be controlled by the included pedal-board or by DMX. In addition to RGB color adjustment of all four PARs independently, the unit features 16 color change auto programs strobo and sound control, to let your lighting kit create wonderful effects even without a DMX controller.

- √ 4 PARs with 7 high-brightness 3W LED each
- √ T-Bar with internal controller and power unit (carrying bag included)
- √ Tripod Stand with carrying bag included
- √ Operation Modes: Auto, Sound, DMX, Footswitch modes
- √ 8 Internal Programs, Sound Control and Strobe
- √ DMX: 16CH, 12CH, 7CH, 3CH and 1CH modes
- √ Lens Angle: 25° (on each LED)
- √ LED Display for easy navigation and programming
- √ Pedalboard with 4 footswitch

- √ Portable system of 4 PAR lights, built-in power supply and control unit
- √ Light Source per PAR: 7 RGB 3in1 LED on each PAR (28 LEDs in total)
- √ Beam angle: 25° (per LED)
- √ DMX Channels: 1, 3, 7, 12, and 16CH modes
- √ AC power: 100V-240V 50/60Hz Switching Power Supply
- √ Power Consumption: 100W max.
- √ Bar Size: 1170 x 160 x 60 mm
- √ Bar Weight: 7 kg
- √ Bar Bag Size: 1270 x 370 x 100 mm
- √ Bar Bag Weight: 10 kg
- √ Pedalboard Size: 380 x 60 x 200 mm
- √ Pedalboard Weight: 1.4 kg
- √ Tripod Height: 1240 mm (closed), 2240 mm (max.)



CODE	MSRP EUR	MSRP GBP
E261E	€ 367,73	£ 330,96

4LEDKIT-PARTY - Complete 4-PAR LED Lighting Kit

SOUNDSATION 4LEDKIT-PARTY brings you a complete light system including all accessories in only one package. It is the smartest solution for all musicians, DJs, and small rental companies. It comes complete with 4 compact LED spots. Each spot contains 81 LEDs (27 Red, 27 Green, 27 Blue) in order to create a complete color palette. The spots are mounted on a T-bar which has a built-in controller unit. The T-bar can be controlled by the included pedal-board or by DMX. In addition to RGB color adjustment of all four PARs independently, the unit features 12 auto running programs and 4 Audio Mode Options, to let your lighting kit create wonderful effects even without a DMX controller.

- √ 4 PARs with 81 high-brightness LED each (27R, 27G, 27B)
- √ T-Bar with internal controller and power unit (carrying bag included)
- √ 2.2m max Tripod Stand with carrying bag included
- √ Operation Modes: Auto, Sound, DMX, Footswitch modes
- √ 12 Internal Programs
- √ DMX: 15CH mode or 3CH basic mode (only RGB control on all PARs)
- √ 4 kinds of Audio Mode with internal Microphone and sensitivity adjustment
- √ Beam Angle: 16° (per PAR)
- √ Field Angle: 26° (per PAR)
- √ LED Display for easy navigation and programming
- √ Pedalboard with 2 footswitch

- √ LED per single PAR: 27 red 625nm/100mW, 27 green 525nm/120mW, 27 blue 465nm/120mW
- √ Beam angle: 16° (per PAR)
- √ Field angle: 26° (per PAR)
- √ DMX Channels: 3, 15CH
- √ AC power: 100V-240V 50/60Hz Switching Power Supply
- √ Power Consumption: 30W
- √ Fuse: 1.6A slow
- √ Power Linking: 30pcs @ 240V, 15pcs @ 110V
- √ Bar Size: 910x242x48 mm



CODE	MSRP EUR	MSRP GBP
E226E	€ 215,18	£ 193,66

INDOOR LED BARS & WASHERS

CLUB LINER 93 RGB - 8pcs 3W RGB 3in1 Mini LED Bar

CLUB LINER 93 RGB is a mini LED bar specifically designed for all applications where silence is required. It has a fanless cooling system that, while ensuring heat dissipation, reduces to zero noise emission. The bar, about 410mm long, comes with 8pcs 3W RGB 3in1 LEDs, 9CH and 4CH DMX control, and a longitudinal array bar system that allows you to build multiple-length arrays. Beam angle is 120°.

- √ Lighting Source: 8pcs 3W RGB 3in1 LEDs
- √ Beam Angle: 120°
- √ Operative Modes: DMX, Master/Slave, Sound, Auto
- √ DMX Control: 4CH/9CH
- √ Dimmer: 0~100% linear with 5 selectable curves
- √ Strobe: 0-20Hz

- √ Voltage: 110V ~ 240V (switching Power Supply)
- √ Power Consumption: 25W
- √ LED: 8x3W (RGB 3in 1)
- √ Beam Angle: 120° reflector
- √ Bar Size (LxHxD): 414.6x116.5x80mm
- √ Bar Size: 0.75kg



CODE	MSRP EUR	MSRP GBP
E257E	€ 64,35	£ 57,92

CLUB LINER 93 UV - LED Strobe Light with 616pcs of 0.5W Pure White (6500K) LEDs

High brightness Strobe Light that combines the reliability, lifespan, and brilliance of the new S5730 LED chip (cold white) with very low power consumption compared to traditional Xenon lamps. The LED-STR864 is capable of emitting flashes almost comparable to a normal 3000W Strobe light (the latter has a pulse of about 5000lux @ 2m; the STR864 reaches 4000/4200 lux @ 2m) but with a consumption of less than 1/6 in terms of power.

- √ Light source: 616 pieces of 0.5W pure white high brightness LEDs
- √ Control mode: DMX512, master/slave, auto
- √ Control Channel: 3 DMX 512 channels (CH1: All Dimmer, CH 2: Strobe, CH 3: Dimmer)

- √ Voltage: AC100~240V, 50~60Hz
- √ Power consumption: 450W
- √ Product size: 43.5*24*6.5 cm
- √ Net Weight: 5 kg



CODE	MSRP EUR	MSRP GBP
E258E	€ 61,29	£ 55,16



INDOOR & OUTDOOR LED BARS & WASHERS

CLUBWASHER 3610 RGBW -36 x 10W RGBW 4in1 LED Washer with Barndoor

CLUBWASHER 3610 RGBW is a professional washer with adjustable beam angle between 0° and 45°, thanks to the supplied barn-door (removable). Its light source consists of 36 high-brightness long-lifetime 10W RGBW 4in1 LEDs, equipped with high-quality lens to allow a perfect color mixing. The electronic dimming control offers 5 different curves, to adapt this fixture to any type of use. The internal temperature is controlled by sensors that, in case of overheating, lower power to 50% and adjust cooling fan speed. The result is a powerful yet extremely silent floodlight. Not only, but the robust ABS housing makes it lightweight, durable and with an excellent value for money.

- √ 36pcs of High Brightness 10W RGBW 4in1 LEDs
- √ Beam Angle: 45°, with adjustable Barn-door
- √ 5 Dimmer Curves: 1 Linear + 4 with different Attack/Release times
- √ Intelligent Temperature Control (When temperature goes up to 80°C, power consumption reduces to 50%; when temperature goes down to 65°C, the unit recovers 100% power consumption)
- √ Intelligent Fan speed Control (Fan speed automatically adjusts according to machine temperature)
- √ Maximum Noise: 43dB @1m distance
- √ Built-in Programs: strobe, auto, sound active, and preset colors.

- √ LED Source: 36 x 10W RGBW 4in1 High Brightness LEDs
- √ Beam Angle: 45°
- √ Detachable Barn-door system
- √ Strobe: 0~30Hz
- √ Dimmer: Electronic Linear 0-100% with 5 curves (1 standard + 4 with different Attack/Release Times)
- √ Control Mode: DMX512 / Manual / Master-Slave / Sound
- √ DMX Modes: 11CH / 6CH (selectable)
- √ Built in programs: 5 Strobe + 6 Auto + 2 Voice Control
- √ Cooling Systems: Fan with temperature detection and over-heating protection
- √ Maximum Noise: 43dB (@1m)
- √ IP Rate: IP20
- √ Voltage: AC110V/240V - 50/60Hz
- √ Max Power Consumption: 350W
- √ Housing Material: ABS
- √ Fixture Size: 430 x 220 x 84 mm
- √ Fixture Net weight: 4.5kg (6.2kg with barn-door)



CODE	MSRP EUR	MSRP GBP
E392E	€ 324,83	£ 292,35

WASH18-10W-OUT - 18x10W RGBW 4in1 LED Outdoor Washer Bar


Made of aluminum, glass and plastic finishings with high-quality materials, this washer bar reaches a waterproof degree of protection IP65, so it is though for outdoor applications. The color mixing is absolutely smooth and natural, thanks to the 4in1 RGBW technology. The power connections and DMX are also IP65.

- √ Control: 8 channels DMX512
- √ LED: 18 pieces 10W RGBW (four in one) high brightness LEDs
- √ Mixing color system: R, G, B, W mixing colors unlimited
- √ Life span of LEDs: 100,000 hours
- √ Dimmer: 0-100% electric linear dimmer
- √ Strobe: 1-10 times/second
- √ Control signal: DMX512, Master/Slave, Sound, Auto
- √ Waterproof degree: IP65

- √ Voltage: AC100V~240V, 50~60 Hz
- √ Consumption: 160W
- √ DMX Input/Output: IP65 3-Pin connectors, 24mm diameter.
- √ Power Input/Output: IP65 3-Pin connectors, 30mm diameter.
- √ Light size (LxHxD): 990x175x90 mm
- √ Net Weight: 14 kg

CODE	MSRP EUR	MSRP GBP
L523L	€ 293,79	£ 264,41





OMEGA-850 PRO - 850mW Professional Graphic Laser with ILDA® and SD-Card

SOUNDSATION OMEGA-850 PRO is a professional Class 4 graphic laser projector based on latest scanning laser light technology. It features high-quality LED RGB laser emitters and fish-eye lens that produce bright laser beams with light angle of almost 180°. LCD control panel assures fast operation, making complex professional laser accessible to everyone. ILDA connection to PC and to other ILDA-standard laser units as well as the SD-Card slot open to users' creativity quite infinite possibilities of use. This laser light is the right choice for all those professionals, light designers and rental companies who need a reliable and versatile instrument for graphic laser effects.

- √ 850mW RGB graphic laser (200mW R, 150mW G, 500mW B) for complete color palette effects
- √ 20K scanner speed
- √ Built-in Fish-eye Lens for 180° emitting radiation Angle
- √ Lens Magnification: 0.23X
- √ 3-dimensional adjustment frame for maximum alignment of laser emitters
- √ Built-in 2 sets of programs and 2 sets of voice programs
- √ SD-Card reader for quick access to external ILDA libraries
- √ ILDA standard protocol for maximum compatibility with other ILDA software/hardware equipment
- √ Operation Modes: ILDA show in SD Card playing, Internal Program playing, Sound, DMX, Master/Slave
- √ DMX: 24CH mode
- √ 128x64 dot multi-function LCD display system for quick access to all parameters memory content
- √ Job wheel with switch for easy menu navigation and editing
- √ Wired Remote Control Connector for hard-blackout
- √ Key switch and safety eye for maximum safety of use and installation



- √ Laser Red: 638nm/200mw
- √ Laser Green: DPSS 532nm/150mw
- √ Laser Blue: 450nm/500mw
- √ Laser Type: Class 4 Laser
- √ Zoom angle: 1-36°
- √ Scanner Speed: 20K
- √ I/O Connectors: (DMX) 3-pin XLR / (ILDA) DB25
- √ S/D Connectors: Outlay SD card store programs
- √ DMX: 24CH

- √ Maximum External Temp: 104°F (40°C)
- √ Cooling System: Green TEC cooling
- √ Power Supply Type: Switching (internal)
- √ Power Range: 100-240V 50/60Hz
- √ Consumption: 30W
- √ Fuse: T1.6A 250V
- √ Unit Dimension (LxHxD): 316x89x154 mm
- √ Unit Net Weight: 4.26 kg

CODE	MSRP EUR	MSRP GBP
E229E	€ 857,90	£ 772,11

ILDA100-5 - 5m extension cable for ILDA Devices

DB25 Male - DB25 Female, 5m extension cable for ILDA Devices

- √ Length: 5m
- √ Color: Black

CODE	MSRP EUR	MSRP GBP
E230E	€ 26,16	£ 23,54



LSR-500-RGB - Professional 500mW RGB Show Laser

RGB animation laser with built-in 128 beams and animations. It features 4 operation modes: Sound test, Auto run, Strobe, DMX control and Master/slave. Its laser emitter is powered with DPSS solid mercury pump laser technology, which increases compactness and efficiency and its high-speed galvanometer scanning system ensures high precision in graphic renderings.

- √ Laser emitters: 480mW (R: 200mW/650nm; G: 80mW/532nm; B: 200mW/447nm)
- √ High-speed optical scanning technology with big angle
- √ Main effects: Strobe, rotating, roll, three-dimensional effects, move, stretch, zoom, countdown, gradually draw, speed and other effects.
- √ Built-in 128 beam and animation design, animation can do beam performances, laser advertising, laser projection.
- √ DMX function: 12CH control, with black field function
- √ Power requirement: 100 - 250V 50/60Hz
- √ Power consumption: 30W
- √ Laser: DPSS solid mercury pump laser
- √ Life: 5,000 hours (common station)
- √ Protections: Over-voltage, overload, overheat protections
- √ Unit Dimension (WxHxD): 270 x 100 x 300 mm (bracket excluded)
- √ Net weight: 2.4 kg



CODE	MSRP EUR	MSRP GBP
L387L	€ 340,17	£ 306,15

OMEGA-330 TEXT - 330mW Text Laser System with RGB Graphic Effects

SOUNDSATION OMEGA-330 TEXT is a new professional laser projector based on state-of-the-art technology. It features high-quality LED RGB laser emitters and 10K professional optical scanner, which produces bright laser beams and smooth patterns. LED panel menu, PS/2 QWERTY keyboard, and the handy remote control make this fixture extremely easy to program and convenient to use. Besides the built-in traditional patterns, there's many operation modes that can be edited. It is the right choice for all those musicians, DJs and small rental companies who need a reliable and versatile instrument for graphic and text-based effects.

- √ 300mW RGB graphic laser (150mW Red, 80mW Green, 100mW Blue)
- √ 10K scanner speed
- √ Operation Modes: Auto, Sound, DMX, Master/Slave, Keyboard modes
- √ 9 Auto Programs, 9 Sound Programs, 9 Text Programs, 9 Time Mode Programs, Countdown Mode
- √ DMX: 20CH mode
- √ QWERTY keyboard for quick text typing and unit control
- √ IR Remote Controller for quick control
- √ LED Display for easy navigation and programming
- √ Wired Remote Control Connector for hard-blackout
- √ Key switch and safety eye for maximum safety of use and installation

- √ Laser Class: Class-3B
- √ Red Laser: LD 650nm, 150mw
- √ Green Laser: DPSS 532nm, 80mw
- √ Blue Laser: LD 450nm, 100mw
- √ Scanner Speed: 10K
- √ Auto Shows: 9
- √ Sound Shows: 9
- √ DMX Channel Range: 1-20
- √ Mains: 100-240V - 50/60Hz
- √ Fuse: 250V 1.6 A Slow Blow
- √ Consumption: 15W
- √ Fixture Size (WxHxD): 236 x 188 x 194.5 mm
- √ Fixture Weight: 2.0 kg



CODE	MSRP EUR	MSRP GBP
E227E	€ 357,49	£ 321,74

LASERS

OMEGA-300 RGB - Compact RGB Graphic Laser System

SOUNDSATION OMEGA-300 RGB is a new Class 3B professional graphic laser projector based on state-of-the-art technology. It features high-quality LED RGB laser emitters that produce bright laser beams and smooth patterns. LED panel menu, and the handy remote control make this fixture extremely easy to program and convenient to use. It is the right choice for all those musicians, DJs and small rental companies who need a reliable and versatile instrument for graphic laser effects.

- √ 300mW RGB graphic laser (150mW R, 50mW G, 100mW B) for complete color palette effects
- √ 32 Patterns
- √ 7 Auto Programs
- √ 7 Sound Programs with internal Microphone and sensitivity adjustment
- √ Operation Modes: Auto, Sound, DMX, Master/Slave
- √ DMX: 10CH mode
- √ IR Remote Controller for quick control
- √ Key switch and safety eye for maximum safety of use and installation

- √ Laser Class: Class-3B
- √ Red Laser: LD 650nm, 150mw
- √ Green Laser: DPSS 532nm, 50mw
- √ Blue Laser: LD 450nm, 100mw
- √ AUTO: Four Auto Shows
- √ SOUND: Four Sound Shows
- √ DMX Channel Range: 1-10
- √ Mains: 100-240V - 50/60Hz
- √ Fuse: 250V 1A Slow Blow (20mm Glass)
- √ Consumption: 20W
- √ Fixture Size (WxHxD): 200 x 80 x 145.5 mm
- √ Fixture Weight: 1.5 kg



CODE	MSRP EUR	MSRP GBP
E228E	€ 249,16	£ 224,24

LSR2 - 2 Color Mini Laser

Compact bi-color effect laser easy to use and lightweight to carry. It is perfect for DJ, club, private party or anniversary. The unit is able to project a dynamic set of points and lines through red and green moving laser beams thus creating amazing effects. Setting the SOUND mode the LSR2 will automatically work according to music of the ambience and dynamically adjusting effects. The onboard stroboflash function is available. It comes with a very useful mounting bracket and a tripod for desktop positioning.

- √ Laser power : Red 100mW (532nm), Green 50mW (650nm)
- √ Control mode : auto / sound mode with built-in microphone
- √ User adjustable stroboflash function
- √ It comes with mounting bracket and desktop tripod
- √ Power requirements : 5Vcc, power adaptor included
- √ Power adaptor: Input 110-240Vac / 50-60Hz - Output 5Vcc / 1A
- √ Unit dimension: 130 x 92 x 52 mm
- √ Unit net weight: 0,28 kg

CODE	MSRP EUR	MSRP GBP
L153L	€ 39,84	£ 35,86



SC-80W-1-W - 1x80W White LED Scanner

Extremely compact and fast scanner with 1 high brightness white LED. It features a 9+open color-wheel and a 9+open gobo-wheel with shake-effect. The DMX control is by 1, 8 and 10 channels. PAN is 180°; TILT is 85°. Control modes are Sound, Auto, and DMX Master / Slave.



- √ Light source: 1pc x High Brightness 80W White LED
- √ Color wheel: 9 color + open
- √ Gobo wheel: 9 gobo + open
- √ Gobo shake effect
- √ Pan: 180°
- √ Tilt: 85°
- √ Control mode: Sound active, Auto run, DMX and Master/Slave
- √ DMX Channel Modes: 1CH, 8CH and 10CH
- √ Voltage: AC100-240V 50/60Hz
- √ Power Consumption: 118W
- √ Light size (WxHxD): 24 x 44 x 16 cm
- √ Net Weight: 4.1kg

CODE	MSRP EUR	MSRP GBP
L749L	€ 404,50	£ 364,05



SC-30W-1 - 30W RGB COB LED scanner with 9+1 gobos

SC-30W-1 is a professional lightweight scanner able to create beautiful and powerful lighting effects thanks to the high-brightness, long-life 30W RGB COB LED and the 9 high-quality gobos. The 7CH or 9CH Master/Slave DMX control or the Auto and Sound modes allows the SC-30W-1 to be used in a wide range of different applications: disco dance halls, clubs, pubs, bars, mobile DJ, etc.

- √ LED source: 1pc high-brightness, long-life 30W RGB COB LED
- √ 9+1 gobos + RGB color + spot, colorful changeable effects
- √ Built-in Master/Slave, Sound Active modes and Show mode
- √ DMX Control: 7 / 9 CH modes
- √ LED display, easy to set up
- √ Control modes: Sound active, Auto run, Show Mode, DMX Master / Slave
- √ Eyelet for safety rope
- √ Suitable for disco dance hall, club, bar, party, mobile DJ and so on
- √ Voltage: AC100-240V, 50-60Hz
- √ Fuse: T3A - 250V
- √ Power consumption: 50W
- √ Fixture dimension (WxHxD): 375 x 175 x 150 mm (excl. bracket)
- √ Net weight: 3.4 kg

CODE	MSRP EUR	MSRP GBP
L415L	€ 229,83	£ 206,85






soundSation
LIGHTING

MBL-5-18W-6IN1 - 5x18W RGBWA+UV 6IN1 LED Magic Ball

Evergreen queen of the 70s disco, unmatched by any other lighting effect in the history of lighting applied to entertainment, the Magic Ball is once more introduced with all the advantages of LED technology. MBL-5-18W-6IN1 is a rotating ball with remotely-controlled rotation speed and 5 x 18w LEDs with 6in1 technology, the combination of which allows you to create the typical atmospheres of the '70 clubs yet integrating the colorful effects of LEDs. DMX control is 3 or 11 channels. Control modes are Sound, DMX Master/Slave, and Automatic.

- √ Light source: 5pcs 18W RGBWA+UV 6in1 LEDs
- √ Built-in master-slave, sound control, and show mode.
- √ LED display, easy to control
- √ Suitable for indoor venues like disco, club, bar, party and DJ moving show
- √ DMX Channel Modes: 3CH and 11CH
- √ 4 Operation Mode: Sound test, Auto run, DMX and Master/slave
- √ Voltage: AC100-240V, 50/60Hz
- √ Power Consumption: 65W
- √ Fuse: F3A, L250V
- √ Light size (WxHxD): 30 x 30 x 38 cm
- √ Weight: 4.1 kg

CODE	MSRP EUR	MSRP GBP
L750L	€ 251,28	£ 226,15



CEL-5318-RG - Derby, Strobe and Laser Combined Effect

Ideal in situations where you want to get the maximum of lighting effect with a few fixtures, this product combines a kaleidoscopic derby effect with the classic strobe and the modernism of two-color laser effects. With a pair of CEL-5218-RG you get an amazing disco club atmosphere. DMX control operates in 1 or 21 channels. Control modes are Sound, DMX Master / Slave, and Automatic.

- √ Effects: Derby effect with 5x 3W RGBWA 5IN1 LED; Strobe Effect with 8x 1W White LED; 2-Color Laser Effects with 150mW Red Laser and 50mW Green Laser
- √ Four control modes: Sound active, LED auto run, DMX and master/slave
- √ DMX Channel Modes: 1CH and 21CH
- √ LED display, easy to control
- √ Ideal for disco dance hall, club, bar, party, mobile DJ and so on
- √ Voltage: AC100-240V 50/60Hz
- √ Consumption Power: 30W
- √ Light size: 29.5 x 22.5 x 28.5 cm
- √ Net Weight: 3.2 kg

CODE	MSRP EUR	MSRP GBP
L751L	€ 214,51	£ 193,06



DMX CONTROLLERS

SCENEMAKER SERIES

SCENEMAKER 6 Compact 6-Channel DMX Controller

SCENEMAKER 6 is a professional 6-channel DMX controller with 6 faders to control DMX channels 1 to 6. There is also a master fader as overall level. It is very compact, portable, and easy to operate for users.

- √ Protocol: DMX-512 USITT
- √ DMX Channels: 1 to 6
- √ Data Output: Locking 3-pin XLR female socket
- √ Data Pin Configuration: Pin 1 shield, Pin 2 (-), Pin 3 (+)

- √ Power Supply: DC 9V-12V, 1000 mA min.
- √ Controller Size (WxHxD): 180x55x135 mm
- √ Net Weight 0.7 kg

CODE	MSRP EUR	MSRP GBP
E063E	€ 52,53	£ 47,28



SCENEMAKER 1216 DMX512 Lighting Controller

SCENEMAKER 1216 is a universal intelligent lighting controller. It allows you to manage up to 12 fixtures composed of 16 channels each (192 channels in total), and up to 184 programmable scenes. Six chases can contain up to 184 steps composed by the saved scenes (the steps) and in any order. Programs can be triggered by music, MIDI, automatically or manually. Its control surface hosts various programming tools such as 8 universal channel sliders, quick access scanner and scene buttons, as well as a LED display for easier navigation of controls and menu functions.

- √ 12 Fixtures with 16 DMX Channels each; 192 Channels in total
- √ 23 banks of 8 programmable scenes, 184 scenes total
- √ 6 chases of 184 programmed scenes from 23 banks
- √ Execute multiple chases simultaneously
- √ 8 Sliders x 2 Pages for direct control of channels
- √ Auto Mode controlled by Speed and Fade Time
- √ 8-CH / 16-CH modes for Assigned or Reversed DMX channels
- √ Master Blackout
- √ Built-in microphone for music triggering
- √ USB connection for LED Goose-neck Lamp (Not included)
- √ LED Display for easy navigation of menus
- √ MIDI control over banks, chases and Blackout

- √ Power Supply: DC 9V-12V, 500mA min.
- √ USB Lamp (not included): 5V - 200 mA max
- √ Protocols: DMX-512 USITT
- √ Data Input: Locking 3-pin XLR male socket
- √ Data Output: Locking 3-pin XLR female socket
- √ Data Pin Configuration: Pin 1 shield, Pin 2 (-), Pin 3 (+)
- √ Controller Size (WxHxD): 482x82x133 mm
- √ Net Weight 2.0 kg

CODE	MSRP EUR	MSRP GBP
E064E	€ 75,88	£ 68,29



SCENE MAKER SERIES

SCENE MAKER 1216 PRO USB

Intelligent Lighting Controller with USB Data Backup

SCENEMAKER 1216 PRO USB is a universal intelligent lighting controller. It allows you to manage up to 12 fixtures composed of 16 channels each (192 channels in total), and up to 240 programmable scenes. Six chases can contain up to 240 steps composed by the saved scenes (the steps) and in any order. Programs can be triggered by music, MIDI, automatically or manually. On control surface you will find various programming tools such as 8 universal channel sliders, two assignable wheels, a lot of switches and an LCD display for easier navigation of controls and menu functions. You can control PAN and TILT of different intelligent lighting fixtures using the same wheel at the same time. These wheels allow the user to assign individual PAN and TILT channels for every fixture. Finally, the SCENEMAKER 1216 PRO USB is equipped with a USB port that, in addition to operate the LED goose-neck lamp (supplied), allows the connection of an external USB drive to back up the data, and then to recall them at any time.

- √ 12 Fixtures with 16 DMX Channels each; 192 Channels in total
- √ 30 banks of 8 programmable scenes, 240 scenes total
- √ 6 chases of 240 programmed scenes from 30 bank
- √ Execute multiple chases simultaneously
- √ 8 Sliders x 2 Pages for direct control of channels
- √ Auto Mode controlled by Speed and Fade Time
- √ 2 assignable jog wheels for easy PAN and TILT movement
- √ Fine adjustment of PAN and TILT
- √ Reversible DMX channels fixture in opposition to others in a chase
- √ 8-CH / 16-CH modes for Assigned or Reversed DMX channels
- √ Manual Override Button allow you to grab any fixture on the fly
- √ Master Blackout
- √ RCA Line in for Music triggering
- √ USB Data Backup and Restore
- √ Auto-Save last running Program when Power/Off
- √ All data can be sent or received between two units
- √ USB LED Goose-neck Lamp
- √ LCD Display for easy navigation of menus
- √ MIDI control over banks, chases and Blackout
- √ Plastic-end housing

- √ Power Supply: DC 9V-12V, 1000mA min.
- √ USB Data / Lamp: MS-DOS® Format / 5V - 200 mA max
- √ Protocols: DMX-512 USITT
- √ Data Input: locking 3-pin XLR male socket
- √ Data Output: locking 3-pin XLR female socket
- √ Data Pin Configuration: Pin 1 shield, Pin 2 (-), Pin 3 (+)
- √ Controller Size (WxHxD): 527 x 87 x 192 mm - Net Weight: 2.65 kg

CODE	MSRP EUR	MSRP GBP
E065E	€ 151,76	£ 136,58



SCENE MAKER 2416

24 Fixtures x 16 Channels DMX Intelligent Lighting Controller

SCENEMAKER 2416 is a universal intelligent lighting controller. It allows you to manage up to 24 fixtures composed of 16 channels each (384 channels in total), and up to 240 programmable scenes. 6 chases can contain up to 240 steps composed by the saved scenes (the steps) and in any order. Programs can be triggered by music, MIDI, automatically or manually. On the surface you will find various programming tools such as 16 universal channel sliders, quick access scanner and scene buttons, and a LED display indicator for easier navigation of controls and menu functions.

- √ 24 Fixtures with 16 DMX Channels each; 384 Channels in total
- √ 30 banks of 8 programmable scenes, 240 scenes total
- √ 6 chases of 240 programmed scenes from 30 bank
- √ Executes multiple chases simultaneously
- √ 16 Sliders for direct control of channels
- √ Auto Mode controlled by Speed and Fade Time
- √ Master Blackout
- √ Built-in microphone for Music triggering
- √ USB LED Goose-neck Lamp
- √ LED Display for easy navigation of menus
- √ MIDI control over banks, chases and Blackout
- √ Plastic end housing

- √ Power Supply: DC 9V-12V, 500mA min.
- √ USB Lamp: 5V - 200 mA max
- √ Protocols: DMX-512 USITT
- √ Data Input: locking 3-pin XLR male socket
- √ Data Output: locking 3-pin XLR female socket
- √ Data Pin Configuration: Pin 1 shield, Pin 2 (-), Pin 3 (+)
- √ Controller Size (WxHxD): 520 x 73 x 183 mm - Net Weight 2.7 kg

CODE	MSRP EUR	MSRP GBP
E066E	€ 178,03	£ 160,23



DMX CONTROLLERS

SCENE SPLIT 6 TRUSS

1 Input / 6 Outputs DMX Distributor

SCENESPLIT 6 TRUSS is a professional 1IN - 6OUTS DMX distributor whose housing design has been specifically made to be installed on trusses or other stage infrastructures. The quality of its components and internal circuitry makes it ideal for high-grade stage applications.

- √ Separate high voltage protection on each Outputs
- √ High quality power supply stage for maximum stability at wider range voltage input (from 88Ac to 256Vac)
- √ High quality Fairchild® optical coupler for maximum isolation
- √ Golden plated XLR Connector for improved conductivity

- √ Power Input: AC88 ~ 256Vac 50/60Hz
- √ Fuse: F1A - 250V
- √ Protocols: DMX-512
- √ Data Input/Outputs: 3-pin XLR male (In) female (out) sockets
- √ Data Pin Configuration: Pin 1 shield, Pin 2 (-), Pin 3 (+)
- √ Distributor Size (WxHxD): 186 x 124 x 128 mm
- √ Net Weight: 0.85 kg



CODE	MSRP EUR	MSRP GBP
E067E	€ 128,41	£ 115,57

SCENE SPLIT 8 RACK

1 Input / 8 Outputs DMX Distributor, 1 rack unit

SCENESPLIT 8 RACK is a professional 1IN - 8OUTS DMX distributor, 1 19" rack unit. The quality of its components and internal circuitry makes it ideal for high-grade stage applications.

- √ Separate high voltage protection on each Outputs
- √ High quality power supply stage for maximum stability at wider range voltage input (from 88Ac to 256Vac)
- √ High quality Fairchild® optical coupler for maximum isolation
- √ Golden plated XLR Connector for improved conductivity

- √ Power Input: AC88 ~ 256Vac 50/60Hz
- √ Fuse: F1A - 250V
- √ Protocols: DMX-512
- √ Data Input/Outputs: 3-pin XLR male (In) female (out) sockets
- √ Data Pin Configuration: Pin 1 shield, Pin 2 (-), Pin 3 (+)
- √ Distributor Size (WxHxD): 482 x 46 x 118 mm
- √ Net Weight: 1.35 kg



CODE	MSRP EUR	MSRP GBP
E068E	€ 144,47	£ 130,02

AIRCOM 126 - 2.4 GHz 126 Channel Wireless DMX Unit

Aircom 126 transmits and receives standard DMX 512 protocol data by wireless way, which solve lighting control issues of wireless communication between lighting controllers and fixtures. It gets rid of relying on connecting cables completely, and also can ensure without any time delay when signal data is real time and reliable. It adopts global free 2.4GHz ISM frequency band and high effective GFSK modulation. Communication design is in 126 channels jumping frequency with high anti-jamming ability. The product is therefore applied in many contexts, such as stage lighting disco hall, gymnasium lighting, portable stage performance, conference centers, theme parks, bar lighting, and so on. In short, a really useful tool to solve DMX connection problems quickly.

- √ Both Transmitting and Receiving operation within same unit
- √ One transmitter can manage more receivers at the same time
- √ 7 groups ID code set table, User can use 7 groups individual wireless nets without any interfere each other in the same place
- √ Each net contains 512 DMX channels
- √ 126 channels jumping frequency (7 groups x 16 channel frequencies) to avoid interferences

- √ Frequency Band: 2.4 GHz ISM
- √ Modulation Type: GFSK Modulation
- √ Frequency range: 24,000 ~ 24,835 GHz
- √ Channel Frequencies: 126 jumping frequencies
- √ Communication Distance: 300 m
- √ Receiver Sensibility: -106 dBm
- √ Transmission Power: 20 dBm
- √ Antenna: 100 mm helical SMA antenna
- √ Protocols: DMX512
- √ Number of DMX Channels: 512 Channels within each ID
- √ Power Input: AC88 ~ 256 Vac - 50/60 Hz
- √ Data Input/Outputs: 3-pin XLR male (In) female (out) sockets
- √ Data Pin Configuration: Pin 1 shield, Pin 2 (-), Pin 3 (+)
- √ Unit Size (WxHxD): 150x50x76 mm
- √ Unit Net Weight 0.27 kg

- √ High anti-jamming ability to ensure working reliability
- √ Work frequency range: 2.4 GHz ISM band (no license needed)
- √ Communication distance: 300 m
- √ Tricolor LED displaying for easy setup
- √ High quality power supply stage for maximum stability at wider range voltage input



CODE	MSRP EUR	MSRP GBP
E089E	€ 78,80	£ 70,92

HAZE MACHINES

ZEPHIRO 2000ST HAZE - Powerful Haze Machine with adjustable output and speed, DMX control and Onboard LCD Display.

ZEPHIRO 2000ST HAZE is a powerful 2000 Watt haze machine with DMX interface. This device, with its continuous haze emission, is a good support for lighting. It can be used in many fields of application to create subtle atmospheres and to improve the visual effects of light beams on dance floors, in concerts and more.

- √ 280m³/Minute haze output fills up a very large sized room quickly.
- √ Continuous haze output after a minimal warm-up time.
- √ Adjustable Haze output, blower speed and DMX channels.
- √ Easy setting of internal parameters by using the control panel and LCD display.
- √ Bundled sturdy Flight-case to help the transport and installation.

- √ Heating element: 2000 Watt
- √ Warm-up time: Approximately 1,5 Min
- √ Tank capacity: 5 Liters
- √ Haze Output: 280m³/Min
- √ Liquid consumption: 320 Min/L (30%) - 200 Min/L (100%)
- √ Control Panel: Yes (6 buttons with LCD display 2x8 Characters)
- √ DMX connectivity: YES(3/5 pin)
- √ DMX controls: 2 Channels (Fan Speed, Output Haze Volume)
- √ Flight-case: Included
- √ Power requirements: 220V AC, 50Hz
- √ Internal fuse: 10A 250V fast blow 20mm glass
- √ Dimensions: 600 x 390 x 280 mm - Weight: 16 Kg



CODE	MSRP EUR	MSRP GBP
E409E	€ 760,02	£ 684,02

ZEPHIRO 1000ST HAZE - Powerful Haze Machine with adjustable output and speed, DMX control and Onboard LCD Display.

ZEPHIRO 1000ST HAZE is a powerful 2000 Watt haze machine with DMX interface. This device, with its continuous haze emission, is a good support for lighting. It can be used in many fields of application to create subtle atmospheres and to improve the visual effects of light beams on dance floors, in concerts and more.

- √ 170m³/Minute haze output fills up a very large sized room quickly.
- √ Continuous haze output after a minimal warm-up time.
- √ Adjustable Haze output, blower speed and DMX channels.
- √ Easy setting of internal parameters by using the control panel and LCD display.
- √ Bundled sturdy Flight-case to help the transport and installation.

- √ Heating element: 1000 Watt
- √ Warm-up time: Approximately 1,5 Min
- √ Tank capacity: 2 Liters
- √ Haze Output: 170m³/Min
- √ Liquid consumption: 200 Min/L (30%) - 120 Min/L (100%)
- √ Control Panel: Yes (6 buttons with LCD display 2x8 Characters)
- √ DMX connectivity: YES (3/5 pin)
- √ DMX controls: 2 Channels (Fan Speed, Output Haze Volume)
- √ Flight-case: Included
- √ Power requirements: 220V AC, 50Hz
- √ Internal fuse: 10A 250V fast blow 20mm glass
- √ Dimensions: 440 x 215 x 395 mm - Weight: 12 Kg



CODE	MSRP EUR	MSRP GBP
E411E	€ 446,89	£ 402,20

ZEPHIRO 3000 FOG - Powerful Fog machine with DMX interface, wired and wireless controllers.

ZEPHIRO 3000 FOG is a professional Fog machine, suitable for big size environments as discos, theatre, indoor events where a powerful ambient effect with great fogging volume is required.

- √ 710m³/Minute Fog output fills up a medium sized room quickly.
- √ Continuous fog output after a minimal warm-up time.
- √ One Selectable DMX Channel to control fog volume emission.
- √ Wired Controller to manage Timer, Duration Fog Emission and Volume Fog Emission.
- √ Remote controller to start and stop the fog emission.

- √ Heating Element: 3000 Watt
- √ Output distance: 8-10 meters
- √ Warm-up time: Approximately 4 Minutes
- √ Tank capacity: 10 Liters
- √ Fog output: 710m³/Min
- √ Ready-indicator inside tank: Yes (Dual color LED)
- √ Wireless remote controller included: Yes - 433,92 MHz (Max 10 Meters)
- √ Wired remote controller included: Yes (Timer, Manual fog, Continuous fog)
- √ DMX Control: Yes (One Channel)
- √ Mounting bracket included: Yes
- √ Power requirements: 220V AC, 50Hz
- √ Internal fuse: 10A 250V fast blow 20mm glass
- √ Dimensions: 680 x 250 x 330 mm
- √ Weight: 10,6 Kg

CODE	MSRP EUR	MSRP GBP
E412E	€ 291,85	£ 262,67



ZEPHIRO 1500MA FOG - Powerful Fog machine with adjustable output, DMX interface, wired control and remote control.

ZEPHIRO 1500MA FOG is a professional Fog machine with a manually adjustable output, suitable for middle size environments as discos, theatre, indoor events where a powerful ambient effect with great fogging volume is required.

- √ 566m³/Minute Fog output fills up a medium sized room quickly.
- √ Continuous fog output after a minimal warm-up time.
- √ Manually adjustable fog output angle of 180°
- √ One Selectable DMX Channel to control fog volume emission.
- √ Wired Controller to manage Timer, Duration Fog Emission and Volume Fog Emission.
- √ Remote controller to start and stop the fog emission.



- √ Heating Element: 1500 Watt
- √ Output distance: 4-5 meters
- √ Warm-up time: Approximately 3 Minutes
- √ Tank capacity: 2,5 Liters
- √ Fog output: 566m³/Min
- √ Orientation Angle: 180°
- √ Ready-indicator inside tank: Yes (Dual color LED)
- √ Wireless remote controller included: Yes - 433,92 MHz (Max 10 Meters)
- √ Wired remote controller included: Yes (Timer, Manual fog, Continuous fog)
- √ DMX Control: Yes (One Channel)
- √ Mounting bracket included: Yes
- √ Power requirements: 220V AC, 50Hz
- √ Internal fuse: 10A - 250V fast blow 20mm glass
- √ Dimensions: 550 x 310 x 290 mm - Weight: 7,3Kg

CODE	MSRP EUR	MSRP GBP
E413E	€ 245,88	£ 221,29

ZEPHIRO 1500 FOG - Powerful Fog machine with DMX interface, wired and wireless controllers.

ZEPHIRO 1500 FOG is a professional Fog machine, suitable for middle size environments as discos, theatre, indoor events where a powerful ambient effect with great fogging volume is required.

- √ 566m³/Minute Fog output fills up a medium sized room quickly.
- √ Continuous fog output after a minimal warm-up time.
- √ One Selectable DMX Channel to control fog volume emission.
- √ Wired Controller to manage Timer, Duration Fog Emission and Volume Fog Emission.
- √ Remote controller to start and stop the fog emission.



- √ Heating Element: 1500 Watt
- √ Output distance: 4-5 meters
- √ Warm-up time: Approximately 3 Minutes
- √ Tank capacity: 2,5 Liters
- √ Fog output: 566m³/Min
- √ Ready-indicator inside tank: Yes (Dual color LED)
- √ Wireless remote controller included: Yes - 433,92 MHz (Max 10 Meters)
- √ Wired remote controller included: Yes (Timer, Manual fog, Continuous fog)
- √ DMX Control: Yes (One Channel)
- √ Mounting bracket included: Yes
- √ Power requirements: 220V AC, 50Hz
- √ Internal fuse: 10A 250V fast blow 20mm glass
- √ Dimensions: 470 x 255 x 190 mm - Weight: 5,5Kg

CODE	MSRP EUR	MSRP GBP
E414E	€ 156,26	£ 140,63

FOG MACHINES

ZEPHIRO 1200 FOG - Powerful Fog machine with wired and wireless controllers.

ZEPHIRO 1200 FOG is a compact and lightweight fog machine, suitable for medium-sized environments where a fog effect is required to enhance any light show.

- √ 453m³/Minute Fog output fills up a medium sized room quickly.
- √ Continuous fog output after a minimal warm-up time.
- √ Wired Controller to start and stop the fog emission.
- √ Remote controller to start and stop the fog emission without connection cables.



- √ Heating Element: 1200 Watt
- √ Output distance: 4-5 meters
- √ Warm-up time: Approximately 3 Minutes
- √ Tank capacity: 2,5 Liters
- √ Fog output: 453m³/Min
- √ Wireless remote controller included: Yes - 433,92 MHz (Max 10 Meters)
- √ Wired remote controller included: Yes (START/STOP Switch)
- √ Mounting bracket included: Yes
- √ Power requirements: 220V AC, 50Hz
- √ Internal fuse: 10A 250V fast blow 20mm glass
- √ Dimensions: 470 x 255 x 190 mm - Weight: 5,5Kg

CODE	MSRP EUR	MSRP GBP
E415E	€ 93,88	£ 84,49

ZEPHIRO 900 FOG - Compact and lightweight fog machine with wired and wireless controllers.

ZEPHIRO 900 FOG is a compact and lightweight fog machine, suitable for medium-small sized environments where a fog effect is required to enhance any light show.

- √ 140m³/Minute Fog output fills up a medium-small sized room quickly.
- √ Continuous fog output after a minimal warm-up time.
- √ Wired Controller to start and stop the fog emission.
- √ Remote controller to start and stop the fog emission without connection cables.



- √ Heating Element: 900 Watt
- √ Output distance: 2-3 meters
- √ Warm-up time: Approximately 3 Minutes
- √ Tank capacity: 1 Liter
- √ Fog output: 140m³/Min
- √ Wireless remote controller included: Yes - 433,92 MHz (Max 10 Meters)
- √ Wired remote controller included: Yes (START/STOP Switch)
- √ Mounting bracket included: Yes
- √ Power requirements: 220V AC, 50Hz
- √ Internal fuse: 10A 250V fast blow 20mm glass
- √ Dimensions: 345 x 205 x 185 mm - Weight: 3,4Kg

CODE	MSRP EUR	MSRP GBP
E416E	€ 71,50	£ 64,35

ZEPHIRO 400 FOG - Compact and lightweight fog machine with wired and wireless controllers.

ZEPHIRO 400 FOG is a compact and lightweight fog machine, suitable for small sized environments where a fog effect is required to enhance any light show.

- √ 30m³/Minute Fog output fills up a small sized room quickly.
- √ Continuous fog output after a minimal warm-up time.
- √ Wired Controller to start and stop the fog emission.
- √ Remote controller to start and stop the fog emission without connection cables.

- √ Heating Element: 400 Watt
- √ Output distance: 1-2 meters
- √ Warm-up time: Approximately 3 Minutes
- √ Tank capacity: 0,25 Liters
- √ Fog output: 30m³/Min
- √ Wireless remote controller included: Yes - 433,92 MHz (Max 10 Meters)
- √ Wired remote controller included: Yes (START/STOP Switch)
- √ Mounting bracket included: Yes
- √ Power requirements: 220V AC, 50Hz
- √ Internal fuse: 10A 250V fast blow 20mm glass
- √ Dimensions: 240 x 159,5 x 120 mm - Weight: 1,5Kg

CODE	MSRP EUR	MSRP GBP
E418E	€ 42,56	£ 38,30



ZEPHIRO 1500 LOW FOG - Powerful machine for ground fog effect with DMX interface and wireless controller.

ZEPHIRO 1500 FOG is a professional Ground Fog machine suitable for enhancing dance floors, stages and other environments where the ground fog effect is required.

- √ 283m³/Minute Fog output fills up an 60m² area quickly.
- √ Continuous fog output after a minimal warm-up time.
- √ One Selectable DMX Channel to control fog volume emission.
- √ Remote controller to start and stop the fog emission.

- √ Heating Element: 1500 Watt
- √ Warm-up time: Approximately 4 Minutes
- √ Tank capacity: 2,3 Liters
- √ Fog output: 283m³/Min
- √ Coverage Area: 60m²
- √ Wireless remote controller included: Yes - 433,92 MHz (Max 10 Meters)
- √ DMX Control: Yes (One Channel)
- √ Power requirements: 220V AC, 50Hz
- √ Internal fuse: 10A 250V fast blow 20mm glass
- √ Dimensions: 765 x 395 x 415 mm - Weight: 17,4 Kg



CODE	MSRP EUR	MSRP GBP
E419E	€ 290,57	£ 261,51

ZEPHIRO 700 LOW FOG - Compact machine for ground fog effect with wired and wireless controllers.

ZEPHIRO 700 FOG is a professional Ground Fog machine suitable for enhancing dance floors, stages and other environments where the ground fog effect is required.

- √ 170m³/Minute Fog output fills up an 30m² area quickly.
- √ Continuous fog output after a minimal warm-up time.
- √ Wired remote controller included: Yes (Timer, Manual fog, Continuous fog)
- √ Remote controller to start and stop the fog emission.

- √ Heating Element: 700 Watt
- √ Warm-up time: Approximately 3 Minutes
- √ Tank capacity: 1 Liter
- √ Fog output: 170m³/Min
- √ Coverage Area: 30m²
- √ Wired remote controller included: Yes (Timer, Manual fog, Continuous fog)
- √ Wireless remote controller included: Yes - 433,92 MHz (Max 10 Meters)
- √ Power requirements: 220V AC, 50Hz
- √ Internal fuse: 10A 250V fast blow 20mm glass
- √ Dimensions: 515 x 335 x 270 mm - Weight: 9 Kg



CODE	MSRP EUR	MSRP GBP
E420E	€ 182,41	£ 164,17



BUBBLE & SNOW MACHINES

ZEPHIRO 300 BUBBLE - Professional two-wheeled bubble machine with wireless control

ZEPHIRO 300 BUBBLE is a professional bubble machine that covers small to medium environments with this fun effect.

- √ A bubbles emission of 2400 bubbles/minute allows the coverage of medium-small size environments.
- √ Double front and rear fan.
- √ Double wheel with bubble wands.
- √ Remote controller to start and stop the bubbles emission.



- √ Consumption: 300 Watt
- √ Bubbles quantity: 2400 per minute
- √ Coverage Area: 40m²
- √ Tank Capacity: 2 Liters
- √ Wireless remote controller included: Yes - 433,92 MHz (Max 10 Meters)
- √ Power Requirements: 220V AC, 50Hz
- √ Internal Fuse: 10A 250V fast blow 20mm glass
- √ Dimensions: 390 x 447 x 470 mm - Weight: 9,7 Kg

CODE	MSRP EUR	MSRP GBP
E421E	€ 97,28	£ 87,55

ZEPHIRO 100 BUBBLE - Compact and lightweight bubbles machine with wireless control

ZEPHIRO 100 BUBBLE is a compact and lightweight bubbles machine that covers small environments with this fun effect.

- √ A bubbles emission of 500 bubbles/minute allows the coverage of small size environments.
- √ One wheel with bubble wands.
- √ Remote controller to start and stop the bubbles emission.



- √ Consumption: 60 Watt
- √ Bubbles quantity: 500 per minute
- √ Coverage Area: 25m²
- √ Tank Capacity: 0,75 Liters
- √ Wireless remote controller included: Yes - 433,92 MHz (Max 10 Meters)
- √ Power Requirements: 220V AC, 50Hz
- √ Internal Fuse: 10A 250V fast blow 20mm glass
- √ Dimensions: 250 x 230 x 230 mm - Weight: 1,26 Kg

CODE	MSRP EUR	MSRP GBP
E422E	€ 31,28	£ 28,15

ZEPHIRO 600 SNOW - High efficiency Snow Machine with wired controller.

ZEPHIRO 600 SNOW is a high efficiency snow machine able to cover a medium-sized environment with the snowflakes effect.

- √ Continuous snowflakes emission able to cover an area of over 30m²
- √ Wired Controller to start and stop the snow emission.

- √ Power Consumption: 600 Watt
- √ Tank Capacity: 1 Liter
- √ Coverage Area: 30m²
- √ Wired remote controller included: Yes (START/STOP Switch)
- √ Mounting Bracket included: YES
- √ Power requirements: 220V AC, 50Hz
- √ Internal Fuse: 10A 250V fast blow 20mm glass
- √ Dimensions: 405 x 245 x 225 mm - Weight: 3,1 Kg



CODE	MSRP EUR	MSRP GBP
E424E	€ 72,96	£ 65,66

ESM5L - Smoke machine light-density Liquid

Water-based smoke-machine liquid for outdoor or indoor with no risk for health. Not hazardous.

- √ Health-safe smoke emission
- √ Conform for use with most common smoke mac
- √ 5 liter tank



CODE	MSRP EUR	MSRP GBP
L172L	€ 13,26	£ 11,93

HMSL - Haze & Smoke machines High-Quality Liquid

Water-based professional liquid specifically made for haze & smoke machines. It ensures longer fog persistence yet extends machine's life, thanks to the chemical high purity. It can be used outdoor or indoor with no risk for health. Not hazardous.

- √ High-density fog
- √ Extends machine life-span, thanks to its chemical high purity
- √ 5 liter tank



CODE	MSRP EUR	MSRP GBP
L236L	€ 13,26	£ 11,93

SF5L - Snow machine fluid

Water-based liquid for show professional snowflake machines. Ensuring longer persistence flakes emission. It can be used outdoor or indoor with no risk for health. Not hazardous. Suitable for most common snowflake machines.

- √ High-density and persistent snowflakes
- √ For safe outdoor and indoor use
- √ 5 liter tank



CODE	MSRP EUR	MSRP GBP
L173L	€ 6,22	£ 5,60

SM4.5L - High-Density Smoke Machine Liquid

High-density water-based smoke machine liquid for outdoor or indoor with no risk for health. Not hazardous.

- √ High-density and persistent smoke
- √ Health-safe smoke emission
- √ Conform for use with most common smoke machine
- √ 4.5 liter tank



CODE	MSRP EUR	MSRP GBP
L992L	€ 13,26	£ 11,93

LIGHTING STANDS


LSBUNDLE-HAT - Set of two windup lighting stand and 3m truss

The perfect kit for live music, piano bar and DJ sets. It can fit up to 10 pars or effects to a max height of 3,30 meters. Equipped with wind-up mechanism and marked height mark, allow a quick and easy setup. Easy to carry, includes mounting accessories.

- ✓ Complete set for live music, piano bar and DJ sets
- ✓ 3 meters truss to hold up to 10 par or effects
- ✓ Pair of stands with windup mechanism up to 3,30 mt height
- ✓ Height mark on stands
- ✓ Easy to carry and setup
- ✓ Sturdy steel construction with maximum load capacity of 100 Kg
- ✓ Matching hooks: Soundsation SLH001,SLH002,SLH006,SLH009

- ✓ Total truss lenght: 3 meters
- ✓ Truss triangular section dimensions: 251x251x251 mm
- ✓ Truss Main tubes diameter: 38 mm
- ✓ Stand maximum height: 3,3 mt
- ✓ Material: black painted steel
- ✓ Total weight: 38 Kg

CODE	MSRP EUR	MSRP GBP
LSBUNDLEHAT	€ 331,25	£ 298,13




LS-200-BR - Set of two lighting stand and 3m truss

The perfect kit for live music, piano bar and DJ sets. It can fit up to 10 pars or effects to a max height of 3,30 meters. Easy to carry, includes mounting accessories.

- ✓ Complete set for live music, piano bar and DJ sets
- ✓ 3 meters truss to hold up to 10 par or effects
- ✓ Pair of stands up to 3,30 mt height
- ✓ Easy to carry and setup
- ✓ Sturdy steel construction with maximum load capacity of 100 Kg
- ✓ Matching hooks: Soundsation SLH001,SLH002,SLH006,SLH009

- ✓ Total truss lenght: 3 meters
- ✓ Truss triangular section dimensions: 251x251x251 mm
- ✓ Truss Main tubes diameter: 38 mm
- ✓ Stand maximum height: 3,3 mt
- ✓ Material: black painted steel
- ✓ Total weight: 38 Kg

CODE	MSRP EUR	MSRP GBP
D886D	€ 147,49	£ 132,74




LS-300-TR - Black anodized aluminium structure for lighting

Black anodized aluminium structure for lighting featuring 2 LS-200 professional stand w/T-bar and 2 horizontal bars for 8 par cans. The snap lock holder on height adjustment collar prevents the safety pin from scratching the tubes finish during transportation.

- √ Height: 1.45 - 3.25mt
- √ Arm length: 1.5 - 4.0mt
- √ Arm diameter: 38mm
- √ Load capacity: 100kg
- √ Material: anodized aluminium nero
- √ Snap lock holder on height adjustment collar prevents scratching on the tubes finish during transportation
- √ Weight: 20kg

CODE	MSRP EUR	MSRP GBP
D725D	€ 167,52	£ 150,77



LSA-400 - Wind up heavy duty lighting stand

LSA-400 wind up lighting stand is built to offer stability and reliability. Equipped with windup system. allows to lift up to 85 Kg at 4 meters height. Built in painted black steel, is equipped with security pins. Coming with a rugged packing which can be used for easy carrying.

- | | |
|---|--|
| <ul style="list-style-type: none"> √ Lighting stand for trusses with windup lifting system √ Load capacity of 85Kg max √ 4 Meter maximum height √ Heavy duty construction in black painted steel √ Double braced heavy duty base √ Security pins on the base and on the wind up mechanism √ 35mm pole mount allow to use it as a speaker stand | <ul style="list-style-type: none"> √ Load capacity: 85 Kg √ Height (min-max): 175-400 cm √ Base leg height: 160 cm √ Base diameter: 220 cm √ Weight: 25 kg √ Terminal pole diameter: 35 mm √ Material: steel √ Painting: black |
|---|--|

CODE	MSRP EUR	MSRP GBP
D879D	€ 191,24	£ 172,12



LS-100 - Steel light stand w/ T-bar

T-bar light stand built in steel to provide maximum reliability and strength, featuring foldable tripod for easy transportation. The snap lock holder on height adjustment collar prevents the safety pin from scratching the tubes finish during transportation.

- √ Height: 110 - 250 cm
- √ Arm length: 95 cm
- √ Arm diameter: 25x25mm
- √ Load capacity: 30kg
- √ Material: steel
- √ Snap lock holder on height adjustment collar prevents scratching on the tubes finish during transportation

CODE	MSRP EUR	MSRP GBP
D723D	€ 28,45	£ 25,61




LS-200 - Black anodized aluminium light stand w/ T-bar

Professional T-bar light stand built in anodized aluminium to provide maximum lightness and strength, featuring foldable tripod for easy transportation. The snap lock holder on height adjustment collar prevents the safety pin from scratching the tubes finish during transportation.

- √ Height: 1.45 - 3.25mt
- √ Arm length: 1.22mt
- √ Arm diameter: 38x38mm
- √ Load capacity: 50kg
- √ Material: black anodized aluminium
- √ Snap lock holder on height adjustment collar prevents scratching on the tubes finish during transportation

CODE	MSRP EUR	MSRP GBP
D724D	€ 52,62	£ 47,36



LIGHTING STANDS

LS-10A - Adjustable aluminium stand

Adjustable aluminium stand, ultra light, maximum load 25 kgs. Black finish.

- √ Aluminium frame (3 parts)
- √ pole mount diameter: 38mm
- √ Finish: black
- √ Max load: 25kgs
- √ Height: 1.45-3.22m
- √ Joint diameter: 35mm
- √ Weight: 5kg

CODE	MSRP EUR	MSRP GBP
I2421	€ 47,03	£ 42,33



LSA-300T - Wind up lighting stand with T-BAR

LSA-300T wind up lighting stand is built to offer stability and reliability. Equipped with windup system. allows to lift up to 30 Kg at 3,3 meters height. Including T-BAR to fit up to 4 pars or effects Built in painted black steel.

- √ Lighting stand for trusses with windup lifting system
- √ Including T-BAR which can host 4 pars or effects
- √ Load capacity of 50Kg max
- √ 3,30 Meter maximum height
- √ Heavy duty construction in black painted steel
- √ Double braced heavy duty base
- √ Equipped with height mark for a quick setup
- √ Load capacity: 50 Kg
- √ Height (max): 330 cm
- √ Base diameter: 220 cm
- √ T-BAR (H x D x L): 40x20x1200 mm
- √ Weight: 11 kg
- √ Material: steel
- √ Painting: black

CODE	MSRP EUR	MSRP GBP
D880D	€ 116,00	£ 104,40



LSA-300 - Wind up lighting stand

LSA-300 wind up lighting stand is built to offer stability and reliability. Equipped with windup system. allows to lift up to 30 Kg at 3,30 meters height. The 35mm pole mount allow to use it a speaker stand. Built in painted black steel.

- √ Lighting stand for trusses with windup lifting system
- √ Load capacity of 50Kg max
- √ 3,30 Meter maximum height
- √ Heavy duty construction in black painted steel
- √ Double braced heavy duty base
- √ Equipped with height mark for a quick setup
- √ 35mm pole allow to use it as a speaker stand
- √ Load capacity: 50 Kg
- √ Height (max): 330 cm
- √ Base diameter: 220 cm
- √ Terminal pole diameter: 35 mm
- √ Weight: 11 kg
- √ Material: steel
- √ Painting: black

CODE	MSRP EUR	MSRP GBP
D882D	€ 104,23	£ 93,81



LTR-150-STR - Linear 1,5mt truss with triangular section

Perfect to fit pars or other lighting effects, the truss can be attached and lifted with Soundsation LSA series stands thanks to the LTRH-100 adaptor (sold separately). Sturdy construction in black painted steel.

- √ Linear 1,5mt truss with triangular section
- √ Sturdy construction in in steel with main tubes of
- √ Used with the adaptor LTRH-100 (not included), can be lifted with Soundsation LSA stands.
- √ Two trusses can be attached for a total length of 3m
- √ Assembly and par attachment screws included
- √ Matching hooks: Soundsation SLH001,SLH002,SLH006,SLH009
- √ Length: 1,5 mt
- √ Triangular section dimensions: 251x251x251 mm
- √ Main tubes diameter: 38 mm
- √ Inner tubes diameter: 6 mm

CODE	MSRP EUR	MSRP GBP
D883D	€ 52,79	£ 47,51



LST-120 - T-bar for 4 lighting effects or par

Steel T-BAR to 4 pars or lighting effects. Equipped with 36mm pole mount, fits most stands.

- √ Steel T-BAR
- √ Fits 4 par or lighting effects
- √ Length: 120 Cm
- √ Load capacity: 30 Kg
- √ 36mm pole mount fits most stands

- √ Dimensions (LxDxH): 120 x 2 x 4 cm
- √ Pole mount: 36mm
- √ Load capacity: 30 Kg
- √ Material: steel

CODE	MSRP EUR	MSRP GBP
D881D	€ 14,42	£ 12,98



LTRH-100 - Steel truss adaptor

LTRH-100 is a useful accessory to install trusses on lighting stand with 35 mm pole mount. Compatible with Soundsation LTR-150-STR steel truss. Including mounting screws.

- √ 35mm pole mount
- √ Length: 20 cm
- √ Compatible with Soundsation LTR-150-STR truss
- √ Mounting screws included

CODE	MSRP EUR	MSRP GBP
D884D	€ 11,91	£ 10,72



LIGHTING ACCESSORIES

SLH50 - Aluminum Pipe Clamp with Auto-locking for D50mm pipe



- ✓ Max weight load: 20 Kg
- ✓ Locking Type: Auto-locking with fixing screw
- ✓ Pipe Diameter: From 48 to 51 mm (from 1.89 to 2.00 in)
- ✓ Material: Aluminum
- ✓ Size: 102 x 110 x 28 mm
- ✓ Weight: 0.265 kg

CODE	MSRP EUR	MSRP GBP
L232L	€ 12,37	£ 11,13

SLH010 - Aluminum Pipe Clamp from 40 to 60 mm pipe diameter



- ✓ Locking Type: Screw
- ✓ SWL (Safe Working Load): 80 kg
- ✓ Pipe Diameter: From 40 to 60 mm (from 1.57 to 2.36 in)
- ✓ Material: Aluminum
- ✓ Size: 102 x 185 x 30 mm
- ✓ Net Weight: 0,36 kg

CODE	MSRP EUR	MSRP GBP
L182L	€ 17,43	£ 15,69

SLH006 - Aluminum Hook Clamp from 32 to 42 mm Pipe Diameter



- ✓ Locking Type: Screw
- ✓ SWL (Safe Working Load): 35 kg
- ✓ Pipe Diameter: From 32 mm (1.26") to 42 mm (1.65")
- ✓ Material: Aluminum
- ✓ Size: 60 x 116 x 30 mm
- ✓ Net Weight: 0,136 kg

CODE	MSRP EUR	MSRP GBP
L181L	€ 17,43	£ 15,69

SLH009 - Half Coupler for 35 to 64 mm pipe diameter



- ✓ Locking Type: Screw
- ✓ SWL (Safe Working Load): Kg 80
- ✓ Pipe Diameter: from 35 to 64 mm (from 1.38 to 2.52 in)
- ✓ Material: Aluminum
- ✓ Size: 112 x 168 x 25 mm
- ✓ Net Weight: 0.34 kg

CODE	MSRP EUR	MSRP GBP
L180L	€ 11,09	£ 9,98

SLH007 - Aluminum Half Coupler for 42 - 52 mm (1.65" - 2.05") Pipes



- ✓ Locking Type: Screw
- ✓ SWL (Safe Working Load): 200 kg
- ✓ Pipe Diameter: 542 - 52 mm (1.65" - 2.05")
- ✓ Material: Aluminum
- ✓ Size: 112 x 112 x 30 mm
- ✓ Net Weight: 0.35 kg

CODE	MSRP EUR	MSRP GBP
L179L	€ 16,48	£ 14,83

SLH005 - Aluminum Trigger Clamp for 42 - 52 mm (1.65" - 2.05") Pipes



- ✓ Locking Type: Trigger Clamp with Fixing Screw
- ✓ SWL (Safe Working Load): 200 kg
- ✓ Pipe Diameter: 42 - 52 mm (1.65" - 2.05")
- ✓ Material: Aluminum
- ✓ Size: 102 x 150 x 30 mm - Net Weight: 0.43 kg

CODE	MSRP EUR	MSRP GBP
L178L	€ 16,48	£ 14,83

SLH002 - Steel Pipe Clamp for 35 - 50 mm pipes (1.38 - 1.97 in)



- ✓ Locking Type: Fixing Screw
- ✓ SWL (Safe Working Load): 25 kg
- ✓ Pipe Diameter: 35 - 50 mm (1.38 - 1.97 in)
- ✓ Material: Steel
- ✓ Size: 51 x 156 x 27 mm - Net Weight: 0.126 kg

CODE	MSRP EUR	MSRP GBP
L177L	€ 3,17	£ 2,85

SLH001 - Pipe Clamp for 30 to 60 mm pipes (1.18 - 2.36 in)



- ✓ Locking Type: Fixing Screw
- ✓ SWL (Safe Working Load): 35 kg
- ✓ Pipe Diameter: 30 a 60 mm (1.18 - 2.36 in)
- ✓ Material: Steel
- ✓ Size: 76 x 126 x 26 mm - Net Weight: 0,297 kg

CODE	MSRP EUR	MSRP GBP
L176L	€ 5,07	£ 4,56

LW2 - Lighting Safety Cable



- ✓ 85 mm Steel Reinforced Cable
- ✓ Un-detachable carbine hook Included
- ✓ SWL (Safe Working Load): 30 kg
- ✓ Wire Diameter: 3 mm
- ✓ Net Weight: 0,07 kg
- ✓ Total Length: 85 cm

CODE	MSRP EUR	MSRP GBP
L183L	€ 4,75	£ 4,28

General sales terms

Scope of application: unless differently provided by written agreement between the Parties, these general terms and conditions of sale shall govern any and all offers, proposals, purchase orders and contracts entered into by FRENEXPORT S.p.A. (hereinafter "FRENEXPORT") with Customer. General terms and conditions of purchase issued by Customer shall not be valid and enforceable between the Parties

Offers - Orders - Order confirmations: offers made by FRENEXPORT shall, unless otherwise specified in writing in the same, be valid for 30 days from the date of transmission to Customer. Any and all purchase orders from Customers (hereinafter "Orders") shall be formalized in writing and sent by fax or email to FRENEXPORT head office. For Orders for less than €200.00, FRENEXPORT shall charge Customer with the additional sum of €9.00 as administrative charges. The contract shall be deemed entered into between the Parties as of the date of receipt by Customer of the written Order Confirmation by FRENEXPORT

Documents - Price List: all information and data indicated in FRENEXPORT's catalogues, leaflets, price lists and other informative documentation (hereinafter "Documentation") shall be deemed purely indicative and may be subject to change at any time and prior to further notice. Customer is expressly forbidden to reproduce the Documentation by any means whatsoever and disclose its contents to any third party.

Delivery: Terms of delivery, where agreed, are purely indicative. Any delays in delivery shall not entitle Customer to termination of contract and to compensation for any direct or indirect damage, except in case of malice or gross negligence by FRENEXPORT, holding the obligation towards the client to pack the goods adequately and to protect them in such manner that they are able to reach the destination in good condition using standard transportation. The client is responsible for adequate transport insurance. Products will be delivered Ex works (EXW) our warehouse in Porto Recanati (Italy), and will be considered as delivered when materially collected by the Customer or a carrier. Delivery, if requested, will be made on behalf of the Customer and at Customer's risk and cost. FRENEXPORT shall have no liability whatsoever for any damage to or losses of Products occurring during transport, therefore the related risk shall remain exclusively with Customer. Customer shall, on pain of forfeiture, verify the integrity of packaging and check the quantity of Products upon their receipt, making the appropriate written reserves with the carrier and promptly notifying FRENEXPORT.

Prices - terms of payment: The Prices of the products and services shall be those stated in the corresponding Order Confirmation. Prices are indicated net of: (i) VAT and any other applicable tax; (ii) packaging expenses; (iii) shipping and transport costs.

Payments may be made by credit titles only if this mode of payment has been specifically agreed, and acceptance of said credit titles by FRENEXPORT shall always be deemed subject to final payment. Any covenant to the contrary is expressly excluded.

Customer may in no event and on no account delay, suspend or omit any payments due. Any claim or title Customer may have shall be enforced by a separate action, it being expressly understood that Customer shall not be entitled to set off any sums due by the same against any of its credits or claims.

In case of failure by Customer to pay any amount due by the same within the agreed deadlines, FRENEXPORT shall be entitled to:

- Suspend performance of the corresponding contract and/or any other contracts in place with Customer, including any warranty obligations;
- Immediate payment of all sums payable by Customer, on any ground, even under other contracts, all such sums becoming immediately due;
- A refund of the expenses sustained to recover the sums not promptly paid by Customer;
- Compensation for any further damage.

In any case, any and all sums payable by Customer shall become immediately due whenever one of the following circumstances occurs:

- Customer becomes insolvent;
- The guarantees provided are diminished;
- The promised guarantees are not provided.

Where Customer has several debts to FRENEXPORT, the latter may decide from time to time to which debt any payment by Customer is to be allocated.

Warranty and Return: Warranty against defects shall have a maximum validity of one year from the date of delivery of the products.

Any apparent defects of the products shall be reported by Customer in writing, on pain of forfeiture, within eight (8) days of receipt of the products. Any hidden defects of the products shall be reported by Customer in writing, on pain of forfeiture, within eight (8) days of their discovery.


FRENEXPORT's warranty against defects shall no longer be effective whenever:

- Customer or any third party make any repair or change to the products without the prior written consent of the latter;
- Customer or any third party alter or misuse the products;
- Customer does not allow FRENEXPORT or its authorized agents to carry out any and all reasonable control on the products declared to be defective;
- Customer fails to promptly return the defective products to FRENEXPORT, where so required by the latter.

Subject to FRENEXPORT prior written authorization, defective or non-complying products may be returned by Customer who shall send them to FRENEXPORT designated country Service Centre. In any such event, returned products shall be accompanied by the return authorization form duly issued by FRENEXPORT or his designated agent as well as by a specific description of the products and of the defects encountered in the same, with the specification of the indicative number of products as well as the date of the relative sale invoice.


If, upon due verification of the products returned, FRENEXPORT establishes the existence of the alleged defects and applicability of the warranty, FRENEXPORT, at its sole discretion, shall either repair the products at its own charge and expense; or replace the defective products.

It is expressly understood that repair or substitution of defective products shall be the sole remedies available in relation to the warranty obligations provided above.



ADVANCED B2B CUSTOMER PORTAL

360° management of your account



NEW FEATURES

- ✓ Responsive interface: works on most common devices on the market like Tablets, Smartphones, PCs and Notebooks
- ✓ "Alert me" function: ask for email notification when a product of your interest is back in stock
- ✓ Over 7000 PDF product datasheets available for download

Not registered ?
Ask your login credentials to info@frenexport.it

